


**Legend**

- Schedule 40 PUC Sleeve(s)
1. Sleeving is called out as Sched. 40 PUC pipe size. 4/4 indicates two 4 inch PUC sleeves. Contractor is responsible for accurately locating on a site plan all sleeves immediately after installation.
  2. General Contractor is responsible for coordinating installation of site lighting and irrigation system (N.I.C.) to include sleeving installation by 6.C.; coordination with electrical subs for circuit panel access and controls; and location of irrigation controls in building or protected area. For clarification of Entry Court planting bed layout see Sheet L-2.)
- Site Lighting Contractor to install 3/4 inch sleeve and junction box at these locations for removable pole lights (Stone mason to lay paving up to light boxes).



2-9-95 ADD #12  
Issued / Revised

**J. ROBERT ANDERSON, ASLA**  
Landscape Architect  
1135 W. Sixth Street, Suite 120  
Austin, Texas 78703  
(512) 476-1777

**NATIONAL WILDFLOWER  
RESEARCH CENTER**

Project Name \_\_\_\_\_ Project No. \_\_\_\_\_  
Drawn \_\_\_\_\_ Drawing No. \_\_\_\_\_  
Scale: 1" = 40'-0"

**IRRIGATION & SITE  
LIGHTING SLEEVING PLAN**

Drawing Title \_\_\_\_\_

**L-14** of \_\_\_\_\_

#23