





[REDACTED]



we find 3.40
gr. of 3.

you may receive
lesion on the
skin graft.
For favorable results
are reported by
ignoring the idea
of thick to destroy
 alot of bed. vs. then
to produce inflame.
then & burning of & layers
lesion with AgNO₃ thick.
By far the best treat. is
by means of dry. &
exposure for 1/2 hr. by
sunning on the vacuum
in tube. & neighboring
skin is completely protect-
ed by 1/8 in lead plate
or about 6 thick pieces
of tin foil. by it in
between adhesive paper
put out around
and protect in this
way.

Lecture Jan. 19th 09.

Cod liver oil, & the
thyroid ext. good
in creosote dose
5 grs tid. first wk.
then not wk 10 grs
tid & third wk 15 grs
with 1 pot to see
whether thyroidin
is prod. same
core in the case of
this.

tuberculin, and
the new tuberculin
of Koch. You first
use 2 mgrs. &
may grad increase &
come up to 20 mgrs.
You usually get
good effects in such
cases at first.

~~Oct 10, 1909~~
Lecture Jan, 19th 09.
Ecthyra!

Is a superf. pyrogenic
dis. of skin.

Char. by a formation

of small pustules.

About size of finger

nail. Are frequently

round topped &

rather broad. Give

rise to a little itching

and only a small

bit of pain.

In 4 or 5 days the

pustule dries up

it forms into a

loose scab. beneath

wh. is a rather ^{raised} angry

looking slightly ^{red} sore

by ~~recommending~~

much into the years
in these possible
times & may &
Finsen rays
Is good when treated this
way. Relapses are quite
rare and must be
watched & if occurs
repeat & treat. Chyng
V. really emerges
well from it,
treat. Local & gen.
are lots of fresh air
& plenty of good food
my food and living out
of doors as much as
possible. Hygienic treat.
very much - some
as for the
~~best~~ remedies.

most recent bent
with you

surrounded by
an areola.

Successive crops are
common. Lesions are
very superficial. They don't
get down deep
enough to necrose.
They heal over
rapidly leaving
behind for a short
time a hyperemic
base. These ecthyma-
tous pustules may
occur on any part
of body but the
face and one
leg. It is one of
these pustules appears
peripherally involving a

1/2 \$1.00
Keweenaw
O. J. J. J.

many of the
people
Quintan's cows
of mass recent
of Oregon you
may have dig.
from previous
and here the pre
sence of silver
holes in sand.
are not the
absence of
holes will differ
out.

Quintan's cows
where there is no
seeming no
apple jelly, etc.
etc. & you have
itching, etc.

Lower 1/2 of Lower

union together
1/2\$. I should like
you miss and they
be located in a
few days. It is evident
that where there is
but little intention
to sustain them.

Ecchyma is more common
in a person &
much more common
in & duty of those
whose health is
below par. I have
counted the children
than in adults.

It requires different
from ingesting entozoa-
some. It also from
parasites, eggs

Thompsonville
Dec 5 1897 (Mon)

about and only
above the growth
cell,

Diary

more fully, compared
with hyper-trophic
mythematosis,
I spent the one & a half
years, for doing your
work.

though it is not
for Sepmory. but
here you do not have
capped jelly tubes -
cells. you have in
Sepmory a living
specimen of much
more life. The
areas of ocellularia
in Sepmory which

over the grass
part of the grass

+ pasture nymph.

Part of diapa (nymph)

1. Superficial pasture
brook road topped
with an inflow.

one or two around a bore.

2. Chorus. - In bore
after pasture forms.

3. Upon a comparative
absence of subjective
symptoms of breeding.

slight ⁺ ~~ecthyra~~

where ~~ecthyra~~ ^{ecthyra} is
allowed to go unattended
did not last for some
time yields readily
to trout.

Trout.

As soon as possible
from then should

be covered with

na - begin in v up-
per papillary layer
as in v deeper
layers on in me-
ent.

v some dysplastic
logical lesion re-
ferring v lesion
or else where in
the v giant
cell. hyperplastic
cell. in v with
v embryonic cells,
v giant cell is near
by always present
histology of nuclei
from 10 - 100.

It happens that
v embryonic or ^{epithelial}
con. cells # me.

the most of
the 1 in 100 - 100

be worked off with
some alk. sol.
Wolff's is good
or carbolyzed sweet
oil & weak antiseptic
the lotions are applied
Cork - sweet oil is
good. 10 - 20 grs.
of ammoniacal Hy.
of 1/3 oz. in 100 is
good. Most any
antiseptic is good.
For a general health
tonic. D. D. & S. is
good. If par. shows
the tendency give
cod liver oil &
antiseptic & opium.

to be a very
large number of

gods. I should
like to know of the
the. a very
small number
to make up of
sections or of
points in
to give a picture
more or less
majority of people before
meeting. not very
much of U.S. is of
an in Egypt or in
part may occur in
all classes. but it
essentially a dis. of
a poor & the
beginning & end
where or time thing

200
process: 400

Furunculosis - boils,
is on ac. inflon
dis. of v skin char
by it prod. of boils or
furuncles. These
begin as an infl. by
ordinary ~~infection~~ ^{infection}
A hot phlegm or
pus. Gives rise to
some infl. pop-
ule at first. Is usu-
ally not very pain-
ful - is beginning
to rise - grow - spread
perhaps deeper and
soon gives rise to a
conical. one
which varies in size.
Considerable infla-
tion about the

the 2nd of Aug. 1907.
The tissue was not

not thinking it a
gross lesion of this
attention is first
attracted to a defin-
ing non positively.

Thymus is fully covered
with other, other
forms of the. The
followed by junction
among the. 1 of
followed by this later
point, some 40
- 50% & some
1-2%. St. epith-
eliumation began,
occurs in the
of lymphatic tissue.
Lymphatic tissue, seldom
shows enlargement
of neighboring lymph

Not touching the
the ~~unimpaired~~ ~~unimpaired~~ ~~unimpaired~~

for once very pain-
ful. In 30 & 40 days
back a pustule
appears at the hole
& if this is opened
some pus will be
expressed & in 10
or 12 days you will
find a new one
~~come~~ ^{come} this is
how the little & new
rounding tissue
which has been destroy-
ed by the virus.
As soon as the cone
comes away & cavity
rapidly gets smaller.
The usually giving
rise to a little
amount of pain depends

begin in child
hood seldom before
a 7th year.

Over half of cases
before puberty
seldom after 30
fewer and fewer
after 60.

Does not interfere
much with vigor
health but may
last for years and
years and cause
trouble much
or it may become
life progressively &
cause trouble.

It very frequently
grows out of the

Keep in close
contact with the
disease

upon a density of
cells in which
- etc occurs. It there
are constant. Symptoms
such as fever, prostration
loss of appetite.
Auto-infection
may be. When
the first discharge
from follicles in
neighborhood are
likely to be infected
and may
retract & pick off
bail & transfer
infection. To a distance
the mucus is usually
absent & does not
express of bad blood.
Not infrequently

extrinsic. Due to
 loss of nutrition
 It occurs about
 1/2 in. or about 1/2 eye
 below, lids & under
 frequent morp-
 tion will pull &
 the down coming
 ectropion. Or if
 it occurs about the
 joint it in case
 of drooping contracting
 In pro. at comes
 abstract to & sym-
 phoric vessels giv-
 ing rise to lymph-
 edema which may
 be permanent in
 some cases.
 Lymph nodes always

Forrest J. D. &
Lombard

with bad health.
When it involved
+ violent, repetitive
or other grave conditions,
it should be thought
of as exposed for.
For majority cases
it is of the
type of low police
of one who is
overdepressed.

Treat

Local & constant
control.

Build up
1 gm health.
Calcium sulphate
in $\frac{1}{4}$ gm doses about
4 times per day
for respiratory

L.V. is very old,
It has lost for years
years without getting
rise or more than
any real. patch
therefor with apparent
cause may spend
very far on bill then
become old, again
It is depending on
It is very destructive
and of more but
plumbers or plainer
my & come about
Thank book. In
some instances, it
may almost occlude
or worse. Seldom
attacks bone but
may come & stay

with the frog in the
1200 hour in p.m.

because of ancient
reputation, that
much else.

Local treatment - I have
not injected very
frequently by spreading
flexible ~~and~~ collection
over a beginning
pore it can be
obtained only pulling
out a hole you
can very frequently draw
a beginning down out
of a hole of hole or
by injecting several
drops of 5-10%
carbolic acid just
beneath a hole
process can be stopped
as soon as hole

begin to be lost
the body of the
eye

involvement of cor.
may spread along v
tear duct from
nose to eye and
thus to cor. air may
spread from cheek
to eye & is not for
out may destroy v
eye. Suppur. III. may
attack & involve
m.m., On the
of more suppur.
may come a perforation
of corneal tissue sept.
Hyper. leprosy &
hyper. B. are fi 3 can
cause perforation
of septum with
upper way in v
blood.

begin to be painful
it is good plan to
log it while you are
here to agree whether
you have formed or
not. In that way
tension is relieved
& you relieve.

If you do it, could you
 do this you may
 use but H. G. C. R.
 Compresses to loose
 for pain & relieve
 pain. As soon as
 for pain is
 present make in-
 cision & remove
 core if possible
 the blister rapidly heal
 you should see

Mr. J. J. ...
...

It was covered with
rocks or it was
very much
worked you may
get information
of greenish yellow
holes due to the dry
ing of the water,
you may get near
the surface or
deep water. Caves
one place or spread
in water & is re-
frigerous & abundant
of yellow water
you may get a large
quantity of water spread
in water there is no
neceration but
there is chlorot.

It was covered with
moss & ferns

Dr. D. believes a
straight knife is
best.

Coal seams.

may begin from
top, but spreads
down into & up
out - in. & spreads
laterally in cel-
lulars, then it
is a number of open
rugs.

Sycosis.

Sycosis is a fungus, or
~~fungus~~ pyogenic sycosis,
it makes gas bur-
bles itch. Pyogenic
sycosis, - Sycosis vulgaris,
Sycosis vulgaris is a
fungus infection of &

there is also a tendency
for more complex ideas
to develop in the
course of the same
process ~~which~~.
repeated several
times. It is ^{recreation} ~~not~~ ^{recreation}
I rather deep and
extensive but in
either event you
will find a higher
tendency towards
periphery. you may
find this begins
widely disseminated
or spread of influence
or perhaps may
contain very super-
ficial needs &

There is also something
about the shape of the

has follicles of
head. It soon begins
as a hyaline spot
which develops into
a hyaline spot &
then opaque. There
are only a few
patches or pustules
but very often you
will meet along
margin where
a good many occur
in neighborhood
has the same
good deal of swelling
& it is of structure
upper lip adjacent
portion of foot
It may occur
more or less thickly

at times will give
rise to formation of
pore reddish
brown in color
which may necro-
tize and other heads
in 2 or 3 or it may
not necrotize but
oxid becomes
bleached in 2 or 3 if
leaves gites, or less
now formation of
around & perifer
of scar will be the
large nodules or
apple & jelly like
popules. In this case
the lesion may
tend to heal in 10

of them more give

scattered all over
cheerful face giving
rise to more
his disfigurement
giving rise to some
poor - although not
much. It is a pe-
licious & per-
fectly beautiful, formed
by his mis. and
the lower
hand & if I do.
to make perfect, but
looks like some
the other one,
also of the
to make fine
men who are not
or clear as they
ought to be. But

just washed just

absorption. It never
ates or is absorbed either
or way you have now
is kept behind at
times this absorption
is slight
leaving the paper
white now.

At other times there
is a good deal of reaction,
you see bands of reaction.
That one appears
moving & rate of
injection,
character. Injection
behaviour.

Will begin
on one or more ap-
pears of jelly tubercles,
which grow very slowly.

sculpture. It is
on a pedestal like

But may come if
very persistent
succeeding differences
some of

Treat.

Disolve of
all crabs and then
either clip or shone
or hair. If free is too
tender to shone clip.
or use some of
or depilatory paste.

Bo. napide $\frac{11}{11}$
Qm D.

Tolam at 3.11.55.

After 1 hour one should
be closely cropped and
- in the solution or
application one used
compresses of water

close together and
 they may give
 rise to considerable
 sized scars or they
 may be so thickly
 to give rise to formation
 of considerable size
 covered with these
 tubercles almost solid
 these tubercles may
 regenerate at time
 of cure. is very
 superficial. it
 may extend thru also
 into & entire thick-
 ness of skin or after
 persisting for a greater
 or less time. tuberc-
 cle may undergo

Close together and

1-3000 or 1-6000.

The free should be
shaded everywhere
- the discharges
piled out Annun-
tated ~~of~~ $\frac{1}{2}$ unit
30 gr to $\frac{1}{2}$ gr.
About $\frac{1}{2}$ gr. 40 gr to
1 gr.

Stephan. 3. $\frac{1}{2}$
Solinger and gr. $\frac{1}{2}$.

total is long &
tedious. of the pot.
after 20 gr to 40 gr
dis. is entirely cured.
Pain & inflammation
and of x-ray as
being most rapid
efficient. the dis

Polysiphonia

apple jelly. This pop-
ple or tubercle dif-
fers from ordinary
inflam - lesion
in that when you
press upon tuber-
cle & redness dis-
appears leaving behind
a yellow color. In inflam-
- condition the red or
disappears. Leaves a non
pale color. In time
this lesion reaches near-
er & if ovoids & spots
& shrink and then it
becomes elevated
above & surrounding
level & is in
sight. A # of these
tubercles are present

to remove the
debris. well with

portion only of
face is exposed to rays
& you fly hovers
converges exposure to
point of light eye
beam.

I became therapy
based on researches
of Wright has been
highly recommended
acutone pins, for
each. a pat. is super-
ficially made. there
are one killed by
heat & then they
are injected into
a pot. & storage dried
upon receipt of
pat. & also a freq.

Jaegeria reborbescens
on scale.

Lecture, Apr. 20th 09.

Syrms vulgaris.

In ch. and neoplasm dis-
of skin caused by the
characterized by the
develop. of deep seated
reddish brown tubercles
wh. followed by prod. of nor-
mally white skin the tubercles
macerate or not.

Syrms begins as a small,
papule or tubercle
varying in size from
pinpoint to pea size.
Is deeply seated in
skin & is of a char-
reddish brown or yellowish
color, resembling
something somewhat

200
Venus
mammalian and bird

of storage. Or else
an arbitrary one
is fixed.
Is rather difficult
to carry out but by
the right become
opinion index of
facts to be taken.

You

Lecture Jan 26th 09.
Seborrhoea.

Is a functional dis.
of sebaceous glands char-
acterized by over prod. of se-
bum. At the time
this over prod. occurs
as an oily disch. & is
spoken of as seborrhoea
oleosa, & again as
disch. m. dry in

Wrote + in yellow
your message

+ when you give
a dis. may mean
after while if
you persist in
the treat. you may
cure. You can't
keep down by treat.
Growth in
non-horny
body is easy to cure
malignant & benign
and out. will
come & disappear
to be right & the
cure is more per-
manent than
on a scalp. One
of diagnosis for
point or presence

just nothing +

flakes + is spoken for
abouloca nica
Sebouloca nica is
tiny, spoken for
dandruff. Seboulaca
occurs on the face
of body most plentifully
supplied with seboul
oids. It occurs on
nose, face, eye brows
+ fly on other parts
of body.

Seboulaca Obova =
oil variety.

this may occur on
nose but perhaps
some more fly.

othodes & face as about
1 more adjacent
portion of cheek as

as more from 18
persons A may 1

September 20 got
13 pint and
spring oil
30 40 got 1/2
pint. here. water
fine in good one
out. some water
the most elegant
you can find for
7-10 days and then
about once per day.
you go good. Don't lose
length of time
between them, as
a cow will per-
mit and finally
you'll want it. It
you may get
to 1-2 from

Feb 22 1907

✓ brows & forehead.

It may occur as
a greasy skin on hair
on skin of face &
only detectable by
couch. Hair may

move away. On other
hand drops of oil may
stand out from

cheeks nose & fore
head & hair be very
oily. But particles
perforate & then oil
giving face a dirty
appearance. 1 condition
more. so much that

drops of oil stand
out on skin like
and then like drops
of sweat. It gives rise

~~my - John -~~
~~my - John -~~

Should be applied
both morning
and night.
Apply one sweep
to the roots of hair
and touched.
Gives elbows with
a good lotion.
R.R.

For SD 4
If sufficient aa 5-15 grs
to the ounce of H₂O.
begin with weak
sol + increase v
strength.

Myth is v best
of these drugs and
that may be
indicated.

Worms & lice

a very slight relief
the symptoms - there
was a little itching
of the feet for a long
time & that will
fall out & = olopin
Rebourboa Lima.

Some Jr. then &
only variety - It occurs
by preference on &
scalp. It may occur
after does in
eye brows & on face
& in & creases about
the nose, in & beard
& hair portion of chest,
but it is by far more
common on scalp, & when
it does occur ~~in other~~
in other localities.

by the way
some cases of

scum by the way
scrubbing with
green soap. get
the scales
everywhere as close
under it as possible. then
apply on outside
a lotion. Dr. S.

believes you should
apply the lotion
to the skin for 15.
Sulphuric acid 15-30 gr.
olive oil 5-10 drops
alcohol & water

— a a = portugal

— 3/4 1.
1. resorcinol, best
light oil & water
is ~~light~~ heavy
principle in green

trans. by Moore
New York
1907

It is also present
on the neck.

It gives me a small
red. Scales which
have a greasy feel
when rubbed between
the thumb & finger.
These scales are easily
dislodged so that they
appear about the
loar & shoulders in
great no. usually
the skin beneath the
scales is moist. normal
color to me. a
little paler.

Subjective symptoms are
slight. me. some
itching when the scales
get loose.

1. Don't let me
know what you
think of this

Trust

Goughy love.
Any derangement of
your health should
be treated. I much
prefer prevention
than seldom is
you would have to
me working oppor-
tunities.

Best remedies are
sulphur, resorcin,
salicylic acid and
ammoniated Hg.
these are the only
drugs you need
to combine in
treat.

Wolfe. here you
get rid of all these

~~Scabies~~

Jan 1

✓ hair is curly,
dry & rather life-
less looking & after
while it invariably
comes & has to fall
unless relieved by
treat. Scabiosa of
more curly begins
about & age of puberty
& is very freq. present
on scalp of little
babies where it
occurs as yellow
rich crusts. It does
not seem to require
poor health for its
production. But when
✓ health gets poor
from any cause
scabiosa gets worse

~~It is not a true nerve~~
It is not a true nerve

intensity, unless treated.
The most common
cause of ophthalmia
being heredity &
infectious & their
to fall unless treated.
Pathology

It is that of a
superficial inflammation
of the cornea & changes in
the corneal layer
in the retina, there
is a certain amount of
inflammation. The
reactions of the
more serious is
prolonged. The reaction
is often found
in the cornea
with vessels.

no more of
your own kind.

It has been ascribed
to gothic with two
intermediate divisions,
American & English
- but I am kind to
miss. It has not
been satisfactorily
proven at all.
It is a functional dis.
of the vocal glands.
Much more re-
turn is needed in

prod.
Patch.

I really a func-
tional condition

over-renewal.

Shing.

of city variety
is apparent & required

W
on
of location
on

in legend.

Cause.

Is positive
probably
occurs in reces-
ses of people. Is
more common in those
who neglect & never
always begins in a
recap. Any condition
that depresses
gen. health will
produce one more
probable & usually
aggravates an exist-
ing hyp. worse in
winter than sum-
mer.

Prog.

Prins or indeg-

no differentiation
of any variety you
have to differentiate
between protons,
st. ring bonds
val. & st. dy
st. bonding e.g. f,
+ e.g. & st. bonding
a den. st. st. bonding
st. bonding

✓ Prog. of rhomboid,
to good often requires
long continued rest.
✓ condition can be
relieved rather rel.
but recurrence
are almost certain.

Treat.
1st only variety.
✓ oil can be improved

~~some of the~~
~~most~~

run together and
give rise to a
very out line,
you may find
several of these
portals for point
and in a square
region behind the
middle neck.
So we found
a really throat
you see - subjective
hypnotic - one mind
you may have
little sticking neck.
is mind especially
when you want
a inflow - is
more reverse me,
or reverse stick or

the time & a
in cases -

loney by means of
silver leaf & sulphur
& for can be worked
by this way may
as green ascept
v unparalysed con
taining resin
or sulphuric acid or
both - ~~any~~
see sulphur
or Mercurial prep.
very variety perhaps
yields easier & treat.
than v dry
treat Schouthea lina
In dry variety v
first step is to
remove all scales
that is lost gone
by means of green

Young ~~to~~ ~~from~~ ~~the~~
of ~~the~~ ~~same~~ ~~kind~~

Mozzpuedd &
apilla or grain
or on any portion
of body. Many
present ~~in~~ papules
but are chiefly
defined. Their
color varies from
light yellowish
brown to darker
color or is
covered with these
greenish scales, of
yellowish color.
At these patches
close up in ①
give rise to a coin-
like ring round or
reversal of them may

Wash with
outside of
the mouth

Wash with a
scrubbing brush.
This scrubbing must
be repeated for 10 or 15
or 20 times a day
if every day once
then it is a
very best remedy is
sulphur 1/2 oz
in an ounce of
oil should be applied
once daily to the
throat & throat
You apply by
taking a little of
oil in your hand
& finger & rub around
the root of throat.
Orange juice
daily for 1 wk.

Some more notes
on the 22nd

is strongly defined
to include a
light yellowish
brown and the
sp. is covered with
yellowish scales
you may find in
bottles not so
sharply defined.
you find fine grey
rebburstein areas
and looks shiny.
you may spread
from face to
mouth area.
and very prey. needs
to body may be
of the white
fluent in front
truncula behind

to the
of the
a

once every two
days for 2 weeks
+ 100% the whole
about twice per
wk. then you
may use 200 mg.
phenon and in
alcohol. wch. con-
sultation after
first wk. with
phenon and
after 2 or 4 wks
condition me,
usually end.
but it may remain
on the same
to be med. log.
alotian cotton
ing nitrogen and
+ the whole.

15-305
By. for [unclear]
[unclear]

Shower when you
brush the hair,
there is a slight
redness of skin
outside of border
of hair it may
spread beyond the
hair there is
redness & scales.

= Corona reborn
shower

The regularly spreads
to each part of
body ~~it~~ it not
fully involves
eyebrows. The nose
face & lips, and
where it ~~involves~~
non living surf
over the skin

Young's Young's
resorcinol

Rx. for lotion -

Resorcin 15-30 gr.

Salicylic acid 10-30 gr.

Olive oil 5-10 m.

Alcohol 5 fl.

Water q.s. ad 1 fl.

that can be used

kind. you have to
pay a strength of
lotion to suit a prof.
It may cause a skin
to peel. Begin with
weaker lotion first
if you can stand
it. Resorcin
should not be
used in light headed
people or people
with grey hair. It
will make a

very much like
the

are greatly symptomatic
~~of~~ ~~the~~ ~~condition~~, and
reels for most
are a form of what
we call dandruff.
there are symptomatic
inflammation, slight con-
tractions of skin and
greyish scales.
these patches are
confined entirely to
scalp and in major-
ity of cases they are
there are only a
few patches and deep
out are deeply
situated.

Skin is often slight-
ly hyperemic.
Scales fall in

~~Two parts of the material~~
Two parts of the material

Duty greenish color
By...

No Hypophosphide 13.

Sublimed about 20gr.

Oil of oil 20m.

Alcohol 5 3.

Water 9.5 at 13.

This will come a
right part. with
you will have to
shake each time before
using you may
add a little of
the or some active
acid if you like
& in future to be
good.

Hydro 5 $\frac{11}{11}$

Resorcin 5 $\frac{11}{11}$

Quinine 5 $\frac{11}{55}$

Is a same relieved
by use of ordinary
ointment but where
you have fissures
or penetration of flex-
ible collodion will
give relief - or if
you will join
the fissure with com-
p. - Benzoin. These
serve as splints.

↳ Co. to Benzoin is rooth-

Ecz. Seborrhoeicum =
Seborrhoeic dermatitis.

Ecz. Seb. Is a condition
in which lesions prod.
resemble both seborrhoea & ecz. or is
a dermatitis in which

Preparation (some say)
Dose 10 to 20 cc

Water
Alcohol $\overline{aa}$. good $\overline{vi}$.
Glycerine
oil - cotton $\overline{bz}$.
Anointed $\overline{bz}$. 20-30 gr.
 $\overline{bz}$ Cl $\overline{X}$ 30 gr.
ozone Rorae.

In children & weak
constipated etc will
help cure & trouble,
of breath below for
from any cause of
prognathic remedies
should be prescribed
& that should be as-
sured that & dis. will

from the north
and
from the south

legitimate appropriate
remedies for a stage
you may have to
look to the courts.
and

you may have to
reconsider your
treatment in a proper
way.

Oct. 7 of 1913

Dr. J. T. very much
is fully convinced to
ward border may
lead to cracks north
again mid line
or to formation
of rolls. To expedite
- by pre-disposed to by
keeping his notes

seen in most
condes

seen in most
condes,

Condo

is a functional
dis. of v seb. glands,
in which a plug of seb-
aceous matter lodges
in v duct of these glands,
v individual lesion is
called a condo or
pimple = comedo
= Black head.

May occur on v
face. Especially
about v lobular
folds. and more
adjacent portion of
cheek & over forehead
It may occur on
other portions of

Keep on working on these
Mammals of the day

fly give brilliant
results.

~~Do~~
Eggs of Lep
Bombyx of the size in
a minute aged.

As fly dies soon -
could be in out a
good one from any
cause. Egg in this
region fly looks to
very marked thick-
ening of skin &
marked to. It
is, erythematous,
or papular or ves-
icular. You
very rarely have
a few there but
to be elevated

body give freedom

body especially on those
portion of body
pressed of by people
-ing. It is, seems
- old people just
out side & control

If you you will
find find me. of
confidence group
there that confidence
It is seen in
my belief on & check
to here comes is
reality just stay
- & position of
out come. You
influence, present it
= comes. You
from present it =
come.

come out with

may use powder
or lotion.

You may use for
itching 2 or 3%
cocaine in lotion
or in an oint.

You may use
water or alcohol as the
fat. can be used and
it will often con-
trol a itching.

1% KMnO₄ may
relieve or you
may use AgNO₃
1-3% sol.

Finally, all treat. fails
to relieve then
used mind treat
with & pray will

pond - sunken

comets gives rise to
no abrupt bands
discontinuity ~~the~~
the apex of plunges
black. this is due
to dust some say
shinier color
in water by squeezing
the plumes apart
plunges reabsorb
matter can be pulled
out. If dust become
excluded comets
will develop into
deep reabsorption cycle
some comets is
plg. described to
go into 10th. diseases
they may come a

Handwritten text, possibly a signature or name, written upside down.

due to 5 medicinal
or to leucorrhoea
on anything that
will give relief.
Symptoms.

The itching
is very intense
often. Excoriations
may occur from
scratching. In
fingers, on lobes
of nose on
throat. Is often
difficult to relieve
at rest.

You must
relieve & discharge or
pinches if you
can. That depends
on stage you

Best 5 minutes
to 2 minutes
to 2 minutes

flashing of r free

It may be produced in
acne where skin
becomes flamed &
1 does not form
r sebaceous material
or matter accumu-
lates. Resulting
from relaxed condition
of r skin & its pores.

Lecture Feb, 9th 09.

Acne.

Is an inflam-
mation of r skin charact-
erized by develop. of papules
& pustules. One has
more or less charact-
distribution. I prefer

Toes by strips of cotton.
The best treat for
eczema of toes is daily
treatment in water
carbolic acid - ~~and~~
Ichthyol is in it.
A fine remedy you
cannot afford to
Ec of a genital &
anal region.
Must be very warm
about & use it
in hot fumes
or hemorrhoids, or
rectal wounds. But
genital region use.
Due to poisons
In female it is.

556 done by 451

✓ forehead, cheeks,
+ is from chin
out - present over
neck. Over body is
on over upper $\frac{1}{3}$
of back on shoulders
of mid line of chest.
In some conditions
it is widely distrib-
uted over ✓ other sp.
of ✓ body in ✓ acquired
funes & antiprinciple.
✓ some lesion
begin as a black head
or comedo. This be-
comes inf - by ✓
ordinary pus hairs
giving rise to ✓ inflow
pores or pustule which

In the between &
~~to~~ you will find
 a drying powd. such
 as GPO. Guanoate.
 etc. well and
 upon the 17th

Just to the top

continues & some
lesions & lesions of
some occur in
size from a small
pink head papule
or pustule on up to
one & size of a pea
then or even a little
larger. & depth of
some lesions also
varies. the ordinary
one extends no
deeper than & enters very
often times it extends
thru & entire thickness
of & skin and one
a little deeper. where
& lesion extends deep
it is spoken of as
one indurata.

not as if removed
and the skin is not

- removal of epithelial
debris. / and
gives rise to pruritus
no itching. Should
be removed ~~and~~
You should remove
epith. debris by
application of KOH.
then use salicylic
acid $\frac{1}{2}$ - $\frac{1}{3}$ to $\frac{1}{4}$ oz.
or for arthralgia
revel.

Lecture Apr. 13th 09.
treat. of regional ecz.
Is always some
time as for the other
ecz. soothing. sun
x

~~Section of structure~~
~~of the~~

In this there is no
formation. It is por-
ticularly an on rock
It may & may does
stretch of chalk in
ordinary superficial
variety there is no
scanning the no. of
benches in each
band there are
only a few scattered
here & there or they
are. no this is left
in a prepared position
At first that you can
hardly find normal
intervals. St. Anne
indicated lesions
over a great
1 on a chalk &

from giving me a
little of the
+ lumpy or lumpy lumpy

keep hands in an
interesting role.
rubber gloves
should be used
on hands should
be dried carefully
after work, then
rub out with
or rose water
out or cold cream
this is rubbed in
well to may prevent
peeling.

Elegant of finger
nails:

It plays a role
in making the
fingers with a
ritual and play
course & accurate

course in 4 or 5 days
to 1 wk or 10 days. But
there is more or less
rapid recurrence;
there is not much
much pain present
in some there are
bright discolor
or itching at times
to some where
lesion goes on to

for the purpose
of examining

voluntary &
symmetrical
displacement of
the

of eye-muscles
and for the
purpose of
surgery & takes
chemist, &
treat.

Remove all
source of irritation
of the throat. & les-
ions according to
countersuch-
romancy & relieve
any condition con-
dition that
needs relief
when necessary to

very common
in the young

in formation &
lesions are not
painful. As a rule
the apex of lesion
you find over the
lung and you will
very frequently find
apex covered with
loosely attached scale
and is distinctly
red - of a young
It is the cause of
bad complexion
ordinarily spoken of.
It begins about the
time of puberty, it may
last only a few days
or weeks but it very
frequently lasts for years
usually disappears

1500. 8. 10. 1901
Sho. S. 10. 1901

It may occur in
circumscribed patches
on the rock. There
is pinkish discolor-
ation and very
slight itching.

It may occur as
thickening about
a flexure of a joint
about 1/2 of a finger
broad. In these
circumscribed
thickened patches
about 1 pole is
seen. due to syphilis
of Eryema of 1 pole
seen due to contact.
In this case
~~both~~ both poles
are usually in -

It is necessary to
be careful of the
condition of the
lungs in
the chest.

ing about the age of
19 or 20. I remember
from it many
autopsy cases also
especially in some
industries.

It is we speak of
Artificial or Trade
venues.

this is espe-
cially common in workers
in the mills. In
this variety of acute
lesion of the lung,
confined to the central
portions of the body
of the lungs, the entire
tree of the lung,
brought about by
the insertion of the

Oct 11 835 gr
from

individual stroke
may get better or
it may prove
to appear again.
you may have Ec-
in hands. It
may be popular
or vice versa, or
it may
occur on a dot-
man or both. It
it may fly appear
on palm or yes.
~~or~~ It may
appear thickening
on the end of the
finger and
itching over &
pungent.

Black-bellied
Merganser

most and which
is ~~the~~ K/D & Bro-
mides - the very
generally of
eggs & some portions
bordering bone,
Nt. - very dense
& those who have
the, we meet with
one person deeper
red to almost bluish
in color & are rather
stiff - they are
more fibrous & do not
age & deal longer
than ordinary
one even, if
they are attended
with few subjective
symptoms.

~~not a large~~

antipruritic and
~~quite~~ much as 2 of
Cortisone and ant.
you may have to
use cocaine or
eucaine to con-
trol itching.
In milder cases
tartrate may be
~~used~~ prep. of cal-
ciclic acid.
If the condition
arise from re-
circulation you may
use meperidine and
find it very
useful. This
form of reaction
is found to be very
troublesome

2020-21
Autism

ordinary one & one
very ch.

As a child I was
odd of youth. It
probably was
always so on
during & not a
stage of a full pro-
gressive system
it me. brought about
by anything that gives
rise to a great deal of
stress & anxiety. In girls
- it is, disturbances,
especially with con-
stipation & it may
depend upon mental
disorders. At any
rate in girls who
suffer from same &

just before or during
the first storm

It fully begins in
ereone behind -
sons. The, arrived
with signs of
fads, & felt. I say
only due to some
constit. danger
me due to your part,
serious me, he
to have dyed down
druff ones,
treat

— treat any
Country, danger
men that me.
present and disc
tissue any four
pounds, or a pup.
they are having
fine working

and broken to pieces
in just after menstrual
periods.

It has been supposed
that a young person
this day took severely
has something to do
with being it
about. There has
been supposed to
depend upon some
cause that a very
variety of rebound
depend upon because
it is so fly-acted
with very greasy skin
and its fly-act-
ed the with a severe
condition and

It is a very common
feature of the

as an erythema
on the face,
around the
cheek, forehead
eyes. The very
may be associated with
protrusion of
the eye.
very intense
may come on
suddenly and
persist for a few
days, then get bet-
ter suddenly.

In those who are
getting older there
is likely to be some
infiltration of skin
protruding from the
eyebags of folds

~~it is argued that~~
~~anything that~~
~~will produce~~
~~condition of~~
~~will bring it on~~
~~workers of~~
~~one~~
~~July 1914~~
~~with~~
~~the~~
~~of J. H.~~
~~has~~
~~involved~~
~~a~~
~~boiler~~
~~with~~
~~he~~
~~calls~~
~~a~~
~~boiler~~
~~and~~
~~the~~
~~have~~
~~been~~
~~a~~
~~of~~
~~and~~
~~of~~
~~the~~
~~come~~
~~but~~
~~a~~
~~clear~~
~~con~~
~~has~~
~~not~~
~~been~~
~~made~~
~~out~~
~~against~~
~~any~~
~~other~~
~~the~~
~~pathology~~
~~of~~
~~the~~
~~7~~

it is argued that
anything that
will produce
condition of
will bring it on
workers of
one
July 1914
with
the
of J. H.
has
involved
a
boiler
with
he
calls
a
boiler
and
the
have
been
a
of
and
of
the
come
but
a
clear
con
has
not
been
made
out
against
any
other
the
pathology
of
the
7

Conductivity in water
is not at all

1. Dilution of blood
is due to an
accumulation of
~~red~~ ~~red~~ just
just in the
then there is an
inflow of duct &
glucose & v. etc. to
removing it.
= peripheral
blood = superficial
deep = indurated
venous. this inflow
may go into per
for some reason.
outside without
per for some.
superficial, no per
for some.
indurated, no for some

you may use
Noreline & 1 of corbol
- in acid - & you
may use 5-6 of
Boric acid. you
may use a 5 of Boric
acid & form. The
remedy must be
placed behind & over
a little piece of
paper & and
must be so it
will not come
in contact with
a wolf. Sores -
it is - & there must
be connected.

1. Contrary recovery
may be followed
by a good recovery

you may have
Nervine & 100 cases

Diag.

very
I should not get
of pot. the disti
nction which is
highly characteristic & upon
its follicular nature
could be mixed
up with popular or
particular suppurative
process. In the
present case
the other sympt. of
suppurative process
abscess & gland
enlargement &
point of lesion
is not follicular
- suppurative & in

James H. H. H.

with - into - in -
mother - the treat-
of this condition.
1. You must get rid
of all crumms if any
are present. That
can be done by
using Sweet Oil
you may apply on
clothes band leave
on for 24 hrs, or
you may use
thick rubens of
boiled puttying
oiled silk over it
fast. As soon
as crumms are
removed you may
use weak antisept
sol. antisept

me - in - a -
manner - the best
of the condition

Small of course
nature & the pro-
duction of lesion
the & their presence
should enable you
to differentiate.

That of course also
means that of block
people

Should be both ge-
neral & local.

Local is most
important. In general
treatment goes into
treatment is just noted
and any disorder
should be corrected.

If constipation or
anemia should be

looked after
himself & from

When much as
of these regions.
Feeding is among
a child will also
does not interfere
with its nutrition
much. However
rare.

Conclusions

More money
due to getting into
disturbance. espec.
constr. Do not
spend more
money. Bottle fed
than breast fed.
~~Do not~~ breast fed
policy it may
remain dependent
on some goats -

John M. ...
... ..

looked after.
Mistake Ferni
birds =

R.
Ferni Sulphur 1-11
Magnesi Sulphate 7 11
Acidi Sulphurici die. XV-XV

M. Sg. Agave 9 1 3 1
M. Sg. 3 35 1/2 hr before
breakfast

Another in sq goes
into that should be
connected also
ag goes into circles
should be connected.
Of drugs stop them
of symptoms stop
fit of hot water to
get well.

Local treat. I both

some of the children
are very much

children. Is more
on the face and
over the face. It
may begin as a
redness over
the face. At times there are
a few patches of
popular redness
over the face.
It very often occurs
as a further
variety with the
pale redness &
flush points of
the face & behind the
ears and in
some cases it
may be more widely
distributed over
the body in fold

It is not a
your house & no one
own of. no one

come to conclude. &
suppression of rebellion
beats plugs will be
all that is needed,
we squeezed on (between
or through nois on you
may use a combs -
depression. When
some parties go on
to suppression they
should be punctured
by some knife & will
remain unless mor-
ring than if allowed
to erupt spontaneously
-ly. Or else &
be treated as
follows. the party
instructed to work
in hot water & good

not the
in
with a

short time.
Re. recurrence
are very apt to
recur. Some of
cores of eye-
-most trying cores
to you will meet
with, feeling, maybe
very intense.
Regional Exponent
special point of eye-
ma.

Infantile form of
ecz. Do very much

I do very much
in holies, let me
present in a new
in a poor nourished
is perhaps more en-
in a poor clubby
over-nourished

2007 & then my very
~~rigorously~~ ~~rough~~ with a wet
rough towel that I
suggested to remove
the plugs & then
application of some
stimulating lotion.
Gentle oil is the most
important lotion.

Dr. Q. Q.

Dr. Q. Q. 5-15 gr.

K. Sulphide 5-15 gr.

Rose Water or

Aqua

3.1

your headache began
with & weaker strength
& grad increase.

this is up to bed
for 10-15 min. every
morning and night.

~~some more of the~~
~~same more of the~~

man undisturbed
for 3 or 4 days.

You may use a
glaucon as an
exipient. You
may use isobutyrol,
Sulfolie or carbol
in acid. with it.

~~In a page~~

Prog. of Eng.

Offr. if individ-
attract is good by
a exercise of case for
to overconting radi-
gation or other
troubles. and by
a use of proper
remedies. You
can generally
bring them if a

chop to 1/4 cup
per day.

in severe condition
or few severe ones
per day.

you may use

Theriacal pills

should be diluted at
first with 9 parts
water and as skin
becomes accustomed

cut you may 2:1
strength up to 9 parts
- 10. and as you

tolerate more you may

use 40 grs. to 1 1/2 grs
the ounce. As you

may use more the
initial prep. If you

change from 1/2 gr
from 1/2 to 1 gr

— cut out on soap —
— one of your —

these are turned to
stretchered soap
thoroughly when cool-
ed it forms a solid
firm mass. and
when you wish to
apply place in a
water bath & heat
until it becomes
liquid then with
abroad soft paint
brush & glaze
it painted over &
affected area and
allowed to cool.

then dressing of
alcohol cotton &
placed over this
forming bandage
applied this dressing
is allowed to re-

these ornaments of
the electric lamp
the electric lamp

you must be sure
to face to face from
the light you have
been previously using
on the side of the
rock. In the face of the
rock. It happens
that the vertical cur-
rent will turn the top
of the droplet &
replace it.

It is good to begin
with the water where
it comes to rest
after the top is
scraped off some
to help the water
should be used.

It is some very
strong applications
are used for the

not come out
of the bottle

apply once per day.
As soon as a good firm
bandage should be
applied over these
dressings where pos-
sible to apply a
bandage. One of
solut. prep. border
after they have been
applied. A remedy
incorporated in plas-
ters have been used
with advantage.
Among the most use-
ful is the gelatin
prep. & prep as
follows.

ZnO	30 parts,
Gelatin	30 parts.
Glyc	39 parts
Water	10 parts

approach as soon as
the sun comes out

piece of canvas & spin
dust to peel off. the
top may peel off
and come off
length to come with it
a 10 to 25% of soil
residue & plywood
it is rubbed bright
and shining - the
imitation of wood
sufficient. then
you can use a fine
tooth wood cream
on some on front
until it peels off.
no rule you can
give a good favorable
prog. there is a great
tendency to recede
-- if water treat.

~~known to be~~
Inscribed the

all the prep.
P in Liquid $\frac{11}{1}$
X O H $\frac{1}{1}$
Water 9.5 oz $\frac{1}{1}$
Mg: use one part
of this to 20 parts of
water and spread
over regeneration
patch and change
twice per day.
a strong solution
is good to clean.
Rx.

P in & Liquid 40
parts.
Alcohol 20 parts,
and pour this
mixture over of
fected area and
also allow to dry

11 3/4 m. 1000 ft
11 3/4 m. 1000 ft
11 3/4 m. 1000 ft

have failed the
know considered
to diff things also
more permanent
and. great hole must
be there and on you
will cause at the
ing of the skin and
too much atrophy of
rebores structures.

16-09.

Gene Roscoe.

Dach.

slightly infl.
condition of 1 fluke.
portion of face.
most can mean
ferocious in ree
in red nose of scuba

was only 4
completely new

about 2 times
per day & scrub
with 1 green roop
once per day
at any time you
effite an ad. animal
discontinue -
~~not~~ thin. and
are roosting op-
position
on int. of roliege
from 10-20 p. peak
-bed thorely into
a patch of thick
ed egg it will
unthly remove &
thickening sly. &
can be used in place
of 1 green roop.
Or you can use

Verley & name
coming to ground

ist & dyspepsia.

First begins as a
hyperemia. mostly,
if more rich. comes
on after some in-
directness in diet or
drinking or may
come on after ex-
posed to cold wind,
after which the hyper-
emia becomes more
permanent. It usually
appears in more or
less extent on the
face & forehead.
In time redness will
penetrate on skin
approaching over
affected portion
especially wings

longer - mess - my
should - - - - -

substance - - - - -
acid 1-1853.
You should always
remove & send
+ commit for any
remedy. Thinner
thickening at
will require to be
greater. Tr. given
loop & sponge me.
need to send the
thickened area and
make it almost
row roticle drops
of bed. oye or w.
then spread gutter
- regeneration patch
in thick layer,
- 40 3rd out
should be changed

more the coffee
1000 1000 1000

point of thickening
suspension.
✓ too prep on any
volume in water,
of ch. ccg. ✓ one of
code being perhaps
✓ preferable form.
if liquids can
also be used. but
it smells & stings
mucous membrane
of nose
as irritative.
omit.

Rx.
Ole. Codonae. $\frac{1}{2}$ -L_i
Q. S. $\frac{1}{2}$ 155-1
Oint. Rose water $\frac{1}{2}$
+ 30 could be left
out and you can

1. more of the
Linguistic group

1. ends & sides of
nose. this condition
is called Rhinophyma.
It is a type of de-
velopment of acne
rosacea with its seldom
seen except in similar
in some instances, it
may occur in the
plate area but this
is not 1. more. There
are no subjective symptoms
& deformity is the main
thing objected to.
Acne rosacea occurs
more frequently in women
than men. Rhinophy-
-ma more common in men.
Acne rosacea is
more easily due to

~~for some days~~
~~some days~~

Should be very
weak at first good
increasing strength
on skin lesions
it when & eg.
becomes quite ch.
your treatment must
be stimulating.

~~the treatment~~
Lecture, Apr. 6th 09.
Eczema could treat.
In every case & infl
ed area ought to be
well protected.

Ch. Ecz.

Here the treat
requires to be stim
want of stim required
depends upon &
chronicity of lesion.

Travel Journal
Nov 20 - 1904

and get especially
those ~~ones~~ with
constipation and
also ~~united~~ with
heavy drinking. The
drinking water is
a digestive system
of this sort to come
in ~~rover~~. It is

due to long exposure
to cold. It is ~~with~~
exposure becomes
with drinking &
person becomes
more ~~hable~~. That
mal & 3 is ~~diver~~
- 2 are supposed to play
a small part & some
content it is ~~druct~~
& some ~~un~~ that

the skin was
very dry

water & active oil brought
to the face & discharge
added to it.

It was mixed with
carbolic acid. You
may use water.

$\frac{1}{2}$ Benzoid or
ichthyol. It won't
keep long & soon
deteriorates & gets
rancid. 1 or 2%

carbolic acid
will fly. keep in
good condition.

As condition becomes
worse you may
add a little to it
it may need as
much of the oil of
Bitter or Pix liquida

They are more common
to the throat & lungs
than to the stomach

They often give rise
to rheumatism.

Rhino-pharynx. more
frequent in those who drink
alcoholic freely.

Seldom occurs before
age of 30. Diagnosis.

Is long. It depends
upon a redness &

hyperemia upon a
tongue lesions & upon

a hypertrophied follicle-
near opening.

Treat.

Keep the bowels
any gastro-intest. derange-
ment should be cor-
rected. Keep the bowels
well open. Then if
throat is sore get

~~It should be noted~~
~~the mixture is~~

starch each 2 gr.
Vaseline 3- $\frac{55}{8}$
A point differs from
an ointment that it
is more more
porous & contains
more in it powder
this should be ap-
plied in thick layers.
It being porous it
allows it remain
to creep & make
its way thru the
pore. Diochylene
ointment is a very good
ointment as well as
ointment.

Rx. Olive oil 14 parts
water 16 parts
Powd litharge 30 parts

Woolly Aethiops
No. 55 - 1/2 ounce
1/2 ounce

from any other cause
it should be treated
Putting much of
some local remedies
are used here as in
ours. ~~The~~ Lotus-
alba is the most
used. It should be
used in 5-15 gr.
of Gum D 4 & 1/2 oz.
white ~~to~~ each to 1/2
pint. Use this twice
daily will often im-
prove condition.
I believe that
the permanent can
only be destroyed by
electrolysis. The
I would suggest
repeated variety

your name
L. J. J. J.

sprinkle on a piece of
cloth, don't rub it
out into a patch.
this one should be
be bound snugly on
your foot & should
be changed about twice
daily. you may
add a few drops of
rolicin acid as a
condition becomes
more ch. If there
is very much
weeping you will
find a paste will
act some better
than ointment. You
will find Johnson's
paste will work
well. God bless

of your group, ^{if} you
are interested

nothing but mag-
ical remedies will
relieve the pain
of. will heal over
with very little dis-
punity the treat-
is now ~~admitted~~ ^{admitted}
condition can be
greatly improved
you should remember
that glutin & alcohol
is not only
poison that has
been known.

Disorders of N. Nerv.
glos

Hyper- - - - - or ex-
tensive meeting
this may lead to
the condition.

goodbye 56

✓ as many have
of property protected
but at they become
rub as... ~~from~~
more stronger
remedies. the Ben-
zotet 3rd in first
goals, ~~must~~ rub-
ac stages of eye
it loss of vision,
action and is a
splendid protection
here you must keep
✓ scales removed.
Do better to get along
with just as little
water as possible. may
prescribe.

When you apply
oil. It is best to

It is, dependent
upon - di. such
as involute paper &
the ~~thin~~ or any
of weaving count,
thouless, aside from
these there are ones
that seem to de-
pend upon an angle
nerve, then me-
cessive weaving
of a true body but
as hyperidosis, nearly
low stretching points
plus very flat or
uphill or inguine
region. One over
a distillation of a
newer nerve

on the other side of the river

little or possible
make out what
Cows when you
use water use
rain water or hot-
water. You may
use Malt 10 30
roster you may
use from May to
oil of winter and
for cleaning down
very as it is
then to keep for
which. In the ves-
icles & require
you will get
good result by
giving a lot of
Agro for 10-15 grs

little experience
we are not making

etc. - Hyper. drowsy
& don't just give rise
to most discomfort
the so me. so
worked out give for
sudden appear to
has a soft sticking
slowness. It feels
gives rise to so called
at all. The feet
me so tender & put
on heavy work.
Not that is excessive
activity. It sweat
glands & secretion
Roth in some con-
dition & also of
now motor co-
trol is perhaps

it dry. Stramonium
is useful. An
ointment containing
carbolic acid is one
of the most useful
ones in the stage
of carbuncled oil.
Carbolic acid &
sweet oil makes
every soothing
application.
Cautions should
always be carefully
remembered that it is
best done with
abundant oil such
as olive oil because
water is a irritant
- it should
be used just as

to suffer on
the other side.

present in some
other conditions.
It usually runs
about 18 ~~to 20~~ may
last for long time
treat.

Handed out
the dis. or in
down condition. Treat
is that of a dis.
where idiopathic
small does of pro-
pine will improve
condition for a
time. & a head
Dionylon and loc-
ally. Where this
condition affects a part
dionylon and is

of the same

me mixed with
the QmD. ordinary
tobacco is good
with pipe prepared
mouth is good.

R. Complex 3 1/2,
QmD

Pond Mouth a a 3 11
out our affected
area as often as
needed. 1 QmD &

Calamine lotion
is exceedingly rough-
ing prep. 2 contains
Calamine. about 20gr.

QmD 3 11
of fine water 3 1
you may stop
affected but not

favorite remedy. Is
 spread pretty thick
 on soft cloth & put
 unwrapped with
 these wadding with
 the supporting dress-
 -ing is changed with
 2 or 3 hrs. Each time
 wound is carefully
 wiped off & not washed
 this I repeated several
 days and end of week
 the spider-
 -ous feet of spider
 will beg. find this
 relieves condition
 If it does not relieve
 report & treat
 turning out out

old cloth or a soft
piece of gauze.
Pb applied & bandage
now used.

may put on a
soft piece of cloth
& protected or appli-
ed constantly.

Subacetone of lead
sol. - now used.

When itching is
very great it is well
to rub carbolic
acid 1-2%.

Menthol[®] now used
in some strength
Pb Powders are very
useful. Menthol
of Zn is soothing

off cloth as not
to be used

we used in the
long tunnel and
1-188 ft to 3 ft point
hole - only
wash in slush
13 to 188 ft. to some
portion of the
carefully drill
with & filled with
Boric acid.

✓ put in & drilled
in K Mud 4 rot-rot
round times, only
Porey recommended
✓ they are best.
✓ exposures are given
about 3 times a
week & are 3 or 4
times per minute

sting treat. I will
cure. protect
I am as sure it
from reference to
intensity of symptoms
that to a length
of time. this applies
to 3 forms.

Acute Ecz. treat.
1. use of lotions &
sprays are prefer-
able. 1. lotions most
ply. applied on Boie
and Truda lotions.

2-4 % Boie acid
+ 1-2 % of NaHCO_3
to fruit. this
should be dropped
out in intervals
or applied as a soft

the most. I have
not been
satisfied. I have
not been

daily. the case
can be carried to
any stage. You can
even destroy it now
if you wish. It requires a
good deal of work
and of time.
Anthrax is a disease
red or absence of
secretion of sweat.
this occurs in some
diseases such as
scabies, ichthyosis,
leprosy in affected
parts & joints
affected with le-
prosy. It is a
more or less idio-
syncratic this

~~I have a large~~
~~number of~~

from many
regard of you,
that one hole
has preceded
advised in & treat
your form, but
choice of your remedies
will depend on
observation of a
very single prin-
ciple. In ac cases
always use nothing
remedies.

In sub ac - cases
always use mildly
acting remedies
& protection coats.

In chronic - cases
use ch cases use

the following groups
of cases of disease
from the same source

condition in plain
today & hence I
often say, those
following dis. will
be benefited by
care of a dis. bottle
of rheumatism cases
will be benefited
by pilocarpine
may palliate & not
relieve it, may
be considered
etc.

Bromidron or
ferrous bromide,

this is very fre-quent-
ed with copper iodine
to me - general but
this is not so fr-
in any except & negro

begin because it
exaggerates & itching
& nose may itch.
H. Chloral & KBr.
or a cool ton espe-
cially antipyretic
will do nicely.

H. & tr. of helian-
thin 10 rh. does
every $\frac{1}{2}$ hr till you
get the const. effects
melancholiness &
feeling full being
etc.

In spite of int. re-
distrib. of attention
to you. health. your
sore will refuse
to get better with
out local treat.

Asymmetrical
of the mouth & the
the mouth is

+ certain of non
golden roes when
it is normal.
It may in
other aspects
just the odor is
present when it
leaves & sweet gas.
The air is the
decomposition of
milk. This odor is
very disagreeable.
It may however
be a disagreeable
pleasant odor or
to that of a milk
goat. This odor
persists in spite
of most careful

Jan I

~~Phosphorus~~

Phosphorus 1/100
- 1/60 gr. given, in
pill form or oil
& with of the in
dose of 5 to 10 min.
in the afternoon.
Some authors recom-
mend temperature
5 min doses to be
up to 10-20 min.
while a pot. is tak-
ing & temperature
has should drink
large amounts of barley
water.

W. it becomes nec-
essary to administer
drugs in the m-
orn. & pot. to sleep
Opium should never

Aspirin
Aspirin

one or two drugs which
we thought to hold
specific action
As. is just as good
as long as we go.
As. should never
be given in the
stages because it
acts as an irritant
to the skin. When
it does good is in
the chronic stages.
e.g.

In this condition give
it in Fowler's Sol
n - 5 ^{times} a day
or a pill of acetic
acid $\frac{1}{50} - \frac{1}{30}$
gr.

Don't & Shippins
and Love & Love

yellowish red. As
does not imply
in v. cells. The
color may be blue,
greenish. The color
in opilla is due
to mix. & can
be cured by showing
v. cells & opogity
with light & color
1-500. The other
conditions of disease
on the one hand
include to neuro-
tension.

Examination = not j
A cell.

To present in some
dis. & not hyster-
ical condition &

summer - others - in

overcome the con-
sting with med-
icine. Quercus is
required. All
of above. & The & my
vanilla will be

good or common.
Ry. Mr. 104 $\frac{3}{7}$ $\frac{11}{155}$
The nephrot $\frac{3}{1}$
104 die. $\frac{3}{11}$
H2O $\frac{3}{14-17}$

Sig: ~~comp~~ spoon
full tid. p.c.
there pot should
drink plenty water
If they prefer they
may have bottled
table waters.

then aside from
this gentler there

with me
The con

ne. angio-nervous

Lecture Feb. 23rd 09.

Eczema.

Is an infla
tion of skin volume,
either ac. sub. ac or
chr. Its main sub-
jective symptom is the
intense itching. Is
one of the most pr.
dis. of skin consist
25-35% of all dis. of
skin. Any condition
that gives rise to an
inflam. of skin m.
cause eczema.
Arises however
those conditions of
inflam. of skin is

should not be taken
at all. There is
not will very fly.
be traced with
country this is
especially so in
regard to horses &
I remedying of this
condition will
fly. go very far toward
relieving a attack
is better to try to over-
come a condition by
exercise to the right
point. Hot water
glows before breakfast
to the exercise mor-
ning & a. d. go to
move regularly every
day. this will fly.

of the. One 95.
The other is the 2nd

which can be
definitely traced
and taken out of
economy that I
believe the ^{own}
according to ^{the}
way. & they there
itself in ^{the}
Dis. whose pathology
we are not familiar
with is ⁱⁿ
this class. Economy
has 7 character.
points. Seldom
tit less than 4 or
5 or more.

1. Redness
2. Itching
3. Inflammation
4. Tendency to moisture

5. Goal = Revenue
6. Goal = Profit

only 4 of were vegetarians. There pre it would seem to lead violent to cut down meat. Allow a moderate amt. of the dinner. supper & breakfast should be light. Alcoholics avoided. That as the coffee either avoid ed or taken in moderate amts. and in some cases cut out tobacco. Part

Mick did not look
convinced

5. feeling or emotion
6. crawling of the
skin.

7. tendency of individual
lesions to run &
gather in patches.

8. is elongated ac-
cording to a predom-
inant lesion.

At 1st. see erythe-
-matous. Is very

common & aged. I
tho. present at any
age & children at throat
& cheeks. The color
will be lighter red
or more whitish.

darkish. There will
be little scaling &
the skin becomes

The clinical note
on rheumatic fever
is a solitary folk-
lore or beneficial
out of collection
for the Uterine troubles
should be looked into
+ arrangement of
room - should be
clean approx. re-
medies such as HCl,
peppin & etc.

✓ Diet should be
very carefully regula-
ted. On those whose
nutrition is too high
✓ diet should be cut
down. Milk diet
should be good during
v. re-stage. Hot
bread & candy should

I believe you
will receive back

The chief more
orderly manner
according to
myself - I think
it is. I think
orderly manner -
some of the
jobs or results is
involved in me,
intense of ^{myself} ~~myself~~
trouble of this there
are considerable
furnishing due to
a notice of
being exaggerated
and is likely to be
exaggeration of this
but with
these exaggerated
points are apt to

~~Love~~
portion of them will need count.

Treat for their relief.
Is often advisable to
look upon an egger-
ious person as one
being generally rich
& the egger being a non-
person. You should
should first look into
the gen. health & if any
derangement it should
be corrected. In men
it is not some prep.
of iron should be
given & in those
whose gen. health
is run down it is
well to give tonics &
cod liver oil.

Porton then we
will walk south.

have steady rain
on the 1st.

Popular variety
of E.

The lesions
consist mostly of
popules from
the point to the
head in size & are
very thickly
retroalhypertrophic
base. at first, however
they are scattering
appearing on the
hair follicles the
surrounding skin
being almost nor-
mal & this found
again July. attacks
in September.

Stomach & bowels
of the

here we get more
formation when we
don't get in before

the
intention
were intended
ing & presence of
effluents & ulcers.
There where appear
cleavages & per hms.
Such, pointing the
day - is more difficult.

Lecture Mar. 30th 09.

Treat. of Eczema.

In a good proportion of
cases local treat will

do as much as necessary
where on the other hand
a certain considerable

Some of the
most common

show some greater
tendency to appear
on flexor sps.
Of red forms of E. this
is the most itchy
& a few of the popped
is from off by scratch
ing & for this a
drop of clear sticky
oil exudes. the appear-
ance of this clear drop
is often observed
to be cleared. N.E.
when present. It is
usually present to some
extent at some time
during & course
most cases of E.
this run has
property of discoloring

sculpture gives rise to
an imitative
process.

~~But~~
Difficulties.

Earlier
stages of types are
all require more
different. It is in
the later stages espe-
cially where brain
one compared to a
palm or pointer
vs. If compared to
one palm or pointer
if it is found to
be different.

There are many
types, many cases
of different - but

~~the~~
~~the~~
Acetophenone and

slightly stopping
short but coming in
contact with it,
has strongly chloro-
+ slight discolored
chloro. of E.
at times a minute
vesicles form at v
open of the fucose.
+ this requires and
allows v remain to
expand. this fucose
too for fine of sugar
is probably structure
to treat of very
amazing.
Vesicles form of
the E.
In most cases for

not - gmozo mont

minerals, rounded
oleosa & a few
populus will be
present. The ducts
of the resinous pol-
lides will be be-
treated. Telangiectasis
will be present in
many cases. Nodes
must be different.
Distribution of nod-
ules is not changed.
the & nodules
axilla, lobes & throat
openings. There is
presence of a small
multiplicity
for the nodes & it is
highly variable.

under the microscope
above the microscope

most abundant - all
forms. Do you find in
vol. & weeping &
more profuse
vesicles, all very
small, about the size
of mustard seed
for the head and
are very thickly
set on a hyperemic
base the apex of
a vesicle ruptures
followed by a
equale. It is then
detached. Proper
venile for destr
action that entire
pore is surrounded
of epith covering

now look at
the

angleton except
reality marks and
often watered line
there over a body.
Presence of this line
much as water
marks are you
to different.

Experiment Roscoe
Roscoe

confined
to the flush area
face. It takes in
forehead middle,
nose cheeks & the
chin. The skin
is not very marked
is often fairly
condition. In this

from ground surface
plants rough

leaving behind a
row of long bare
prompts with, some
in ponded
and no known
beverage. Modulus
on the wet variety
of E. It is a 2nd
variety of E. and it
may follow any of
primary form of
E. It is found
July, and along the
beach on variety &
fishes to attack it for
some extent
origins. It is not
getting much
better than it
takes & flexion of it

Pityriasis Rubra
Pallois

Does not itch
much. In part - always
present around
hair follicles on
lower part of finger
& neck. Also on
extension of arm
lesion is a fine por-
phyritic slightly red
scurf. It is
not immediately
brown. Its location
& part it does not
itch much seems
to vary.

Pityriasis

Simple is
not treated either.

Distichlis
sp.

body is very
rich for this
not to look as the
popular variety,
the Distichlis
of Egypt
from those
pharaohs is
down. In garden
any other person
would have a more
rich & in look
health & particular
lesion about
some size. & thick
not only present
base further.
eyes & not so
rich as the pre
ceding form and

in the state of New
York & of course

will cool the system
& removal of heat
into will help cure
this condition.

Pediculosis of Body
Here presence of
scabies mites over
body much more
common and under
removal of clothing.
In old cases of ped-
iculosis corporis there
are many.

the discovery of lice
in seams will clear
up & dry.

With double the space

unless strict clear
evidence observed
that it may be
a lesion of the
form of E. may
disappear very easily
leave behind a
red area, both in
summer & winter.
In winter it may
thorpey much
same location as
a similar variety
have to more of
a very early very
thorpey, popular
varieties, & popular
varieties of E. one
spoken of as the first
very varieties of E.

~~3/10/1917~~ 3
3/10/1917

Nothing is there yet
but the absence
there is large silvery
scales to and one
very thick. In long
standing core of
protons there are
long standing lesions
that have begun to
clear in center.

By me. assisted
with pediculous and
this is particularly
core and may give
rise to adenocarcinoma
of prostate, chronic
if more more marked
in descriptive region
gives rise to a lesion

Today I have
the paper and

Today from 18.
E. and the
some of them. Is
much after ves.
time but may
follow my the
any point.

Section on E.

Is second day from and
in following of
varieties. Is choicest.
by consideration all
rather formation. In fact
condition not in
there. It exists
formation more
spite & goes on to
about 1000 ft. you
have a well
ing. Right layer

from the same

11. Pronovis

Hosts

peculiar distribution
which is very high above
- act. 25 at most, &
extension up of & below
obscure regardless of
other distribution
where as eq. like
to at least within of
much in & per
of. & behind & ears.
Tenor of pronovis is
very sharply cir-
cumscribed eq. is
not. Color of pronovis
patch is deeper red
than that of eq.
as at least for the

... of skin and
in thick there is
considerable thick
ening. It occurs
occasionally & reg.
& on & face & legs.
occasionally & joints
& bones sp. & it is also
partial to & flexor
sp. especially about
joints. At times
there is thick mass
about & flexure of
joints becomes inflamed
& elasticity of
& skin is lost & there
seems to be firming
of & skin. It seems
to be seen about &
from joints of

~~not to be removed~~
~~from the body~~

portion of body
subject to friction.
In denudation, we can
discover a local cause
with its removal &
dis. gets well ply.
Denudation, exfoliation,
or exfoliating from
its usually being
wide spread & ply.
universal where as
exp. is not so uni-
versal - there is marked
a rolling of a body
& sheets of Epith. from
of one layer to those
of exp. much more
so. Distinction
large scale preser-
vation on chief points.

1. ~~General~~ ~~per~~ ~~son~~
1891 11/11/11

fingers in winter
fingers may stay
deeply & it is quite
nearly green in winter
time & those who
are exposed to colds
there are involved
lymph. of skin giving
rise to the warty
outbreaks & is spoken
of as the skincom
pound of E.
then. Sympt. of
E. E.

as a rule with
ing is the most
distressing sympt.
is the report of
E. gives rise to
inflammation &

in widely distrib-
uted erythematous
lesion which, repress
to get of better
the stage is delay-
ed for 3 or 4 years
H. Mycosis fungoides
is rare.

10. Dermatitis!

Ery. is real
lyadenitis. It is
under this, we class
lesion, that have dis-
tinctly local course.

Different between ecz.
+ dermatitis. first by
distribution which
is more or less
exposed portion of
body on some

~~enough for writing~~
~~in such a position~~

thickening, well,
points beyonding &
length of timber &
a entire mass &
diminution of forest
E. occurring in growth
as there are not
properly described
points & heavily the
under the forest
fade into it and
it was hard to
recognize & round
that begins &

Every one on
hand & the because
they are exposed to
imitation. As an
object & means. and,
pictures because

of the lower part of
the body & lower part of
the body

Early stage of this
is almost ~~invariable~~
by drug as - etc.
Because associated
with tuberculous
nodules in the chest
& slightly
oblongated. shaped
lesions is present
at the same time.
The shape of the kidney
shaped the lesions
are ply. widely dis-
tributed & it is
almost impossible
to differentiate until
the tumor stage starts
in the chest you
can do is to suspect
mycosis fungoides

~~some of the~~
Conjunctivitis

at these places, it
is subject to irrita-
tion & symptoms
come general. In
one of the d's, that
attacks & pleases
& John on sp. the
constit. symptoms
being slight and
are as a rule
merely vomiting.
~~and~~ ~~the~~ ~~male~~ ~~for~~
part, is deprived of
rest.

St. itching is re-
placed by John-
ny's sensation of itching
tension. A. clonifi-
cation as much as
sch is not hard

John J. 50 70
Group 1 each

In *Lupinus* c. you
find some flower-
ing & egg. does not
produce it.

2. Loisium Ploum

Popular variety in
compared with this
In this L. p. the pop-
ule is much more
permeable & longer.
flat topped with
slight natication
& those in seed
they round is a
upside hexagon
oh & leaves look a
little tint and
one often very itchy
etc

3. Myrcia Fungoides

~~very much of~~
~~the same kind~~

upon 1 direction
of dis. but upon
the symmetrical
and of long dura-
tion of ch. of brief
duration. The

course of eruption
and only condition
that will give rise
to an itching in-
flamed condition of
skin is one divided
into contact, &
local.

Local causes, one
most frequent.

to exposure would
not give rise to
E. of which & local
local eruptions.

Lo. Erythronium
At the base of the
joint portion of
the stalk, patches are very
discreetly depicted. In
the base of the stalk, the
color is rather of a violet
color. The color in
the base is character-
istic. If the scale is lifted from
the base you find little
extensions and a
distinctly verrucous
duct. In the base you
find little living
like ducts extending
into a verrucous
gland.

U. S. Entomological
Bureau
personnel

mechanical &
peduncular corpus
quarrying E.
Cotton digest
~~broken~~ clothes
next to & plain in
finite arena.
I rode E. & due
to the Bakers due
to keeping beds in
dough & fungus
& due to keeping
beds in & as a result
rol.

Constitution. comes
go into with comes,
Constitution. seems to
have something to
do with it & is espe-
cially seen in

These nodules
are generally round
topped. In sec. v. ves.
are generally annular
more or less of
impurities soon diff.
into a crust which
is very adherent at
base. Impurities in-
clude iron & some
stuck but not very
get. of a size. It
shows a cortex - not
rare in a majority
of cases. E.

6. Super Anglematous

It is usually a
granular variety
or scoria. Ruben
thatt is composed
with this dis.

con. 1-26-09 - phlegm
over hyperemesis

Acid bolus!
Brights dis. & diabe-
tes & prostatic infection
~~glands~~ may dis
may give rise dis
Certain persons
dis. may come it,
may not be able to
locate cause.

Lecture Mar. 23rd 09.

Pathol. of Esophagus.

San inflam. con-
dition usually begins
in papillary layer of
adria & then in
retic musculum.

It extends most of
its energy on these
two layers. It gives

course genitourinary
nervous the lesions
are one sided - V
vesicles are larger
& the itching is
not a distinct feature
but is very marked
sympt. in vesicular
ery. V lesions, &
pains are not present
in syphilis.

5. Impetigo

Genital Distribution
Most cases confined
to ^{lower} labia & perineal
exposed portions
of body. Vesicles are
very much larger
than in syphilis.

Course of the lesion

rise to infiltration
& ~~expansion~~ ~~transformation~~

remains thicker

ing is due to this
being in papillary
layer & rete.

I presume covers the
entire thick mass
of ^{corium} ~~dermis~~ & even
the subcutis may be
involved. Where

vesicles are formed
their walls are found
in rete & the sticky
exd. can in esp. be

due to a sol. of cells
& ^{broken down} debris from
rete & ~~uncommon~~.

Diag.

Eggs. or resemble

3. Herpes febrilis = fever
blister

do not mistake for
ecz. but a name
different. in ecz.
vesicle is larger in
fever blister than ves-
icle in varicella
ecz. than location
of fever blister about
mouth & nose &
remotion being
that of burning rather
than itching rather
course pursued.

4. Herpes zoster.

Here you get
thickly set vesicles
on hyperemic base
distributed along

3. Acute + chronic = 4 or 5

a lge. # of diseases.
6 or 7 more orders char-
act. points.

1. Hyperemia
2. Itching
3. Infiltration
4. Weeping or oozing
5. Scaling & formation
of crusts.
6. Tendency to fissure
formation.

If you note these sympt.
you will usually
be able to diag. & it
may not be present
in given case but 3 or
4 will be.

Dif. Diag. of Ecz.

vesicular & eryth-
ematous variety of
ecz.

In eczema there
is fever & const.

symptoms more or
less recurring. Crude
uric acid is less than
in eczema. The border
to of eczema is sharply
marked & rather ele-
vated & elevated.

It is of eczema - less
is itching & thick with
is not of core in ecz.

Venule, & blebs often
appear on vesicles in
eczema & are much
larger than those of
an eczematous patch.

1. Erythema.


In eryth.
condition is confined
mostly to lower
part of face & arms
& comes out suddenly.
Sensation is not like
that of burning but
that of itching! By
press. of a little white
finger & redness dis-
appears & white spot
remains. In Ecz. this
leaves a yellow stain.

Course of eryth. - is
much spikier than ecz.

2. Erythipelas.

More confined
with ecz. especially

John J. ...



John J. ...

