

File No. _____

Corrected Field Notes

Survey No. _____


Filed _____ 190_____

Commissioner.

File Clerk.

Re-surveyed 5th day of August, 1909.

it was
marks,
APPRO



Surveyed with Buff Solar Transit No. 6741

THE STATE OF TEXAS
HALE COUNTY

OTHER SIDE
FOR PLAT SEE

True M	
R. Co., n	
895.	

(All co

B

Г. В.

1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 2680, 26

五十五

ya

১৯

544

19

1

arks

.....

THE STATE OF TEXAS

HALE COUNTY

FOR PLAT SEE
OTHER SIDE

Survey No. 63

Block No. A3.

Grantee: H.E.&W.T. R.R.Co.,

CORRECTED FIELD NOTES of a re-survey of 640.8 acres of land situated in Hale County, about 20 miles S. 58° W from Plainview, same

True Mag. Var. 12° E.

being Section No. 63 Block A3, Certificate No. 409 issued to H. E. & W. T. R.

R.Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through West line of Block A3, and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a 1-1/2" iron pipe set by stone set in ground by Surveyor J.H. Parks, for the S.E. corner of section No. 62, this block;
Thence S. 0° 15' W. at 1901 varas set cultivator shoe and 4 pits in lake for the N.E. corner of section No. 64;
Thence N. 89° 53' W. at 403.9 varas set single tree clip and 4 pits, at 1900 varas set cultivator shoe and in north edge of small mesquite valley;
Thence N. 0° 4' E. at 561 varas set piece of iron, at 1902.5 varas set stove iron by several small stones, the remains of Corner set by Surveyor Parks, a corner post burned to the ground, bears east 9.6 varas;
Thence S. 89° 51' E. at 1222 varas pass the north end of hog wallow, at 1262 varas cross road, at 1525.7 varas set strap iron and 2 pits, at 1906 varas the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2nd, day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County.

Corrected Field Notes

Survey No. _____


Filed _____ 190__

Commissioner.

File Clerk.

Commissioner General Land Office.

Surveyed with Buff Solar Transit No. 6741



THE STATE OF TEXAS
HALE COUNTY

OTHER SIDE
FOR PLAT SEE

THE STATE OF TEXAS

HALE COUNTY

Survey No. 64

Block No. A3.

Grantee: H.E.&W.T. R.R. Co.,

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 641.4 acres of land situated in Hale County, about 21 miles S. 56° W from Plainview, same

True Mag. Var. 12° E.

being Section No. 64 Block A3, Certificate No. 409 issued to H. E. & W.T.R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through West line of Block A3, and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT cultivator shoe and 4 pits, set for the S.E. corner of section No. 63, this block;

Thence S. 0° 9' W. at 544.6 varas pass 0.2 varas east of strap iron and 3 pits, at 1906.3 varas set buggy top iron;

Thence N. 29° 49' W. at 327 varas set buggy seat brace under fence, at 432 varas set piece of wire stretcher under fence for the N.E. corner of section No. 19, Block B, at 1901 varas, 4 old pits made for the S.W. corner of this section By State Surveyor J.H. Parks;

Thence N. 0° 11' E. at 316 varas to 375 varas cross lake, at 565 varas set piece of iron in field, at 1166 varas cross draw, at 1905 varas set shoe of two row planter in north edge of small mesquite valley;

Thence E. 39° 53' E. at 1496.1 varas set singletree clip and 4 pits, at 1900 varas the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2nd day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

25

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.


File Clerk.

Surveyed with Buff Solar Transit No. 6741

W. J. WILLIAMS, Transitionman.
Bearings record the course.

Re-surveyed and day of August, 1908.

Commissioner General Land Office.



Grantee: H.E.&W.T. R.R.Co.,

Block No. A3.

20. 1011 1011

THE STATE OF TEXAS

HALE COUNTY

OTHER SIDE
FOR PLAT SEE

8
BLOCK⁸DIO⁶¹

THE STATE OF TEXAS

HALE COUNTY

Survey No. 65

Block No. A3.

Grantee: L & S. V. R.R. Co.,

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 648.3 acres of land situated in Hale County, about 22 miles S. 53° W from Plainview, same

True Mag. Var. 12° E. being Section No. 65 Block A3, Certificate No. 59 issued to L. & S. V. R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through West line of Block A3, and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT 4 old pits made by State Surveyor, J.H. Parks, for the W. corner of section No. 64, this Block, from which old gateway bears 23° W. 1000 varas;

Thence N. 89° 49' W. at 132.3 varas cross fence, at 328.8 varas old pits, at 235 varas cross road, at 1070 varas, old pit, at 1600 varas to 1753 varas cross lake, at 1905.7 varas, 4 old pits and iron rod set by State Surveyor Parks;

Thence N. 0° 5' E. at 591.1 varas set stake for the S.E. corner of section No. 21, Block B, at 316.4 varas and 1423 varas pass old pits made by Surveyor Parks, at 1845 varas cross road, at 1905.3 varas old cedar stake, 4 old pits and iron rod, set by Surveyor Parks;

Thence S. 89° 47' E. at 1504 varas set buggy hame and 3 pits, at 1909 varas set shoe of two row planter in north edge of small mesquite valley;

Thence S. 0° 11' W. at 729 varas cross draw, at 1340 varas set piece of iron in field, at 1530 varas to 1589 varas cross lake, at 1905 varas the place of Beginning.

Bearings record true course.
W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE. }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 5th day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.		County.	Corrected Field Notes	Survey No.

Corrected Field Notes

Survey No.

Filed:

Commissioner.

File Clerk,

Commissioner General Land Office.

Re-surveyed 5th day of August, 1909.

APPROVED:

W. J. Williams, Transcriber.
Bearings record true course.

it was m
marks, n
Re
APPROVE

Surveyed with Buff Solar Transit No. 6741

Old Notes

190-

Commissioner.

File Clerk,


Commissioner General Land Office.

Re-surveyed 5th day of August, 1909.

APPROVED:

W. J. Williams, Transcriber.
Bearings record true course.

it was m
marks, n
Re
APPROVE



THE STATE OF TEXAS

HALE COUNTY

Survey No. 66

Block No. A3.

Grantee: L & S. V. R.R. Co.,

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 642.9 acres of land situated in Hale County, about 21 miles S. 60° W from Plainview, same

True Mag. Var. 12° E.

being Section No. 66 Block A3, Certificate No. 59 issued to L. & S. V. R.

R.Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through West line of Block A3, and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT 4 old pits, cedar stake and iron rod set by State Surveyor Parks for the N.W. corner of section No. 65, this block;

Thence N0°11'E. at 536.6 varas set back berry stake and 6" casting for the N.E. corner of Section No. 21, Block B, at 789 varas and 1695 varas cross roads, at 1904.5 varas old mound, several white stones and iron rod set by State Surveyor J.H.Parks, from which old well bears N.. 76-1/2°E. 162 varas;

Thence S.89°43'E. at 1521.4 varas set cedar post and wagon iron, at 1905.3 varas set stove iron by several small stones, the remainder of corner set by Surveyor Parks, a corner post burned to the ground bears east 9.5 varas;

Thence S.0°4'W. at 1841.5 varas set piece of iron, at 1902.5 varas set shoe of two row planter in north edge of small mesquite valley;

Thence N.39°47'W. at 405 varas set buggy hame and 3 pits, at 1909 varas the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE, }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 5th day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____
County. _____
Corrected Field Notes
Survey No. _____
Filed _____ 1901
Commissioner. _____
File Clerk. _____

Surveyed with Buff Solar Transit No. 6741


CLAYTON W. WILLIAMS, Chain Carrier.
Tom McGee, Chain Carrier.
I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct and that was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Commissioner General Land Office.

Re-surveyed 5th day of August, 1903.

W. J. WILLIAMS, Transcriber.

Bearings record true course.



THE STATE OF TEXAS

HALE COUNTY

FOR PLAT SEE
OTHER SIDE

FOR
TO

True Ma

R. Co., ma

1895.

(All cour

BE

from wh

set fro

Parks;

set sta

old pl

buried

at 171

the rer

to th

iron,

B

W

I

it was m

marks,

R

APPROV

THE STATE OF TEXAS

HALE COUNTY

FOR PLAT SEE
OTHER SIDE

Survey No. 67

Block No. A3.

Grantee: L & S. V. R.R. Co.,

CORRECTED FIELD NOTES of a re-survey of 642.5 acres of land situated in Hale County, about 21 miles S. 63° W from Plainview, same

True Mag. Var. 12° E. being Section No. 67 Block A3, Certificate No. 60 issued to L. & S. V. R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through West line of Block A3, and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT old mound several white stones and iron rod set by State Surveyor J.H.Parks for the N.W. corner of section No. 66, this block from which old well bears N.76-1/2°E. 162 varas;

Thence N.0°15'E. at 1637 varas cross draw, at 1902.5 varas set iron pipe by old stone in pit, the remains of corner made by Surveyor Parks;

Thence S.89°49'E. at 983 varas old trail, at 1554.3 varas set stove fender and 2 pits, at 1618 varas cross old trail, at 1866 varas old pit under fence, at 1905.3 varas, old cedar stake and stone 10" long buried beside corner post;

Thence S.0°15'W. at 1245.9 varas set stove door and 3 pits, at 1717 varas cross road, at 1905.3 varas set stove iron by several small stones the remains of corner made by surveyor Parks, from which corner post burned to the ground bears East 9.6 varas;

Thence N.89°43'W. at 389.3 varas set cedar post and wagon iron, at 650 varas cross road, at 1905.3 varas the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE. }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 5th day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

34

and with
the

County.

Corrected Field Notes

Survey No.

Filed:

90-

Commissioner.

File Clerk,

Commissioner General Land Office.

day of August 1909.

Re-analyzed


APPROVED:

APPRO

it was
marks.

W. J. WILLIAMS, Transitionman.
Bearings record the course.

Surveyed with Buff Solar Transit No. 6741



THE STATE OF TEXAS

HALE COUNTY

Survey No. 68

Block No. A3.

Grantee: L & S. V. R.R. Co.,

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 314 acres of land situated in Hale County, about 20 miles S. 66° W from Plainview, same

True Mag. Var. 12° E. being Section No. 68 Block A3, Certificate No. 60 issued to L. & S. V. R. R.Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through West line of Block A3, and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT iron pipe set by stone buried in pit, the N.W. corner of section No. 67, this block; placed by State Surveyor, J.H.Parks;

Thence N0°11'E. at 101 varas pass old pit on ridge, at 582.1 varas set strap iron for the N.E. corner of section No. 30, Block B, at 927.9 varas set casting marked R(5 and 3 pits in the south line of section No. 25, Block J.D.

Thence East at 490/2 varas pass the S.E. corner of said section No. 25, at 1908.2 varas set stone and 2 pits in the south line of section No. 24, Block J.D. from which 4 old pits, the N.W. corner of Section No 61 as made by surveyor Parks, bears N.0°21'E. 972.7 varas;

Thence S.0°21'W. at 376.8 varas set buggy hub and 2 pits, at 932.8 varas old cedar stake and 10" stone buried by corner post; placed by Surveyor Parks;

Thence N.89°49'W. at 39.5 varas pass old pit under fence, at 283 varas cross old trail, at 351.2 varas set stove fender and 3 pits under fence, at 923 varas cross old trail, at 1905.5 varas the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 5th day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County. _____

Corrected Field Notes _____

Survey No. _____

Filed _____

Commissioner. _____


File Clerk. _____

Surveyed with Buff Solar Transit No. 6741

W. J. Williams, Transcriber.
Bearings record true course.

Re-surveyed 5th day of August, 1909.
I, W. D. Twichell, State Surveyor, do hereby certify that the foregoing survey is correct and that was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Commissioner General Land Office.



Grantor: L & S. V. R. Co.
Block No. A3.
Survey No. 68

HALE COUNTY
THE STATE OF TEXAS

OTHER SIDE
FOR PLAT SEE

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 1

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 576 acres of land situated in Lamb County, about 7 miles S. 40° W. from Olton, same being Section No. 1 Block B, Certificate No. issued to R. M. Thompson

made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a 3" hackberry stake and iron nail set at the Corner of Capitol Syndicate fence, the N.E. corner of League No. 637, Capitol Land Reservation as located by W.D. Twichell and A.S. Howren in 1886.

Thence N. 0° 58' E. at 1694 varas set a cedar post in the south line of Section No. 6, Block O.3;

Thence east at 734 varas set a cement rock 14x2x6, the S.E. corner of said Survey No. 6, at 1902.4 varas set cedar post;

Thence S. 0° 58' W. at 1726 varas set 3" hackberry stake and 1"x24" sharp iron;

Thence N. 89° 2' W. 1902 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 10 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

County.

Corrected Field Notes

Survey No.

Filed

190

Commissioner.

File Clerk.

Commissioner General Land Office.

APPROVED:

Re-surveyed day of August 1903.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

W. J. WILLIAMS, Transitionman.

Bearings record true course.

Surveyed with Buff Solar Transit No. 6741

CLAYTON WILLIAMS, Chain Carriers.
TOM MCGEE, Chain Carriers.

1	12	13	24	25
2	11	14	23	26
3	10	15	22	27
4	9	16	21	28
5	8	17	20	29
6	7	18	19	30

BLOCK 05

BLOCK

Corrected Field Notes of a re-survey of 300 acres of land situated in Lamp County, about Block B, certified to by the State Surveyor, by virtue of the Revised Civil Statutes of Texas, Chapter One, Section 1901.

Grantor: R. M. Thompson.

Block No. B.

Survey No.

THE STATE OF TEXAS

LAMP COUNTY

OTHER SIDE
FOR PLAT SEE

THE STATE OF TEXAS

LAMB COUNTY

FOR PLAT SEE
OTHER SIDE

Survey No. 2

Block No. B.

Grantee: R. M. Thompson.

CORRECTED FIELD NOTES of a re-survey of 586.8 acres of land sit-

uated in Lamb County, about 6 miles S. 35° W. from Olton, same

being Section No. 2 Block B, Certificate No. issued to R. M. Thomp-

son made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth $1^{\circ} 25' 20''$.)

BEGINNING AT a 3" blackberry stake and 1x24" sharp iron set for the S.E. corner of section No. 1, this block;

Thence N. $0^{\circ} 58' E$. at 1726 varas set a cedar post in the south line of section No. 7, Block C. 8;

Thence East at 732.6 varas set 5 gallon oil can and wagon brake lever for the S.W. corner of said section No. 7, at 1902.4 varas set cedar post 3x30";

Thence S. $0^{\circ} 58' W$. at 1758 varas set a cedar post 6"x30";

Thence N. $89^{\circ} 2' W$. 1902 varas to the place of beginning.

Thence N. $89^{\circ} 2' W$. 1902 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 10 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

County.

Corrected Field Notes

Survey No.

Filed

190

Commissioner.

File Clerk.

Commissioner General Land Office.

APPROVED:

Re-surveyed

day of August, 1909.

W. J. WILLIAMS, Transieman.

Bearings record true course.

Surveyed with Buff Solar Transit No. 6741

CLAYTON WILLIAMS, Chain Carrier.
TOM MCGEE, Chain Carrier.
and that the foregoing survey is correct and that the limits, boundaries and corners with the foregoing plat and field notes.

1	12	13	24	25
2	11	14	23	26
3	10	15	22	27
4	9	16	21	28
5	8	17	20	29
6	7	18	19	30

BLOCK 05

BLOCK

Grantee: R. M. Thompson.

Block No. B.

Survey No. 3

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE
FOR PLAT SEE

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 3

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 897.6 acres of land sit-

uated in Lamb County, about 5 miles S. 25° W. from Olton, same

True Mag. Var. 12° E.

being Section No. 3 Block B, Certificate No. issued to R. M. Thomp-

son made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cedar post 6"x30" set for the S.E. corner of Section 2, this block;

Thence N. 0° 58' E. at 1758 varas set a cedar post 3"x30" in the south line of section No. 18, Block B;

Thence East at 731.2 varas set plunger coupling and 2 stones for the S.E. corner of said section No. 18, at 1902.4 varas set cedar post 4"x24" and 3 pits;

Thence S. 8° 58' W. at 1790 varas set a cedar post 4"x36", thence north 1.3 varas;

Thence N. 89° 2' W. 1902 varas to the place of beginning.

Thence N. 89° 2' W. 1902 varas to the place of beginning.

Surveyed with Bull Solar Transit No. 6741

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE, }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 10, day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County.

Corrected Field Notes

Survey No.

Filed _____ 190_____

Commissioner.

File Clerk.

Commissioner General Land Office.

APPROVED:

Re-surveyed

day to August 1909.

W. J. WILLIAMS, Transition.

Bearings record the course.

Surveyed with Buff Solar Transit No. 6741

James E. Hixon

Latitude 2.8° 08' N. at 1750 miles off a point 150° 45' W. from

7.67
 3.85×10^{-4}

[illegible]

[illegible]

895.

on ma

True M

FOL
O'

OTHER SIDE
FOR PLAT SEE

BOOK

THE STATE OF TEXAS

LAMB COUNTY

№ 109

Block No. B.

Grantee: R. M. Thompson.

25	26	27	28	29
----	----	----	----	----

1901	20		
1901	21	R	05
1901	22		
1901	23		
1901	24		
1901	25		

13 14 15 16 17

12	11	10	9	8
----	----	----	---	---

5				
4				
3				
2				
1				

Surveyed with Buß Solar Transit No. 6741

County. _____
Notes _____
190 _____
Commissioner. _____
Clerk. _____

[illegible]

File _____

_____ Correct _____
Survey No _____
Filed _____

Special Field Office.

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 4

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 608.3 acres of land sit-

uated in Lamb County, about 6 miles S. 15° W. from Olton, same

True Mag. Var. 12° E.

being Section No. 4 Block B, Certificate No. issued to R. M. Thomp-

son made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 19° 25' 20".)

BEGINNING AT a cedar post 2x26" set for the S.E. corner of section No. 3, this block, on sand dune;

Thence N. 0° 58' W. at 1790 varas set a cedar post 4"x24" and 3 pits;

Thence West at 729.8 varas set 2" angle iron for the S.E. corner of section No. 19, Block O.5; at 1902.4 varas set cedar post 4"x24" and 3 pits;

Thence S. 0° 58' W. at 1822 varas set cedar post 4"x30";

Thence N. 89° 2' W. 1902 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE. }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 10 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

County.

Corrected Field Notes

Survey No.

Filed

190

Commissioner.

File Clerk.

Surveyed with Buff Solar Transit No. 6741

W. J. Williams, Transcriber.
Bearings record true course.

Commissioner General Land Office.

APPROVED:

Re-surveyed

10 day of August, 1909.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

CLAYTON WILLIAMS, Chain Carrier.
TOM McGER, Chain Carrier.

1	12	13	24	25
2	11	14	23	26
3	10	15	22	27
4	9	16	21	28
5	8	17	20	29
6	7	18	19	30

BLOCK 05

BLOCK

THE STATE OF TEXAS

LAMB COUNTY

Grantee: R. M. Thompson.

Block No. B.

Survey No.

OTHER SIDE
FOR PLAT SEE

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 5

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 619.1 acres of land sit-

uated in Lamb County, about 5 miles S. 50° W. from Olton, same

True Mag. Var. 12° E.

being Section No. 5 Block B, Certificate No. issued to R. M. Thomp-

son made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cedar post 4"x30" set for the S.E. corner of Section No. 4, this block;

Thence N. 0° 58' E. at 1322 varas set cedar post 4"x24" and 3 pit
pits, in the north line of section No. 30, Block Q. 5;

Thence East at 723.4 varas set 2" iron pipe for the S.E.
corner of said Section No. 30, at 1902.4 varas set cedar post;

Thence S. 0° 58' W. at 1354 varas set cedar post and 3 pits;

Thence N. 89° 2' W. at 1902 varas the place of beginning.

Surveyed with Bull Solar Transit No. 6741

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 10 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

County.

Corrected Field Notes

Survey No.

Filed

190

Commissioner.

File Clerk.

Commissioner General Land Office.


Surveyed with Buff Solar Transit No. 6741

W. J. WILLIAMS, Transcriber.
Bearings record true course.

Re-surveyed 10 day of August, 1909.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

CLAYTON WILLIAMS, Chain Carrier.
Tom McGee, Chain Carrier.



THE STATE OF TEXAS

LAMB COUNTY

Survey No. 6

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 627.9 acres of land situated in Lamb County, about 5 miles S. 5° E. from Olton, same being Section No. 31, Block B, Certificate No. issued to R. M. Thompson

True Mag. Var. 12° E.

son made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cedar post and 3 pits set for the S.E. corner of Section No. 31, this block;

Thence N. 0° 58' E. at 1854 varas set cedar post in the south line of section No. 31, Bk. 0.2; and

Thence East at 727 varas set cement rock 14x10x6" for the S.E. corner of said section No. 31, at 1902.4 varas set bolt and 3 pits;

Thence S. 0° 58' W. at 1836 varas set cedar post and 3 pits;

Thence N. 89° 2' W. 1902 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

County.

Corrected Field Notes

Survey No.


Filed 190

Commissioner.

File Clerk.

Commissioner General Land Office.
Re-surveyed
day of August 1909.
I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing is a true and correct copy of the original field notes, and that the same are true and correct.
W. J. WILLIAMS, Transcriber.
Bearings record true course.

Surveyed with Buff Solar Transit No. 6741



BLOCK 8

BLOCK 10

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 7

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 629.2 acres of land situated in Lamb County, about 5 miles S. 20° E. from Olton, same

True Mag. Var. 12° E. being Section No. 7 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cedar post and 3 pits set for the S.E. corner of section No. 6, this block;

Thence N. 0° 58' E. at 1886 varas set bolt and 3 pits in the south line of section No. 30, Block O.2;

Thence East at 725.6 varas set cement rock and 3 pits for the S.E. corner of said Section No. 30, at 960.1 varas point in the south line of Section No. 19, Block O.2;

Thence S. 89° 2' W. at 942.3 varas set a casting marked 622, a 20# weight and 3 pits 16.3 varas south of the south line of Section No. 19;

Thence S. 0° 58' W. at 1901 varas set a cedar post and 3 pits;

Thence N. 39° 2' W. 1902 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 10 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County.

Corrected Field Notes

Survey No.

Filed _____ 190_____

Commissioner.


File Clerk.

Commissioner General Land Office.

Re-surveyed 10 day of August 1909.

W. J. WILLIAMS, Transitionman.
Bearings record true course.

Surveyed with Buff Solar Transit No. 6741



THE STATE OF TEXAS

LAMB COUNTY

420 acres in Lamb County
220.3 acres in Hale County.

Survey No. 3

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640.3 acres of land sit-

uated in Lamb County, about 6 miles S. 30° E. from Olton, same

True Mag. Var. 12° E.

being Section No. 3 Block B, Certificate No. issued to R. M. Thomp-

son made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth $1^{\circ} 25' 20''$.)

BEGINNING AT a cedar post and 3 pits set for the S.E. corner of section No. 7, this block;

Thence N. $0^{\circ} 53' E.$ at 1901 varas set casting marked 623, a 20# weight and 3 pits;

Thence S. $89^{\circ} 2' E.$ at 1225 varas cross county line, at 1902.4 varas set cement rock 10x8x8 and 3 pits 49.2 varas south of the south line of section No. 18, Block 0.2;

Thence S. $0^{\circ} 53' W.$ at 1901 varas set post and casting marked D.57;

Thence N. $89^{\circ} 2' W.$ 1902 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE, }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 10 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County. _____

Corrected Field Notes

Survey No. _____

Filed _____ 190 _____

Commissioner. _____

File Clerk. _____

Surveyed with Buff Solar Transit No. 6741

APPROVED: _____


Resurveyed 10 day of August, 1903.

W. J. WILLIAMS, Transmittan.

Bearings record true course.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct and that was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Commissioner General Land Office.



THE STATE OF TEXAS

HALE COUNTY

Survey No. 18 19

Block No. B .

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 529.4 acres of land situated in Hale County, about 23 miles S. 60° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 18 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT at cement rock 10x6x6" in field set for the S.E. corner of section No. 23, this block;

Thence S. 89° 2' E. 239 varas to beginning corner of this survey;

Thence S. 89° 2' E. at 12.6 varas set piece of Buck Stove and 3 pits, at 1662 varas set a cement rock 12x10x8" and 3 pits for the S.W. corner of section No. 21, this block, at 2079.8 varas set stake in the west line of section No. 65, Block A.3;

Thence S. 0° 5' W. at 591.1 varas 4 old pits and iron rod set by State Surveyor J.H. Parks for the S.W. corner of said section No. 65;

Thence S. 89° 49' E. at 1024.9 varas point in the South line of said section No. 65, from which a casting marked D.56 and 3 pits bear N. 0° 58' E. 577 varas;

Thence S. 0° 58' W. at 232.3 varas set 1/2" iron pipe, 2x4" and 3 pits, at 234.3 varas cross fence, at 557.2 varas point in the north line of section No. 12, Block D.10, 71.7 varas from a piece of buggy tire set for its N.E. Corner;

Thence S. 89° 16' W. 902.5 varas;

Thence N. 89° 2' W. 2211 varas;

Thence N. 0° 58' E. at 300 varas pass 27.3 varas to left of 1/2" pipe, at 1161 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE. }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

352.4 a not sold

THE STATE OF TEXAS

HALE COUNTY

FOR PLAT SEE
OTHER SIDE

Survey No. 19

Block No. B.

Grantee: R. M. Thompson.

CORRECTED FIELD NOTES of a re-survey of 406 acres of land situated in Hale County, about 22 miles S. 58° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 19 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT the intersection of the east line of section No. 18, this block with the south line of section No. 65, Block A.3, from which casting marked D.56 bears N. 0° 53' E. 577 varas;

Thence S. 0° 53' W. at 232.3 varas set 1/2" iron pipe, 2x4" and 3 pits, at 234.3 varas cross fence, at 537.2 varas point in the north line of section No. 12, Block B.10;

Thence N. 39° 16' E. at 71.7 varas set piece of buggy tire for the N.E. corner of said section No. 12; from which plunger coupling bears N. 2° 55' W. 54.6 varas;

Thence S. 0° 44' E. at 28.9 varas; to point in East line of said Section No. 12;

Thence S. 89° 2' E. at 960.3 varas set piece of iron and 3 pits under fence, at 1461.3 varas set strap of steel and 4 pits, 1/2" iron pipe and 4 old pits bear N. 12° 33' W. 108.3 varas, the N.E. corner of J.F. Sager S.F.;

Thence S. 0° 58' W. at 1072 varas set 1" iron pipe and 3 pits under fence, at 1084 varas set stake;

Thence S. 89° 2' E. at 485 varas cross fence, at 650 varas enter lake, at 817.5 varas set broken wagon spindle and 3 pits;

Thence N. 0° 58' E. at 1700.3 varas set piece of wire stretcher on the south line of section No. 64, Block A.3;

Thence N. 89° 40' W. at 1469.7 varas pass Parks 4 pits at S.W. corner of Sec. 64, at 2360.25 varas the place of beginning.

Bearings record true course.
W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE, }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2nd day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

253 a unsold

THE STATE OF TEXAS

HALE COUNTY

Survey No. 21

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 126 acres of land situated in Hale County, about 22 miles S. 60 W. from Plainview, same

True Mag. Var. 12° E. being Section No. 21 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT cement rock 12x10x8 and 3 pits set for the S.E. corner of section No. 22, this block; same being 9505 varas S. 89° 2' E. from 3 old pits, the S.E. corner of Section No. 29, Block T.;

Thence S. 89° 2' E. at 417.8 varas set stake in the west line of section No. 65, Block A.3;

Thence N. 0° 5' E. at 1314.2 varas 4 old pits, cedar post and 1 iron stay set by State Surveyor J.H. Parks for the N.W. corner of said section No. 65;

Thence N. 0° 11' E. at 536.6 varas set hackberry stake and 6" casting set in the west line of section No. 66, Block A.3;

Thence N. 89° 2' W. at 389.5 varas set wagon spindle and 2 pits;

Thence S. 0° 58' W. at 1901 varas the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2nd day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County. _____

Corrected Field Notes

Survey No. _____

Filed 190 _____

Commissioner. _____

File Clerk. _____

Surveyed with Buff Solar Transit No. 6741

APPROVED: _____

Re-surveyed _____ day of August, 1903.


was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that CLAYTON WILLIAMS, Chain Carrier, TOM MCGEE, Chain Carrier, and _____ are the true and correct owners of the land surveyed.

W. J. WILLIAMS, Transmitter.

Bearings record true course.

Commissioner General Land Office.



THE STATE OF TEXAS

HALE COUNTY

Survey No. 22

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land situated in Hale County, about 22 miles S. 60° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 22 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cement rock 12x10x8" and 3 pits set for the S.W. cor. of section No. 21, this block;

Thence N. 89° 2' W. at 1007 varas, and 1630 varas cross roads, and 3 pits, at 1662 varas pass the N.W. corner of section No. 18, at 1901 varas set cement rock 10x6x6 inches in field;

Thence N. 0° 58' E. at 214.7 varas set cement rock 14x8x8" and 3 pits under fence, at 1901 varas set cedar post 4"x26" in hard land;

Thence S. 89° 2' E. at 1901 varas set wagon spindle and 2 pits;

Thence S. 0° 58' W. at 1156 varas cross road, at 1901 varas the place of beginning.

630.6 a
not sold

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE, }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 7 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

County.

Corrected Field Notes


Survey No. _____
Filed _____ 190 _____

missioner.

File Clerk.

Commissioner General Land Office

Surveyed with Buff Solar Transit No. 6741



THE STATE OF TEXAS
HALE COUNTY

Grantee: R. M. Thompson.

HALE COUNTY

OTHER SIDE
FOR PLAT SEE

THE STATE OF TEXAS

HALE COUNTY

Survey No. 23

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land situated in Hale County, about 23 miles S. 60° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 23 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cement rock set in field for the S.W. corner of section No. 22, this block;

Thence N. 89° 2' W. at 311.4 varas cross fence, at 400 varas to 700 varas cross lake, at 1337.6 varas cross fence, at 1901 varas set stake

Thence N. 0° 58' E. at 210.3 varas set horse shoe in 4 pits from which casting at fence corner bears east 10.8 varas, at 550 varas to 950 varas cross lake, at 1901 varas set 2 pits from which strap iron 1"x10" under fence bears west 3 varas;

Thence S. 89° 2' E. at 1901 varas set cedar post 4"x6" in hard ground;

Thence S. 0° 58' W. at 1336.3 varas set cement rock 14x8x8" and 3 pits under fence, at 1901 varas the place of beginning.

568.6 a
not sold

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 7 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

Commissioner General Land Office

Re-surveyed 7 day of August 1900.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that the limits, boundaries and corners with the bearings and distances in the foregoing plat and field notes are true and correct.

W. J. WILLIAMS, Transcriber.

Bearings record true course.

Surveyed with Buft Solar Transit No. 6741

File No. _____

County. _____


Corrected Field Notes

Survey No. _____

Filed 190 _____

Commissioner.

File Clerk.



FOR PLAT SEE
OTHER SIDE

Grantee: R. M. Thompson.

Block No. B.

Survey No. 53

THE STATE OF TEXAS

HALE COUNTY

THE STATE OF TEXAS

HALE COUNTY

FOR PLAT SEE
OTHER SIDE

Survey No. 24

Block No. B.

Grantee: R. M. Thompson.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land sit-

uated in Hale County, about 23 miles S. 64° W. from Plainview, same

True Mag. Var. 12° E.

being Section No. 24 Block B, Certificate No. issued to R. M. Thomp-

son made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT

2 pits the N.W. corner of section No. 23, this block,

from which a strap of iron under fence bears N. 89° 2' W. 3 varas;

Thence N. 0° 53' E. at 1901 varas set charred cedar post 4x48"

from which a cultivator fender under fence bears N. 89° 2' W. 17.7 varas;

Thence S. 89° 2' E. at 1901 varas set a cedar post 4x48";

Thence S. 0° 58' W. 1901 varas to a cedar post 4x36" in hard land

Thence N. 89° 2' W. 1901 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2nd day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.


County.

Surveyed with Buff Solar Transit No. 6741

W. J. WILLIAMS, Transcriber.
Bearing's record true course.

APPROVED:
Re-surveyed day of August, 1909.
J. W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing is a correct and true copy of the original field notes, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat field notes.

CLAYTON WILLIAMS, Chain Carrier.
TOM MCGEE, Chain Carrier.



Grantee: R. M. Thompson.

Block No. B.

Survey No.

THE STATE OF TEXAS

HALE COUNTY

OTHER SIDE
FOR PLAT SEE

THE STATE OF TEXAS

HALE COUNTY

Survey No. 25

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land situated in Hale County, about 22 miles S. 63° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 25 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cedar post 4"x48" set for the N.E. corner of section No. 24, this block;

Thence S. 89° 2' E. 1901 varas, set a hackberry post 3"x24" and 2 pits in the South part of small valley;

Thence S. 0° 58' W. at 1901 varas set a wagon spindle and 2 pits

stones and steel nail, set by State Surveyor, H. Marks, for the S.E. corner of section No. 25, this block, and a cedar post 4"x36" in hard ground,

Thence N. 0° 58' E. 1901 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE. }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2nd day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

County.

Survey No. _____


Filed _____ 190__

File Clerk.

W. J. WILLIAMS, Transitionman.
Bearings record true course.

Re-surveyed day of August, 1909.

Surveyed with Buff Solar Transit No. 6741



THE STATE OF TEXAS

HALE COUNTY

Survey No. 26

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 126.7 acres of land situated in Hale County, about 22 miles S. 63° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 26 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a hack berry post 3"x24" and 2 pits set for the U.S. Cor. of section No. 25, this block;

Thence S. 89° 2' W. 364.4 varas to the west line of section No. 67, Block A.3;

Thence S. 0° 15' W. 983.1 varas to old mound several white stones and steel stay, set by State Surveyor, J.H. Parks, for the S.W. corner of section No. 67, from which old well bears N. 67° 30' E. 162 varas;

Thence S. 0° 11' W. 1317.9 varas to hack berry stake and casting set in the west line of section No. 68, Block A.3;

Thence N. 89° 2' W. at 389.5 varas set wagon spindle and 2 pits;
Thence N. 0° 58' E. at 140 varas cross road, at 1901 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2nd day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed 190

Commissioner.

File Clerk.

Surveyed with Buff Solar Transit No. 6741


W. J. WILLIAMS, Transcriber.
Bearings record true course.

Re-surveyed 2nd day of August, 1900.

Commissioner General Land Office.

CLAYTON W. WILLIAMS, Chain Carrier.
TOM MCGEE, Chain Carrier.
The foregoing survey is correct and that the limits, boundaries and corners with the notes described in the foregoing plat and field notes.

County.



Granttee: R. M. Thompson.

Block No. B.

Survey No.

HALE COUNTY

THE STATE OF TEXAS

OTHER SIDE
FOR PLAT SEE

THE STATE OF TEXAS

HALE COUNTY

Survey No. 23

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 426 acres of land situated in Hale County, about 20 miles S. 56° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 23 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT stake set for the N.E. corner of section No. 34, this block;

Thence N. 0° 58' E. at 1019.5 varas point for N.W. corner of A.J. Baker S.F. from which 2" iron pipe bears S. 89° 54' W. 59 varas and 1" iron rod in 4 old pits bear same 492.7 varas, at 2452.2 varas cross fence at broken post in lake, at 3068 varas point in orchard;

Thence N. 89° 2' W. at 802.2 varas point under fence in the east line of section No. 62, Block A.3;

Thence S. 0° 28' W. at 632.4 varas set 1-1/2" pipe by stones the remains of corner made by State surveyor J.H. Parks for the S.E. cor. of Section No. 62;

Thence S. 0° 15' W. at 1901 varas set cultivator shoe and 4 pits in lake for the S.E. corner of section No. 63, Block A.3;

Thence S. 0° 9' W. at 544.6 varas point in the East line of section No. 64, Block A.3, from which strap iron and 3 pits br N. 89° 2' W. 3.2 varas;

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2nd day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

BLOCK DIO

Deeded to A. J. Baker 128.8/10 a
Balance 297.2 a.

File No.

County.

Corrected Field Notes

Survey No.


Filed

Commissioner.

File Clerk.

Surveyed with Buft Solar Transit No. 6741

Commissioner General Land Office.



Grantee: R. M. Thompson.

Block No. B.

Survey No. 33

THE STATE OF TEXAS

HALE COUNTY

OTHER SIDE
FOR PLAT SEE

THE STATE OF TEXAS

HALE COUNTY

FOR PLAT SEE
OTHER SIDE

Survey No.

30

Block No. B.

Grantee: R. M. Thompson.

CORRECTED FIELD NOTES of a re-survey of 115.8 acres of land situated in Hale County, about 21 miles S. 68° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 30 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a strap of iron driven in the ground in the west line of section No. 68, Block A.3, and being 9845 varas S. 89° 2' E. and 5702 varas N. 0° 58' E. from three old pits the original S.E. corner of Section No. 29, Block T;

Thence N. 89° 2' W. at 240 varas set cement rock and 3 pits for the N.W. corner of this section;

Thence S. 0° 58' W. at 1200 varas and 1540 varas cross tops of sand hills, at 1901 varas set Hack berry post 3"x24" and 2 pits;

Thence S. 89° 2' E. 364.4 varas to the West line of section

No. 67, Block A.3.

Thence N. 0° 15' E. 1319.4 varas to stone in old pit, the N.W. corner of said No. 67, set an iron pipe;

Thence N. 0° 11' E. at 101 varas pass old pit on hill, at 582.1 varas the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

County.

Corrected Field Notes

Survey No.

Filed 190

Commissioner.


File Clerk.

Surveyed with Buft Solar Transit No. 6741

W. J. WILLIAMS, Transitman.
Bearings record true course.

Re-surveyed
day of August, 1900.
I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct and that the limits, boundaries and corners with the natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Commissioner General Land Office.



Grantor: R. M. Thompson.
Block No. B.
Survey No.

HALE COUNTY
THE STATE OF TEXAS

OTHER SIDE
FOR PLAT SEE

THE STATE OF TEXAS

HALE COUNTY

Survey No. 31

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land situated in Hale County, about 22 miles S. 66° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 31 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cement rock, 8x6" and 3 pits set for the N.W. corner of section No. 30, this Block;

Thence N. 69° 2' W. at 1901 varas set a cedar post, 3"x24";

Thence S. 0° 58' W. at 1901 varas set a cedar post 4"x48";

Thence S. 39° 2' E. at 1901 varas set a hackberry post and 2 pits

in the south part of small valley;

Thence N. 0° 58' E. 1901 varas to the place of beginning.

Thence N. 0° 58' E. 1901 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

Surveyed with Buft Solar Transit No. 6741

W. J. WILLIAMS, Transieman.
Bearing record true course.

Re-surveyed
day of August, 1903.
I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct and that was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.
APPROVED:
it was
marks,
APPRO

County.

CLAYTON WILLIAMS, Chain Carrier.
TOM MOGGER

Survey No. 190

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Corrected Field Notes

Survey No.

Filed

THE STATE OF TEXAS

HALE COUNTY

Survey No. 32

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land situated in Hale County, about 23 miles S. 66° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 32 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cedar post 3"x24" set for the N.W. corner of section No. 31, This block;

Thence N. 89° 2' W. 1901 varas set a cedar post 4"x30" from which a small plowshare under fence bears N. 89° 2' W. 33.1 varas;

Thence S. 0° 58' W. at 1901 varas set a charred cedar post 4x48" from which a cultivator fender under fence bears N. 89° 2' W. 17.7 varas;

Thence S. 89° 2' E. at 1901 varas set a cedar post 4x48";

Thence N. 0° 58' E. 1901 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE. }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2nd day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed 190

Commissioner.

File Clerk.

Surveyed with Buff Solar Transit No. 6741


W. J. WILLIAMS, Transcriber.
Bearings record true course.

Re-surveyed 2nd day of August, 1903.
I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct and that the limits, boundaries and corners with the natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Commissioner General Land Office

CLAYTON WILLIAMS, Chain Carrier.
TOM MCGEE, Chain Carrier.

County.



Grantee: R. M. Thompson.

Block No. B.

Survey No.

THE STATE OF TEXAS

HALE COUNTY

OTHER SIDE
FOR PLAT SEE

THE STATE OF TEXAS

HALE COUNTY

FOR PLAT SEE
OTHER SIDE

Survey No. 33

Block No. B.

Grantee: R. M. Thompson.

CORRECTED FIELD NOTES of a re-survey of 321.7 acres of land situated in Hale County, about 19 miles S. 60° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 33 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT the N.E. corner of section No. 28, this block;

Thence N. 0° 53' E. at 1435.2 varas set single tree clip and 3 pits for the S.W. corner of L.H. Triplett S.E., from which casting marked L328 bears N. 39° 2' W. 63 varas, under fence, at 2170.3 varas set single tree clip and 3 pits from which 4" pinion and cedar post bear N. 39° 38' E. 54 varas and 4 pits bear S. 39° 38' W. 88 varas, at 2244 varas made 4 pits for the N.E. corner of this section;

Thence N. 39° 2' W. at 337.2 varas set 3" cogwheel in the east line of section No. 28, Block J.D;

Thence South at 12.7 varas set peg and 4 pits for the S.E. corner of said section No. 28;

Thence West at 486.4 varas point in the east line of section No. 61, Block A.3;

Thence S. 0° 21' W. at 300.4 varas pass old pit in east line of said section No. 61, at 941.6 varas post and 4 pits, Parks S.E. corner of section No. 61;

Thence S. 0° 28' W. 1230.3 varas to point in east line of section No. 62, Block A.3; Thence S. 39° 2' E. 802.2 varas to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE. }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2nd day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.



File Clerk.

Surveyed with Buff Solar Transit No. 6741

Thence S. 0° 23' W. 1330.3 varies to point in east line of section No. 61, at 941.6 varies post and 4 pica, Parks S.E. corner

Thence S. 0° 21' W. at 800.4 varies post old pit in east line of section No. 61, at 941.6 varies post and 4 pica, Parks S.E. corner

Thence West at 486.4 varies point in the east line of section No. 61, Block A.3;



Grantee: R. M. Thompson.
Block No. B.
Survey No. 33

THE STATE OF TEXAS

HALE COUNTY

FOR PLAT SEE
OTHER SIDE

Commissioner General Land Office.

Re-surveyed day of August, 1909.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

W. J. WILLIAMS, Transmitter.
Bearing record true course.

it was
marks

APPR

THE STATE OF TEXAS

HALE COUNTY

Survey No. 34

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 536 acres of land situated in Hale County, about 22 miles S. 55° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 34 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT piece of wire stretcher set in the south line of section 64, Block A.3, for the N.E. corner of section No 19, this block;

Thence S. 0° 58' W. at 1700.3 varas set broken wagon spindle and 3 pits in lake;

Thence S. 39° 2' E. at 150 varas leave lake, at 373 varas cross road, at 614.7 varas cross fence, at 1073 varas pass 13.5 varas south of corner post for the S.W. corner of A.J. Robbins Pre. Survey, at 1173 varas stake in field;

Thence N. 0° 58' E. at 13.5 varas cross fence, at 693 varas cross fence, at 743 varas cross road, at 963.5 varas cross north line of A.J. Robbins Pre. Sur., at 972 varas and 1445 varas cross roads, at 1433.5 varas made 3 pits for N.W. corner of P.V. Jones Pre. Sur., at 1716.9 varas made 3 pits for the N.W. corner of A.J. Robbins S.F. Sur., at 1306 varas e cross road, at 2124 varas cross fence, at 2662.9 varas set peg for S.W. corner A.J. Baker S.F. Sur., from which 4 old pits, the N.W. corner of W.S. Boliver S.F. as originally surveyed bears S. 39° 52' W. 127.9 varas, end wagon boxing and 3 pits bear same 31 varas, at 3068 varas set stake;

Thence N. 39° 2' W. at 765.4 varas point in East Line of sec. 64, Block A.3/ from which strap iron and 3 pits bear N. 39° 2' W. 3.2 vrs;

Thence S. 0° 12' W. at 1361.7 varas set buggy top iron for S.E. corner of Section No. 64, Block A.3;

Thence N. 39° 49' W. at 327 varas set buggy seat brace, at 432 varas the place of beginning/

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

438 278.5 not deeded
away. in 2 pieces

28
90

County.


ACT
MO
goin
d

190.

File Clerk.

Re-surveyed
day of August, 1903.

Bearings record true course.



THE STATE OF TEXAS

HALE COUNTY

Survey No. 35

Block No. B.

Grantee: R. M. Thompson.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 400 acres of land situated in Hale County, about 28 miles S. 69° W. from Plainview, same

True Mag. Var. 12° E. being Section No. 35 Block B, Certificate No. issued to R. M. Thompson made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT the N.W. corner of section No. 32, this Block;

Thence S. 89° 2' E. at 1901 varas set cedar post 3"x24", at 3802 varas set cement rock 8x6x6" and 3 pits, at 4142 varas set strap iron in lake for the N.E. corner of section No. 30 and in the west line of section No. 68, Block A.3;

Thence N. 0° 11' E. at 345.8 varas set casting marked R(b and 3 pits in the south line of section No. 25, Block J.D.;

Thence West at 1418.5 varas pass the S.W. corner of said No. 25, at 3319.5 varas set cement rock 10x6x4 inches and 4 pits for the S.W. corner of Section No. 26, Block J.D.;

Thence North at 142 varas set piece of hame and 3 pits;

Thence N. 89° 2' W. at 542.4 varas set cedar post 6"x30" for the re-entrant corner of this section;

Thence N. 0° 58' E. at 3135.2 varas the S.E. corner of section No. 36; Thence N. 89° 2' W. 272 varas to point in the east line of section No. 9, 462 vrs from its N.E. cor;

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2nd day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County.

Corrected Field Notes

Survey No.

Filed _____ 190_____

Commissioner.

File Clerk

Commissioner General Land Office.

D:


APPR

it was
marks

Re-surveyed	2nd day of August, 1909.	I, W. D. TWICHELL, State Surveyor, do hereby certify, that the foregoing is a true and correct copy of the original notes, and that the limits, boundaries and corners with the natural and artificial, are truly and correctly described in the foregoing field notes.	Commissioner.	190	Field Notes	County	W. J. WILLIAMS, Transferee.
-------------	--------------------------	---	---------------	-----	-------------	--------	-----------------------------

Surveyed with Buff Solar Transit No. 6741

U. S. DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION
WASHINGTON, D. C. 20535



THE STATE OF TEXAS

LAMB COUNTY

Survey No. 36

Block No. B.

Grantee: R. M. Thompson.

7 acres in Lamb County
122.1 acres in Hale County.

CORRECTED FIELD NOTES of a re-survey of 129.1 acres of land situated in Lamb County, about 6 miles S. $30^{\circ}3'$ from Olton, same being Section No. 36 Block B, Certificate No. issued to R. M. Thompson

True Mag. Var. 12° E.

son made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through East line of section No. 31, Block B and proved by observing Polaris when at elongation. Azimuth $1^{\circ}25'20''$.)

BEGINNING AT the N.W. corner of Section No. 35, this Block;

Thence S. $89^{\circ}2'E$. 272 varas to the N.E. corner of said section No. 36;

Thence N. $0^{\circ}58'E$. at 2416.6 varas set cement rock $12 \times 10 \times 8$ and three pits in the south line of section No. 18, Block C.2, 450.4 varas from its S.E. corner;

Thence West at 949.3 varas cross county line, at 1450.6 varas set iron pin and 4 pits for the S.W. corner of said section No. 18, at 3117 varas point at the intersection of the south line of section No. 19, Block C.2. with the North line of section No. 7, this block;

Thence S. $89^{\circ}2'E$. at 942.3 varas set casting marked 623, a 20 lb weight and 3 pits, the N.W. corner of section No. 8, this block, at 2167.3 varas cross county line, at 2845 varas set cement rock $10 \times 8 \times 3$ and 3 pits for the N.E. corner of section No. 8;

Thence S. $0^{\circ}58'W$. at 1901 varas set post and casting, at 2363 varas the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE. }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 10 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

County.

Chain Carriers.

that the foregoing is a true and correct copy of the original field notes and that the limits, boundaries and corners with the

Chain Carriers.


that the foregoing is a true and correct copy of the original field notes and that the limits, boundaries and corners with the

Surveyed with Buff Solar Transit No. 6741

W. J. WILLIAMS, Transcriber.
Bearings record true course.

Re-surveyed 10 day of August, 1903.
I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing is a true and correct copy of the original field notes and that the limits, boundaries and corners with the

Commissioner General Land Office.



BLOCK B

BLOCK 02

BLOCK JD

OTHER SIDE

R. Co.
1895.

it was
marked

APPR

THE STATE OF TEXAS

HALE COUNTY

Survey No. 1

Block No. 02.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

True Mag. Var. 12° E.

CORRECTED FIELD NOTES of a re-survey of 642.8 acres of land situated in Hale County, about 20 miles N. 89° W. from Plainview, same being Section No. 1 Block 02, Certificate No. 83 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT

a cement rock 14 x 8 x 8" set for the N.W. corner of survey No. 36, Block O, same being 2 miles S. and 2 miles 7.7 vrs. E. of old monument, the original N.W. corner of survey No. 12, Block S-4.

Thence W. at 169 vrs., 311 vrs. and 778 vrs. cross roads, at 1908.7 vrs. set a cement rock 14 x 8 x 6" and 2 pits, the S.W. corner of survey No. 19, Block S-4.

Thence S. at 800 vrs. cross E end of lake, at 1901 vrs. set a cement rock 12 x 8 x 6".

Thence E. at 1908.7 vrs. set a cement rock 8 x 4 x 4".

Thence N. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 11 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County. _____

Corrected Field Notes

Survey No. _____

Filed _____

Commissioner. _____

File Clerk. _____

Commissioner General Land Office.

Re-surveyed _____ day of August, 1900.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing is a true and correct copy of the original field notes, and that the limits, boundaries and corners with the same, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

W. J. WILLIAMS, Transcriber.

Bearings record true course.

Surveyed with Buff Solar Transit No. 6741

