






John S. Schilling

~~John S. Schilling~~

~~Exams~~

Final Exams, Sem.

Med. 2 P.M. 1st

Obst. 2 " 8

Ment & Nerv. 2 " 10

Path. 9 A.M. 15

Surg. wit. 9 A.M. 17th One 17 & 18,

Genl. 2 P.M. 19

Ophthalm. 2 " 20

Otol. 2 " 21

Rel. 2 " 22

Syn. 24 + 25.

Gross Morbid

March 17th 09.

Pregnant Uterus
from which the child
was removed to by
Cesarian Section then
the uterus was re-
moved in order to con-
trol hemorrhage.

1028 - 31.

Tubercular Kidney.

32 - 31.

Here the tubercular
process is in the cor-
tex. Contrast with
the preceding one.

206 - 31.

Tubercular Kidney
showing involvement

of pelvis and cortex.
#97 - 31

Tubercular Kidney
showing cortical
involvement.

#673 - 31.

Same as the above
#1038 - 31.

Tubercular Kid.
~~same~~ showing
hypertrophy of the
opposite kidney.

Tumors of Kidney.
#801 - 22.
Congenital Sarcoma
of the kidney.

#407 - 22
Sarcoma of Kidney.

#384-24.

Adenoma of Kidney.

#208-24.

Cystic Adenoma
of Kidney.

#893-25.

Papillary Adenoma
- malignant of Kidney.

#694-24.

~~diag~~ Labeled adenoma of
Kidney but it is
really Hypernephroma.

#820-25.

Secondary Cancer.
Primary one was
in the pancreas.

#892-22.

diag. lge. so called
Sarcoma, but Dr. T.
thinks it is a Hypernephroma.

At. Spec. George

Worse.

Specimen during
the attack. Are
old letters
use, joined.

Colony in the
system of
the. I began to
hesitate. I was
in a hurry.
My first one was
very good but the
conduct. I have
the of the upper
tone of the. In
hereditary. You
may come to a great
or suddenly.
You will help.

Hd. Spec. Leong,
hypernephroma of
kidney.

1st Specimen, Hyper-
nephroma of kidney.

H.S. Hypernephroma of Kid.

H.S. Hypernephroma of Kid.

3-18-09.

Spleens.

493-3

Floating spleen had
pedicle twisted, and
became necrotic.

319-3.

Hemorrhagic or red
infarct of the spleen.

521-3.

Anemic infarct of
spleen.

Case of Infants
#679-3

labyrinth in pelvic
ring. It rose.
I heard strong
spasm of skull
the foot is seized
with bounding
sudden, heart to
beating. Jitter of
face. He drops
of intense chills
for. The foot falls
and is not able
to stand or sit erect
for days.

Shows reduction
of bone in con-
diction. I feel very

I do in usually
progressive and
get worse and

Section 18. 24
most - granular

679-3

Artemic Infarct of
Spleen.

~~3~~ 351-3.

Large Spleen Artery
with Degeneration.

1039 & 3.

Acute Splenitis.
Called an acute
splenic Tumor.

528-3.

Malarial Spleen.

H. S. Spleen showing
healed Infarcts.


759-3.

Spleen showing
very much thick-
ened Capsule,
which looks almost
cartilaginous.

Chronic Pelic Splenitis.

H. J. Cline's Hypnotism

mounted in collodion
showed into & on.
Some persons are
for transmitting the
London home
and they at the
time for transmitting
London home



Miniature telephone
may be used by
patient. There is a
small battery that
produces a small cur-
rent. The person
can press the button
there. & pat. may not
be able to use them
Memories & is
Is an extravasat-
ion of blood into &

H. S. Chronic Hyperplastic
Splenitis.

2 Spleens showing this.

H. S. P. M. 164, J

Acute Splenitis

H. S. "Spleen showing
Chronic peri-Splenitis

2nd Spleen follicles

may have a gum-
matous change
in it.

610-3.

Chronic Splenic
Tumors.

872-3.

Ruptured Spleen.

H. S. Ruptured Spleen.

bone absent

Opium tree may
give relief. The
stomach may be
nourished with a
little food. There
is a hook which may
be broken or torn and
loosened. You may have
operation during
the ^{active} for some
little ripples.

A little pledge of
cotton may be put
as well shaved into
it. You may moisten
in cotton with
glycerine. You may
in office use paper

from my

#146-22.

Lymphomatous Mass
in the spleen of a
dog.

#859-22.

Round Celled Sarcoma
of Spleen Secondary
from round celled
Sarcoma of Shoulder.

Mar. 24th 1909.

Lymph. Nodes

#386-31.

T.h.c. gland in grt.
omentum

#535-31.

• Tubercular lymph
glands of the neck
#863-31.

Corcoro Inguinal

427-22.
made.

me. heard +
me. for tons of
such persons
hired persons
William Herdley
heartburn not
loud noises
this symptom is very
bad. ~~typical~~ is
~~usually always present~~
Kenny at pres-
ent.

Diag.

Renton
above symptom
where person is
deaf
Pug is very unfa-
vorable whether
colony is become
involved you

not necessary
+ young

node.

427-22.

Perforation of Aesoph-
agus from cocles of
posterior medial
stinal nodes;

695-22.

Sympo-Soreana of
Apillary Nodes.

~~# 853-19.~~

Mole Generative
Organs.

853-19.

Elephantiasis.

59-19.

Venernal Warts.

68-19.

Venernal Warts.

125-19.

Cyst of the Glans.
Major.

thickened focusing
it. Gustation the
normal. there
are very ^{infert} ^{infert}
there are an atrophy
in condition of
man - I make
~~mouth~~. In one
an in woman
is not to be due
to supply.

✓ Deeper runs
gets home. This is
very welcome
there. The islands
fleeing left
behind & may have
low tones etc.
✓ singing voice
& some further
entire surface

387-19.

Discipline of Discipline

387-19.

Dilatation of Semi-
nal Vesicles.

434-19.

*Inf. Inflammation of
Tunica Vaginalis Testis.*

#447-1

Hydrocele

#0641-19.

Hydrocell 17 Cord.

39-19.

*Chronic Epididy-
mitis.*

129-19.

Undescended Testicle

Enlarged Prostate.

#216-19.

Enlarged prostate
in lateral lobes ~~and~~
Fosculation in the
Bladder,

From - Brown

217-19

Styck. 1/30 g. th.
for 300 4 who are
used. takes 300 4
who for styck to
act.

Oto melanio.

Patel. Is a progressive
mind and is attend
ed with great de-
press. there is a
definite showing
true about 1/2 of
plate of 1/2 stone.
Bongis may be
on this it is
called orientis.

Venise may
not be for the
man and may
not have

March 1/30 & 31
for you & wife

217-19.

Enlargement of
middle lobe of Prostate.
Hypertrophy of
Prostate.

827-19.

Hypertrophy of Middle
lobe of Prostate,
this could stop mi-
nation.

514-19.

Infected Hydrocele
etc. produced by
injections of Japine.

917-19.

Chronic Orchitis.

Wesley - 10/25/09

3/25/09

454 - 31 Tbc Testicle

482 - 31 " "

533 - 31 " "

123 - 31 " "

143# - 31 " "

425 - 31 Tbc. Epidi-
dymitis.

305 - 31.

Tubercular epididy-
mitis. Testis is too
large.

Prepuce

46 - 35.

Hard chancre of Prepuce

49 - 35. Ditto.

716 - 35. Ditto.

624 - 35. Ditto.

158 - 35.

Multiple Soft Chancres.

300-25
Thymelaeaceae

you may use
Schlegel's specimen
you may determine
the whether the
whole member
is moving or not,
if member is
photographed the
mouage is apt to
be dangerous.
To the effect of
terminus you
may give solution.

2404
give Hydrobromic
acid. May use
yourself of bromide

you may use
original meso-
mes.

Handwritten scribbles at the top of the page.

300 - 35.

Syphilitic Testicle.

~~same~~ = Ch. Orchitis.

348 - 35.

Syphilitic Testicle.

417 - 35.

typical Gumma of
the Testicle.

379 - 35.

Syphilitic Testicle.

Adherent Hernial Sac.

380 - 35.

Syphilitic Testicle.

559 - 35.

Syphilitic Testicle.

637 - 30.

Chondro^{-sarcoma} - Sarcoma
of Cord¹.

360 - 22.

Sarcoma of Testicle.

547-22
Donna of 10000

2 men, one
pushed in and
remains in con-
tact with a pro-
-ontary. You
can. By inflation
& proper relieve
a crisis. The ref
inflation should
not be kept up for
over 6 wks. and
if pot. gets worse
tell to come back.
You mean no
stage of inflation
this is done by a
the specimen rods
is closed and
use an oil pump
to pull a pump
in and out.

~~547-22~~
~~547-22~~

547-22.

Sarcoma of Testicle.

420-22.

Sarcoma of Testicle.

98-22.

Sarcoma of Testicle.

406-25.

Cancer of Prostate,

69-24.

Squamous Epithel-
ioma of Penis.

61-24.

Cancer of Penis. =
Epithelioma,

311-24.

Squamous Epithelioma.

312-24.

Epithelioma of Test.

313-24.

Epithelioma of Test.

Exhibition of 1897
24-2-1897

Inflation should
not be passed often
er than once or twice
per day

You may try electro-
lysis of 3 in. to 4 in.
does not change any
good. After that
portion you may
use application
of a grid, 30 grs
of ~~the~~ ^{on} you may
use saline prep of

Dry Mid. Cor. Cor.
2. ~~the~~ ^{the} mid.
stage of the exuda-
tive stage. Dense
mosses, ~~from~~ ^{from} the
left behind.

with secondary tumor
of the ovary

327-24.

Epithelioma of Test.

734-24.

Epithelioma of Test.

3-31-09.

Female Genitive

organs.

874-18.

Hypertrophied. Nymphs.

860-18.

Oozing tumor of
lobia = to large size
of venereal warts.

151-18.

Imperforate Os.

733-18.

Dysplasia Epithel
intra of Vagina.

823-18

Squamous vaginitis &

you have tried injection therapy,
 you may have the
 end of whole bone
 bonyr caught in
 tube. and may pull
 it off. The end of tube
 usually comes out
 if kept in ^{the} place.
 When a congested
 very considerable ^{page} it
 is advantageous to dig
 it there in mentore.

Rx:

Concylgr 5
 mentore gr 5
 Concylpro 3 SS
 Albolone 3 T.
 How in to eye.
 Chlorotone in
 hole measured.

Thickened with lymph
over the uterus

+ cervicitis.

489 - 18.

Adhesive Perimetritis
with gross tubes,
517 - 18.

Shows Ch. adhesive
pelvic peritonitis,
292 - 18.

Protrusion of the Uterus
20 - 18.

Uterine subinvolution,
retroflexion, ^{proce-}
^{prode-}
denta, & loculations
551 - 18.

Subinvolution of
uterus,
658 - 18.

Is a case of subinvo-
lution
19 - 18.

Sanguinous Endometri-

You should make
on the bongie the
length you should
go. You can do this
by measuring is
bongie. ~~-----~~

When the pot. will
complain of a sharp
sticking pain in
the ear when the
bongie goes in. You
should not if
there is any bld
on the cork bongie
you should not
insert, you may
poke air down into
the neck.

You must not
be probing inside

you need not
be afraid of

tis.

667-18.

Sanguinous Endomet-
ritis. Taken from ✓
one of many pieces
#530-18.

Shows chorionic
Villi.

#112-18.

Multiple cyst of ✓
ovary from a cow
jug.

#126-18.

Ch. Ovaritis or oophoritis
& remnants of Ovary
of Roraimella or
Parovarium.

#C47-E18.

Hydatiform Cyst of
Parovarium.

$$81 - 58 = 23$$

Occasionally you
can't get on into
V instruction tree.

Whole home D. M.,
prefers, Dr. Robert J. J.
A no. 12 wine.

You oil the bottle
then with olive
oil. ~~the bottle~~ the bottle
runs thru 2 with.

and was not justifying
in a narrow circle

85-18.

Hypotidiform form
Cyst of Parovarium.

137-18.

Chr. Inflam. of tube
ovary.

145-18.

Haemorrhagic cyst
of ovary.
81-18.

Wall of a tube hemi-
tropic.

424-18.

Haematoma of Broad
ligt.

359-18.

Suppurative Mon-
nitis.

1013-39.

Ectopic pregnancy

George Rogers

1045-22

into tube.
The means should
be wiped away from
the mouth of the
tube. You don't
do this the means
will prevent proper
inflation. The means
maybe blown into
the tube & block it off
the tube - you may
inflate & prevent
regurgitation by using
compressed air. You
should not
use compressed air
if the means is
atrophic or if
choking deposits
occur due to them.

the human model
in time.

1045-22.

Ectopic Preg.

812-39.

Ectopic gestation of
longer duration.
846-39.

Ectopic Pregnancy,
#370 tumor,

#320-22.

Cystic Sarcoma
of Ovary.

#363-22.

Sarcoma of uterus
removed & a recur-
rence.

#915-24.

Bilateral Papillo-
mata of Fallopian
Tubes.

#515-25.

#

~~Robertson - Robinson~~

Vegetative Cancer of
V Cervix.

296-25.

Papillary Cancer ^{of cervix}
+ uterus
showing two small
intra tumour and
one submucous
fibroid.

4-1-09.

Cancers of Female
Generative Organs.

626-24.

Hard Papillomata of V
Vulva.

618-24.

Flat celled cancer of
Right Labia Minors
& Clitoris.

640-24.

Hard Carcinoma of Uterine

anyone = not called
correct

along time the
person may grow
and get very clever
& deeper & that have
great boldness of
hearting - some of
may improve &
some may not

Timothy. passage for
cure is bad,
& pot. may in course
of time get rid of
himself & change
of the ~~outward~~ ^{little} ~~one~~

Treat.

1st correct any
abnormal condition
of ~~the~~ ^{the} nose for on
nasal chambers

~~no oblong canal
on the base~~

Surface = Flat celled
cancer.

371 - #24.

Squamous Epithel-
ioma of Cervix.
Dewitt kind.

542 - 24.

Fringing flat celled
cancer of Cervix.

581 - 24

Situa.

378 - 24.

~~hyper trophied~~ ^{probably} ~~of cervix~~

~~and~~ Hyper. of cer-
vix, uterine fibroma,
Flat cell cancer.

901 - 25. Adeno-

carcinoma of body of uterus

887 - 25

Adeno Carcinoma
of uterus.

the girls meeting

191-301

nothing did,
the results of first
exam. are not pos-
itive. reported exam.
Prog. In only case
is not so bad.

Where cholly begins
occurs osclerosis the

prog. is not good.
If the change is in
artery & in condition
tube & the condition

is kept up by some
changes. The Valvular

may become much
of tube. If the trouble
is only about 1 yr.

duration the prog.
is better.

Just treated for

nothing at all
the contents of the

861-30,
Infected cyst of
ovary.

526-30,

Cystic Ovary,

136-30

~~Situa~~ with
papilloma growing
out. = Papilliferous
cyst of ovary.

33-30.

Germoid (coliculus)

518 ³⁰

.....

Brain.

310-1,

Submeningeal hemorrhage.

982-1

thrombotic softening
of V medulla.

~~phonograph~~

1 - 500

you tell by use of in-
flation & tube.

test hearing by the
watch & voice & tuning
forks.

In hearing for voice
& lower tone limit
is raised. Pat. does not
hear low notes as
well as high notes.
Is just reverse of those
of labyrinthian deaf-
ness. Here high notes
are heard better.

Bone conduction is
better than air con-
duction - & Rinne's test
is neg. & Weber
lateralized & worse
hearing for voice is
just reverse of laby-

you see they need in -
Hemorrhage + there.

293 - 1.

Hemorrhagic
softening or properties
of left hemisphere
region.

295 - 1.

Shows what may
happen from
Hc. in RT. cap-
sule, Hc. into lat. vent.

294 - 1

Hemorrhage, into
lateral ventricle.

281 - 1

Hc. into RT. thal-
amic Region.

26 - 1.

Hc. into RT. occip-
ital lobe.

Chit. membrane Porely-
28-1.

Cholera or typhoid
areas. There may be
retroaction. If the
the do about
process the mollen
will be pushed out.
Molleses tends to
retort
signs of retort. Here
✓ retort process of
✓ molleses is not
shortened & the

Lecture May. 6th 09.
Ch. Sup. Otitis med.
Planes can often be seen
where adhesions are pre-
sent. It is not always,
the embolism, the
one. can be occluded
}

collected from
under the nose

88-1.

Ch. meningitis Polymen-

meningitis

15-1.

Ch. Meningitis

Polymeningitis,

655-1.

Internal Hydro-
cephalus from an
Adult Idiot.

25-1.

Porencephalia

896-1.

Purulent Cerebral
Meningitis.

895-1

Abscess between ✓
Tentorium Cerebelli
& cerebellum.

sample 1 - 10000
2-4-68

symptoms resemble
Meningitis Dis. except
there not doesn't
get well.

there are 1 point
measles & not
for virus measles
and measles &
to soil & principal
to soil.

there are changes
in & during there
are atropine
press in & during.
Spore will be
larger specimen
you will find
portion will pull
out & all areas
will not rise.

Went to see
Dr. J. H. H. H.
H. H. H. H.

894-2.

Punctate Spinal
Septueningtis,
191-2.

By Compression
Injury of cord.
22-25.

Ditto. proctored

692-2.

Inflammation of
v Corda Equina and
thickening of the
nerve roots.

927-1.

Degeneration
of Spinal Cord
966-42.

Painful Angulation
of trunk.

907-21.

22

Georgia Brown

pulling on croch
ling.
these noises, ~~etc.~~
thunder, one ^{noised} ~~to~~
the worst right
messed melon
celebration and suicide
etc. May be
deafness will only
~~involve~~ involve
one for the people
then deaf people.
want of deafness
depends on whether
voluntarily is in-
volved and the other
the person may
giddy or throat-
tired from and
boasting these

original

Glioma of Brain.

20th Nov 1902
Sunderland
20th Nov 1902

& then me. the other
ear will be affected.
I pot. notes that
this is of short du-
ration. When me.
it has been going on
for years. & I pot.
not the cause of
foot is getting deaf
thinner, the
intermittent
noise it becomes
constant.

me. humming or
bell like notes
or musical as if
singing. May be
noises apparent
from top of head.
thinner me.

4 then use the other
one will be affected.

Dermatology

Lecture Apr. 27th 09.

X Ray treat for lupus
Vulgaris.

Is after a
best. Is more
convenient than
finer light & is
just as certain.

Apparently.

As a rule in X ray
for lupus you would
treat with
an medium vacuum.

A soft tube is a
low vacuum tube
high vac. is hard
tube.

Exposure should
be ~~5~~ 5 - 10 min.

the line
Note.
did three times per
wk. & tube showed
only a few inches
from & sp. to be
kroyed. the healthy
mounding of
parts should be
projected by other
kind of material
means of ~~which~~ ^{align} 6
layers of tin foil
between 2 layers of
adhesive plaster.
It. on exposure of
10 min. to three
times per wk. is
more than & tin
will stand well?
therefore, better
to give shorter &
more frequent

with the same
general

In the case
don't go to
be there. Cotton
should be
treated and should
be done so to pre-
vent going into
unintended In-
cubation or a more
negative effect
transmitted may
result. In other
cases the upper
flora is lifted,
adhesion may
form and the
bacteria in contact
to may be adhered
to. Inflammation may
occur at a point

the skin of the
face of the
face of the

until you deter-
mine how this
is going to act.

Just as soon as
you notice the
lightest discolor-
ation of the skin
treat. should be
discontinued until
skin returns to
normal color,
a light sunburn should
be produced, and the
core may be treated
reg. If you continue
for too long time
the action may
continue. You may
get prod. bleed from
action and no very

more common
will come along

= O to sclerosis.
Condition is im-
portant that when
well developed no
treat, will do good
to further more,
might become
in early stages
it is quite am-
enable to treat. Is
almost from ex-
perience to see
there not. almost
every day or two,
when a process is
limited to a tube
there cores respond
to treat. when kept
up by none con-
dition.

the
Constitution
= the necessary

where country
will come adizing
my for the bond
may even dying
fall off, they are
joined. Every
difficult to write
✓ pain of burning
as soon as stage
represents the heal
ing is going rapid
but best to define
✓ ulcer & skin
graft in some
cases.

Even if you cure
burns & ulcers
there is considerable
longer delay
now you should
watch these cases

James M. ...
James M. ...

+ ch. adenoma
a ch. hyperparathyroid
with cor. cot.
or ch. hyp. cot.
prim. par. = also
the adenoma. Is
a ch. ~~non~~ hyp.
with cor. dis.,
Caries.

Very rarely
follow on the exuda-
tive. with cordis,
trouble may
proceed to a pleu-
risy.

Process may re-
sult in a true
hyperparathyroidism, open-
ing bone and the
renal condition.

A on address
on the hypothesis

and of slightest
evidence of recurrence
you should remove
threat.

You don't protest
when well it will
fall out. You
to remove it will
come back. It
may take 3 or 4
years.

Lupinus Erythrorhizus

Such being the
trouble character
by develop. of shape
of seed. Vetches
which vary in size
to are from apical

to keep well
of course by yourself

open. you should
not delay in
records where
you think you
have a market
in. ~~the~~ I would
consider you may
let go for it. If
not improved &
getty. you should
operate. you should
open the dress.
I am a major operation

Ch. Now my
private dis. of child
for

and some gen
eral character
Ch. mind. correct

very large part
of the ground is white

to a deep red in color
covered by scales,
Fungus, *Enthelium*
~~is not related to~~
Trypis V. In almost
certainly due to
a different course
in majority of
cases. *Trypis* sp.
beginning of the process
up to the point where
it is cut slightly
elevated sharply
on the end showing
in color from a pale
ish to a deep red
this is the same
line spread by
perpendicular
man. Reaching a

of the labor

plication. I thought
cold should be kept
up for more than
24 to 36 hrs.
I give pot. heroin
as soon as a bag
is removed and
put back shows
process is extend-
ing
leekies & etc

you may use
morphine for a pain
don't repeat
morphine. I put on
the in bed and

I put ~~up~~ you
may keep bowl

position of the
correlation of the layers

varying size from
 inches to several
 inches in length,
 1 port, horizontal,
 or lens abundance
 of thin scales that
 are slightly older
 than. Most of these
 scales are slightly
 tilted up from
 the surface &
 protrude from under
 the dipping down
 into the opening
 of the gill
 follicles. The pen-
 nings of the scales
 of the over a spec-
 imen are a few
 more and longer

by the way
I mean boys

Be good also,
there are a few
ingits & de, or ch
or it may be lo-
calized. If properly
treated people
many recover.
Just maybe
faster in ~~o~~
You must inspect
the perforation of the
you must then
boze it. you may
~~do~~ donche it
and you will get
well. you may
apply ice bags to
hot water bags.
baths = very small.
neither of them of

these normal
 are plugged up by
 oblong debris the
 skin out a mix
 true of epith-cells,
 presence of these
 large lymph follicles
 & the debris are
 quite characteristic
 of Eryth. lupus
 & individual follicles
 may exist for
 long time then
 changed - except
 to show increase in
 size or it may
 disappear then a
 majority of them
 are leaving on con-
 red & held the
 it - in place no

U-005 Mos & Id. of Car, Rose & Throat

nothing else was
made of it.

known forward
the power of the
trust.

Many of us
get completely
well. When it
is a disease,
you don't get out
you may have
extension may
spread into right
for a while &
prod cerebral obs.
may prod. cerebral
for a while obs or may
prod. my sinus
thrombosis.

It may get out
under the skin
of neck & is called

Large not on
wound wound

marks at all.
I was left by Sup
in English ^{frontier} ~~frontier~~
character - in
thin flutched
near lighter, than
normal. the gel
polls, described
by fitted rows with
grooves & entire
of a row like
appear, there is
just like polls,
location ^{higher}
In ~~noting~~
suggestion. It is
occurs by preference
on nose and
adjacent sps of
check. It also

~~no sign of~~
~~young~~ ~~in~~ ~~the~~ ~~area~~

usually presents
with other signs.
It is very significant
that and obsi-
cles are nearly
completely destroyed
and have lost
no sign of most
signs. But
not all signs
are present in
every case.

Signs

One physical
condition of foot,
such as prostrat-
ion & discharge
where part of right
foot is swelling
behind & can be

thinking of you
and your mother

notion of ^{cheek} ~~cheek~~
is involved or
there is a very
small part of
medically adjacent
to a work of great
importance of
particular. Also
given rise to a
fancied resem-
blance to a robot
but they
are then the
singer can
on much and fly
on a horse, & the
scalp of the
man on a
down of
fingers slide and

will be more
on feet.

1 port sup. wall
of conal rags down
into 1 conal and
may almost hide
valve. If this
is present you
rest assured that
no great trouble
occurs in most
cases. These are
aggravations in
1 port sup. quad.
those in 1 upper
port sup. quad are
the, but the most
often usually
are usually, but
and are inadequate
drop off, may
be the drop off

thing which I don't
know how to do

may elicit pain.
3. at exit of most
and unnecessary
being, namely,
now here.

✓ Point me, where
outright accord-
ing to a thickness
of cortex & the anti-
inflamm. Query
this may get the
reason on the face,
you should ^{know} ~~know~~
✓ or after wiping
+ cleaning & v
cellulose, return
of antineuritis
in relation to
post subacute
post pruritus.

sample into the
not miss him

at periphery. This
young fly's eye
thrusts in
little dies = dis
cord variety

It has fly is
very wide spread
almost minor
-col and is spoken
of as disseminated
variety and v
in the nymph,
the network
it and give me
strong contrast
nymph and day
not imply that
- more fully
inference, variety
of fly's eye

Stee and Thomas
Violeta Wallace

several days of
most distressing
swelling behind
eye and eye
in front of
eye. It is. If you
move on it
+ down it throbs
you have pain
It is not
no pain.

Most distressing

in 3 places.

1. over the most
Antrum by both
sides

2. at the most
tip. Hook it thumb
down under it
sprinkle up and

with a narrow
to the ground

are and therefore
up to the surface
hole covered
there is not the
not being
another, there
is a good supply
Eng. that is
has a supply
~~I can~~ Eng.
plow & supply
common & clear
to & well
and. in the
remain present
for a long time
silence of leaves
of leaves
then there is

why the infection
is so severe

which does let
up there is pain
antennia is very
swollen & foot
looks sick. Temp
~~is~~ quite very
much in day
be as high as
104.0 and may
jump up to 105
from normal,
there are no more
detritus in stomach
no fever.

Swelling of artic-
le ~~may~~ may be con-
sidered as a ^{diagnostic} ~~sign~~
symptom. should
not wait this long
only occurs after

water in the
for crops

temperature.
position of lungs.
any other facts
occur on the
fingers and you
may see small
vesicles and then
a very little red

after 5 days
remember, post
here 5 - lungs.
peris. remember
post here and
may occur and
more fingers be
seen & it is dying.
by just that when
it happens
it leaves moving.

These things
I think are
the most important

here recreation
are pushed back,
Diary

I made for
top of the road
across to the
supperation is very
poor. Spills up
in a few days. In
it is position
is great & pain.
& maybe fever
up to 102 or 103 or
there are no
fever here there
is probably motion
in the fish
shows no tendency
to let up after
several days rest

have mentioned
the mixed flock

distinct voices
flung up
to the north
compared
the country
flung up
generally
noisy
- mixed voices
where they
were the
just sign to one
slight rock out
the valley and
on a sudden
enough to cause
discomfort the
most thing is
deposition of rocks
about weekly

and/or program

etc. Maybe more
more cases with
some epidemics
than others.
Ac. Ac. mortoid-
itis is serious.
If properly treated
it is not necessarily
overious dis. f.
Ac. mortoiditis
may follow an
trauma. And
under the more
violent and
common. It is
more often
be followed by
mortoiditis.
An oral perforation
may cause it.

marked as in types
v.

marked as in types
v.

Disproportionately
female than in
male and in
neurotic individ-
uals in others
and seldom oc-
curs before age
18 or 20 and
not after after
age of 40. Extremes
of 3 yrs & 20 yrs.
I suspect height
proportion in
well to do than in
poor. Proportion
height to diameter
often & removed
offered and has

for summary
of summary

most cells are
opened and re-
fed out and the
contents of the
cells and the auto-
-phagocytosis removed
Certain but of
being with of per-
at.

Ac moutiditis
may occur at
any time of the
year. It is
It may occur
in a few days or
at the beginning
It is principally in
in grippe & some
but fewer & milder

most common
in the
mountain

seen in many
regions at
various times.
Extremes of heat
~~and~~ cold being
sufficient to predict
its coming.
Some hold it
is direct & poison
due to the heat, but
not the case. Has even
been found in
sections of the
cross in just a
small tube with a
quince finger
been followed
by the - Dr. Marshall
thinks it is due

~~more in front of~~
~~the counter~~

to a mastoid.

Open - on the intro-
-tympanic operat.

A intra tympanic
method is
to remove ossi-
cles.

Aerosol is injected
in a canal about

$\frac{1}{2}$ in from a
drum and under

a coat. it may
proliferate
complete res-

thoria of the oper-
minutes and you
may be able to do
operat.

Radical mastoid
operat. Here the

As I mentioned
the rest of the
morning

to tortices of the
generated in their
parts of body
is very probable
that it will be
to other tissues
the changes of
lymphocytes begin
in upper layers
of dermis.
You have congest
of blood lymph
vessels of the
bed vessels become
filled with red
white blood cells
at the lymph
vessels become
filled with a
protein exudate.

the cocaine
solution

may use cocaine
sol better to a co-
caine sol. with a
little adrenalin.
Only use a few
drops. You may
apply on cotton
or on may use
a few crystals of
cocaine.

these methods
will cure a large
ant. spores if
continued out prop-
erly. If necrosis
or destruction of
tissue and attack,
it will not cure
If bone is necrosed
you may have to

very common
not common to a case

In epidemic
there is hyper-
keratosis of the
rete ovaries,
and ~~the~~ the hair
follicles become
destroyed & replaced
by
the hyper-
keratosis, permanent
loss of hair.

Diagnosis.

1. on the face
at the nose
2. on the body
and lined with
traced patch, vary-
ing in color from
pinkish to deep
red on down

no more of these
no more of these

to work & drop in

Spring granulations
on polyps remove
& defecate & grow.

As the polyps
are removed with
a small

~~you pull & wire~~
~~just tight enough~~

then you cut & polyp
off and never pull
out. You touch

base of polyp with
tweezer or with acid.

use small probe.

may use chromic

acid. May use

electric cautery

Antiseptic for

myology - ~~myology~~

presence of scales whose
undersides, processes, pro-
cesses down into
which pollicles

and some presence
of directed pollicles
filled with these
matter. They
upon location
& moving.

It was to differ.

roughly just W.

ring worn.

up to four.

Prog.

must be given
did. It is the
motion together
& the curious dis-
appear with out

of the
of the
of the

parts in very light
may come under
corrosive gas wh.
of much gas
th. in mid. cor
you may use
drops. alcohol me.
dropped in pure
oxygen may mix
with H₂O.

of cholesterol
you may use
drops. the 7 drops
should always be
from the pot
lies down and
you may in the
under drops with
your or dropper
the. Press it together

Rock in vegetation
very much
very much

opponent come and
are very likely to
recur. But just
as likely as they appear
the patches on
other he said
but recurrence
to him. In
my case
will not be over
a come a dis-

appear. you may
have epithelium
develop on four
sides. Is not
very much.
and

See. Do not
look after any
liquidity in

Joseph H. Jones

+ etc.

You may dry
for with cotton
tipped probe.

Some use air
heaters that are
run by electricity
or ditch is right
pound. continue.

— points find & Boie
or, or Boie or,
Gauge with treat
use used. Wick
is pulled down to
sum. You must
change when rot.
to teach a pot. how
to change. must
be sterile. Use
Dobson gauge.

the main body
must

health, long doses
of quinine and
iodide of starch
recommended
by Crocker.
KD. & colour
has ~~been~~ been
used.

Quinine & iodide
of starch and
colour will put
peace.

Local treat

more
ing. should now
belong to
of the
satisfying
of duty & treat
at any time &

Notes from
Lecture 4-29-09.

Ch. Purulent Otitis Media.

In the necrotic process is so severe that $\vee$ bundles of $\vee$ matters are destroyed. Maybe a large hole in $\vee$ membrane.

If crust are adherent you may use H-02. If perforation is considerable eye will do no harm. May use $\vee$ cotton tipped probe as a piston. If perforation is small you may place pins deep into $\vee$ drum.

Section 4-29-09
Ch. President of U.S. Mexico

patches become
inflamed, the
inflammation should
be discontinued.
The glands & col-
onitis
rooting much
into the
rectum
multifocally
into green roofs,
and then use
gum out or Diol
fibre out or
even weak ~~acid~~.
of saline vit
4-10 gr to some
other some strong
the of glycerol
bin or pyrogallol

with 9th June
will be in
the morning

on 24th may
not in room
for ~~renewal~~^{1st} 2 days.
Your drops may
be used. You may
begin on 20th Sept²³
when you may
use a npt 10-
15-07.

You may use
1 alcohol & Bone
and use - 10-120
gr to 3.
I thought it with
out by using -

11 11 11 11 11 11 11 11 11 11

of 2001
I never in your
have any to it

out of these
now. I am
should say with
green soap.

As soon as there
is soap - you
begin to see the
action. If

you mix
it with carbolic
acid just in
proportion as
this should not
be allowed to be
a deep and super-
ficial description
followed by use
slightly this and
may give good
results. The use

good by [unclear]
[unclear] [unclear]

not jiddy. If
[unclear] are [unclear]
[unclear] me
a little [unclear] and
place on cotton and
press down and
let stay proper
minutes. If [unclear]
don't me [unclear]
If there is sufficient
[unclear] to cause [unclear]
to [unclear] don't me
it. If [unclear] slight
disch you may
me [unclear]. You
may [unclear]
do not me [unclear]
[unclear] a [unclear] with
dry [unclear], may
have [unclear]

7 11 4 4 2 11 11 11 11

improving progress
to. hand - just

of Kroy has been
followed by good
results.

For each therapy
has also been fol-
lowed by good re-
sults in some
instances, and the
more pliable, per-
manent - all of
these have been
followed by good
results. The first
three are the most
important.

Beetle May 14th 02
~~Summit~~ ~~Refined~~

Small metal
spring inserted
You may insert
a post to use a joint
in spring. It
must be boiled
must not place
higher than one
foot above a post.
head.

~~to Fowler~~ ^{daydre} ~~cord~~
 me. well. In
 one Dr Morris.
 papers, 7/1/1911.

found
refuge tube
drum tube,

you should syringe
slowly you may
~~not~~ notice it

Chinese medicine
and the mind

Lecture May 4th 09.

Demantia, Kienanata.

= Parson Dey or parson
oak. It produces
most typical voice
of Demantia.
Kienanata.

this empt. and
produced by a # of ^{points} places
such as cowhedge
& in some people
O London & etc,

It is produced by
local application of heat,
sup. the chrysomelid
shy cotton, etc and
by giving a # of drugs
in case Drury
only, produced by force

Handwritten: *Handwritten text, possibly "Handwritten text" or "Handwritten text"*

present that there
perfect acquiris
should be aimed

of
forming the
finger hole. The
carbon and a
stronger soft
role may be used
any more of Bone
acid role. you
~~must~~ dry con.
reasonably dry.

little rubber
springs have a
strong sol.

~~Give me for~~
~~each two pints~~
of v fld, at time.

There is no
perfect cup

found, various on
1 marked due very
often to 1 4g ch₂
these subit.

Discolor. of skin
very often produced
by these ~~discolor.~~
bacteria cream
containing Bi & H₂O₂
It may produce der-
matitis or very
anycused. Infr-
low group may
produce dermatitis
also sulphur
prop. they will
cause a blacken-
ing of skin due
to the peroxide of
mercury.

could be shown
to satisfy your

say, there is nearly
a store of nervous
& oracles be involved
this physician was
told in volume,
I all these cases
another probe &
of it - me. I will
show you to be
pediatric of poly
symptomatic and
have perhaps
one common
in cases of the
supplied anemia
& constant throat
irritation,
me. and do
exercise.

of adenoids, one

A major part of
the work is done

most typical ex-
amples of poisons
Dugor - Rhin.
gout.

It was only a
right day dem-
onstrating for more
phys. it is basic -
not. It is more
marked cases if
maybe bullous
and for extreme
cases it may prod
gangrene.

As a rule in fatigues
exposed portions
often such as
hands & face.
is usually covered
by white to. &

one & general region
of southern
rough numbers - 10

the perforation may
just opposite
line of slopes
since on the
perforated. is not
large. Fine - not ^{distinct} ~~thick~~ ^{thin}
than this zone. Is
typical may make
this appear. Is
more similar.
As Martini in
volvement - very
can from this type.
A hundred pic. the.
forms for many
proves perforated
in Shapwell's Mound.
Little from
in the way of

~~The eruption of the~~

anal & genital regions
It is eruption speaks
for pelvic abs. of
body but this is
not the rule.

The erupt may
break out in week
3 hrs after exposure
or it may after
days & finally to
last a wk. or 10
days but may
last considerably
longer due to recur
rent but besides
the swelling it
pains it very much.
bed.

Discharge is the
strongest thing in

1 come. 1 come. 1 come.

Where

1947 cor should
be the only channel.
You may find
the 22 sand line
common tipped
just at the top.
You may find the
perforation & location
& extent may
keep you.
Perforation is
the port - not quite
right behind it
the cones
are unalloyed
& rich is stony
& thick. This is

W. M.

v course.

In those who are
susceptible the
rightest contact
will be that is
necessary to come
through demand
that there is great
deal of itching &
burning depending
on a series of v def
ects. We can
not say that but
some there are
none. We a little
poor & light in
pale.

the infant is
due to oil toxins
and oil. This oil

is located in the
oblique transverse
muscle of the
back

polypos.
tuberculosis is very
common but not so
intensive. also.
relucious spread,
more in time
diagnosis.
~~tuberculosis~~
the exam.

First exam
I wanted to see
if anyone over
the top or
there are swelling
behind & around
cornea & cornea
protruding. and
may & result
of tubercoid infl.
involving & affecting
behind horn.

11 11 11 11 11 11 11 11 11 11

has a compound
with 20%

is soluble in 95%
alcohol compound
is poured with lead
salts
test.

If you get a
core of polymer
inflation is just
returning to you
can be kept about
1 ounce by rubbing
it with soap & water
then repeatedly
rinsing with
95% alcohol and
when the oil is re-
moved the inflation
very promptly sub-
sides - or you may
rub it with

the more of it
the more of it

go to a giddens,

When the follicle
is moved
to ground it is
polyps develop
around nerve
it may destroy
it.

If the foot plate
of a stop is involved
it is not dangerous
whenever a stop
is involved it not
dangerous. If any
pain is there
retention of discharge
it is open. It may be
open or it may be
be plugged with it.

the more of it

Genl. & Garrison

subacetate of Pb.
this should be
worked off.

where the inflow
is well established
resorts to writing
opinion. I
R.

Corbolic acid $\frac{1}{2}$
 No hypomephite $\frac{1}{2}$
 Agide, grad. $\frac{1}{2}$

this would be a
good method of
peroration. It

2nd column
of Alumin-
um ore.

air over of very

will come
there must keep
the -

then perforation
very small
& thin very light
after for long
point by over
blowells much
It may look like
box, may take
do for two to four
creamy disk,
much means
voting or
is involved,
spl alby disk
means the grow
or polyp or a in-
-olved.

When 1st lobes
is involved there
is disturbance of

1888

...
...
...

well borne
You must keep in
mind - demonstrations
being due to poison
by Day.

Drug injections,
used due to local
or int administ-
ration.

the drugs that are
able to produce dem-
onstrations when taken
int. ~~there~~ are a
great #

A special tendency
must occur if
a special individual
Drug exp. may

...for this thing
...to return

to return.

Unvoiced majority
Unvoiced is good even
where granted.

If proper treatment
there is no doubt
that if I have
it improved may
recover if the
progress is not so
good.

there may be im-
portance of the
hearing to some
extent degree.

there are little
or no pain and
there are little
sickness... may
dry in crusts.

...the ...

young people in school
by means of group
work

simulate a
group. can to defen-
atology. the method
of prod. is not very
well understood
It may be due to
changes in the
base motor system
or due to
inhibiting action
of drug as it is clin-
ically by skin
peripherally
Sedative & tropane
compounds.
Drugs & group are
usually symmet-
ric & generally
come out and
they & as acids

PRINTED IN THE U.S.A. BY THE GOVERNMENT PRINTING OFFICE

low. The drug is
in the form of a
oil. with 90% of

drug promptly
introduction under
the drug. some
are not.

In some cases &
continued admin-
istration of drug
will produce adverse
action for drug.
In some cases
injection, this
is not only case
& drug effect.
However, such
as fluorine and
it. constant, frequent
with very pronounced
slight to marked
degree and in
some cases they

Common House
Fly

muscs. may be
suff yellowish or
brown. may
have bad odor &
may be
when they sting
it usually
appears in
white to floor
A. entrance tube
financed. the
bird may come
come out for
so that it
may be
copy not notice
unreposition
phone may come
but in dish:
open with

James M. McLaughlin
Agent General

Terminate slowly
as in the granite
+ folioides,

I notice, I drugs
Antitox. Any of
very pty give life
and I hope it
will. an erythema
confined to a few
patches around
mouth of mouth,
that may be a
a nutritional,
at a collar
ing. Is merely
a system to a
nutrition.
It subsides in
few hours to few
days.

Franklin in
his vision

longer than ^{rules}
consider a ch.
case.

Del. core ^{involves}
in mortal cells
or autophagy.

you may find
points of ^{involvement}
less and diff. through

of. Cholesterol
may form the
temporal bone in

in mortal region
may become hard
as a rock and is

called sclerotic
material.

Cholesterol
never in thick
staining as normal

to the
from the

Acetaminil & anty
in may give
rise to erythema
give long duration
of skin

Copious exudates
of sandalwood oil
give rise to eryth
Coproba of the
3 is very hot & to
give rise to an
erythematous eryth
of the patches
are almost white
color & may
give rise to an
urticaria.

exudates may give
rise to some eryth
oil of sandalwood

any fine
light
work

may use ~~AgNO₃~~, vol.

You may begin
reflection.

If you does not
 count disch. you
 mayne activer
 vol. use 1 of AgNO₃
 and may I. till
 you use 10 of it vol
 it does not come
 to pot. point!

You may need a
pump effect,
with troughs.

Yammyne an
oleole 20l 8
10-20gr

53. *of grace - carbons*

unboiled milk

or ~~only~~ our own

may give with
a ~~proportion~~ ^{proportion} of
the ~~brander~~ ^{brander}
Iodides give me
Dermatitis.

& KBr may give
me to I must
be from Dermatitis.
So popular on
~~proportion~~ the lesions
look very much
like mine except
they are longer,
the myriads are
more red and
color more bluish
tint. The distribution
is more like
that of ordinary
one. At times

please things just
 below and held
 & ^{in lower part of pen} mollen body
 be & pass up
 and behind &
 handle, may
 get no jar of
 first at the blue
 peery. Appre-
 vich of gray from
 & ear of pink.
 yungest son.
 sleep clean &
 the yungest and
 dry & all were
 born 2 after ward
 & were come. &
 Not shown stay
 in house for
 idoz outw.

General Knite put
beams on roof

~~now a~~ ~~the~~ there
 lesions give rise
 to ~~to~~ ~~to~~ ~~to~~ ~~to~~ ~~to~~
 forming and de-
 forming, coming
 here and there
 acute follicular
 eruptions & they
 may break out
 erupting lesions
 may occur and are
 more or less
 on any part of
 body. Pustular
 eruptions may
 develop and pass
 from legs just above
 ankles.
 Bromide eruption
 more common in child

It is a very good thing
to have a very good thing

If advertisement in
largest towns there
are a few out-
lets. There is
very little free
in the world, more
made by money
than by pleasure
of the nature
of the world. You
may give a super-
fine if you do
not. If you give
you should have
a very good thing
more a sign of
don't delay in
action because
the neighbouring
street. The night

... some sleep
... on

rather in men,
in children & empt.
may develop from
nursing mothers who
are taking Bromides.
a empt. of KBr.
can be almost prevent-
ed by use of As.
the empt. usually
gets better soon
after a drug is
discontinued but
it still lasts for long
time. KBr empt.
it becomes serious
but usually one
not.

Quite common,
mod. empt. more
frequent hysterics

young
from
from

ossicles may slough
away. Amel-
perforation in a
healthy person
may close ^{temp.} but
should be opened.

Incoral fever &
loss should be
examined. The prog-
nosis depends on the
onset of fever &
the course of the
disease. There are
important differ-
ences in the course
and the result. Well
& the. Tend to cure
& the same.

strong. I have
strong and is so

strong. Most are
popular. Many
give rise to blue
slubs. ^{at population} The
very ¹ susceptible
thing may push
abundant slubs,
which may attack
space. To hide
empt - may
promptly distort
the whole thing
is left off. or
may continue
for long while.

As may then give
prolonged time give
rise to any other
and color of skin
yet to a colored

Don't know
as you can find
this a cure

but maybe
8-10 day.

Ischaemia by pain
over the top of
prostate & fever
& you blind &
you.

When a man gets
become inf. you
may have a man-
-ing, you may
have a man, the-
-ousness.

In the, you
there may not be
any pain just it &
let down become
perforated.
you may have

prop 01-8
showing

rise to erupt.
but is not very
common except where
used locally and
may give rise to
a popular dermatitis
may give rise to
an erythema.
may be due to
erythema
pyrexia. St.
will give rise
to cutaneous
erupt.
Dermine will
very ply give rise
to erythema or
erythema
erupt. may give
rise to itching

very good
and very good
and very good

moral of tonight
to do it,

Bygone Early
About it come
as ac. cot.

there is pain over
cor, tumour,
protrusion com.
ridable pain
round at night.
the numb. an-
ally prepares in
two or 3 days in
suppurate form.
then pain sub-
sides. the det. is
more even, when
covered by scab
in fever during.

1. ~~proposed~~
moral of lesson

most of people who
claim they are
possible to take
Quinine have
this symptom
or a swelling.
It is not in
any literature,
of which may
give rise to
erythema &
infection. More
any, an ite-
-ing and eryth.
Is known to ite-
about a week.
Colonial hydro-

may give rise to
erythema or

low ~~fine~~ ~~ingel~~
~~ingel~~

may follow & ac.
Cot. form.

may follow ac.
inf. such as
rebel fever &
measles.

Dysentery in scarlet
fever. When the
throat is severely
involved there is a
more tendency for
mid ventricled
Dysentery fever
& cores may become
chronic. There may
be no toxic also.

be. 2 fls. of med.
may result from
use of instruments
may follow the re-

~~popular~~
Bott and may
give rise to such
very seldom
concepts, except
at all.

Drug emptors
generally deeper
red in color than
except they
imagine they
are phylloids
different tastes
you should
imagine and
drugs pot.
for been taking
when there
drugs and dis-
tinct there are
a great many.

better Bone and
Gnd.
The muscle. is
not ruptured -
the muscle.
You may have
reopened the
in some cases,
after a ditch has
been stopped you
may see infection
tends to block out
infection, breaks
down & allusions
& promotes &
cure.

~~Ac. diff~~
Ac. diff. of
mid.

per incision into
wound. At the time
of incision into
wound a little strip
of gauze.

there are a serious
ditch. Hot air bags
& water bags may
be used.

You may syringe
the point in 2 or
3 days depending on
amount of ditch. It should
be done 2 or 3 times
per day ~~or~~ or at least
once every other
day. You then dry
it for and blow of
Boric acid or
1/2

of dirch, very slight
or dry feeling me.
repeated. If the
dirch is free you
may syringe - and
the one most easily
noticed. Syring-
ing. The post. is
intended to get a
soft rubber syringe.

Lecture Apr 22nd 09.
Ac. Cat. otitis media.
for ~~for~~ minor cases
use 10% carbolic acid
+ glyc. If perforation
don't use it.
If necessary make

magnesium carbonate
acid mixture.
Of the mixture. Do
not abide you
incise & drink.
With very narrow
bevel knife and
just good illum
ination begin in
lower part of
dura and pass
up and behind
Cuneus. Don't
hesitate if you
have. May not be
any discharge
at all after in-
cision. You may
connect with it
to and do not

will promptly
admit to any
cause recurrence
motivation me
compensating
retreaty form
upon you use
foregone cond.
in child or
suffering in
adult not good
to report this be-
cause a process
may extend into
the classroom
& pain is relieved
you may give prizes
and if teacher
believes can either
time or anticipate

hard to locate.

Bulging very soon
under the jaw line but
is usually in
upper & lower
portion & for bulging
is longer in one
extension - ^{coronary} ~~not~~
inflamed during
protrusion course it
is more localized
& smaller.

Prognosis usually
good especially
if foot is in good
health.

If it occurs in
the or would prey
it will come
on and not get

May 12 1907

Deformation of
inflame. The In
flame involves
a ~~attitude~~ point
is prominent symph
the very exanthema
ing about the part
may need by pro
- point may
rotate into teeth,
and rarely may
not be localized.
there is usually
no point over a
itch there is
considerable de
pression and tumours
the whole memb.
is reddened &
congested. & edges are

May 12 1891

this will st. prod.
Complete anesthesia
✓ cathartic and
pulmonary, and
+ this is ~~an~~ a dis-
advantage.

Exam. before you
apply ✓ mastered.
I liked your
regime and
ethetic of dye
generally. Dr.

Dr. W. does not
become infecti-
ous well be-
come ~~of~~ ^{the} ~~the~~
Ac. cat. apix
Media

Complex

metabolism on 5/23

Encalyptol $\frac{1}{2}$ SS

Albulture J-7

never try & leave

queos Agudos mto

1 pint of hexon

well past my
midnight

regardant, $\frac{1}{2}$

kind

from another

Report of the

12 June 1961

Dr.

Merchre

Cocaine hydrochloride

Carbonic acid cryst.

2a f 159

can be packed after
this night &
for everything or
3 days you may
use 7 vapor.
such as CCl₄
rat. with menthol
and use vapor
from it again
may add to 13.7
injected the vapor
and it, and
then use a plastic
bag. you may blow
alittle in & out
& may seem
to contract.

Chloroform Sulfoxide
Rf for it.

you can't inflame
the neuro-psychic
you may find
an older man
of the same type
It may well be
that you will
be going.

If of the kind.
I remember you
should find it
I don't know
I remember, and
by inflaming them
absorption seems
very very very
rest.

after vision
Concluded he
drifted slowly to the

Longinus, meane
pinkent Val. Infla
children such
come pinkent
in 1 wh. the tube
shorter & wider
in child. If
Gardens, you have
permanence of at-
tack and loss of the
Removal of grade-
roads will prob.
always cure,
& rest

Summer
cures & well
to beets soe of
daily. Other you
will in proof.

John is yellow,
the lower portion
is so

If you have not
yet met or been
to method of in-
jection of the gas
may be as bubbles,
Treat

Tat in stone
✓ for me ✓ catheter
giving is improved
the itself benefited
✓ progress good of
in about 1000/1
prog. is not so good
✓ destruction the
colibre is very small,
children are prone
to become and

vertigo there is
usually no pain
but there is

a feeling of sore-
ness. ~~It is~~ but pain
there part. for it.
Complaint of vertigo
shows that is
they hear their
own voice. It
sounds as if they
had their head
above. When you
have vertigo
you feel a mucus
shoulder is reddened
you may see the
lower level of the
eye. The upper part.

adenoids press -
forces the front
outwards & repetition
of them comes a
sh. hypertrophic.
mid-ear cat.

1 swelling of the
in & the tongue
an obstruction of
a cavity and the
tube is not aerated
back looks as on the
fluent which is
non-repulsive.
blowing is impaired,
& ear feels as if stuff-
-fed with cotton.
there is more or
less humming &

on exordium.
When process is
in a gully in
the & does not
involve & does
not it = be-
two tympanic cot.
It often follows
an ac. & conga
or a nasal cot.
It follows with
ears & forehead
etc. & a number
of the vocal tract.
It may follow
douching and spitting
blowing & more
immediately after
words.

pure. Boiling acid &
alcohol or Boiling
acid powder carbon
may point & down
with 30 g to 3 g
aged 3.

↓
Dis of mind for
one clarified
not altogether or
partial.

Ac & ch mind.
for cost - of.

Ac & ch may
be suggested or
non suggested
a & ch for ch
Ac non suggested
we not cost.

Ch. Myiagrus.
me. and only by
in power of
having many
beavered into the
ground look like
syringes, they
will come dried
just, but & says,
the condition may
resemble a ch.
ovis media.
there grow some
cont lines and
found out of
draw. the honey
get well or the thick
just through out
for I eat. you
criticize & grow

Another way to apply
is to cut off the middle
piece of cotton and
push it against
the ~~cor.~~ ~~center~~

Any flecks should
be removed with fine
knife. Any grass
should be cut out
with tuck or ~~scissors~~ ^{scissors}

acid on cotton
solvent containing is
better. Then $\frac{1}{4}$
oz of Boie
acid & alcohol

or as you may
flow the Boie acid
into the glass jar
pound the flower.

...get well in
2-8-10 days the
menh. me. nor
mol
col chalk may
form in ~~menh.~~
in bod cases.

Prog.

the in does
if it is at a mid.
for cotton.

you put 2 parts
red and one

vol. of $1/3$ carbon
and $1/3$ of gly.

then fill the coal
tunnel a piece of
cotton. the phenol
is on an elgene &
2 glycer comes on
out of it of red.

mirror eye will
show 1 drum
chamber reddened
just in region
of base of nucleus.
In few days, vent
lines will be indis-
tinct. A few be-
fore time. re-
sult drum.
Color of light about
rest of body may
faint and dis-
cuss liquid
to color canal. If you
see to the face
there are a greenish
yellow line with
a disagreeable odor
If drum is penetrated with cor

inflammation does not
exist.

Ac. Myringitis.

Does exist. I

Often due to cold
or an old otitis.

Often, however, due to

removal of mucus
from the middle ear, or the
use of drugs, so carbolic

usually it is ^{not} very
violent, but

it involves the whole
thickness of the drum.

Chronic middle ear

not, often,

severe but spreading

of pus. In chronic

there is a little

~~pus~~ fever

then try to syringe
it out. You may
have to remove it
repeatedly.
Symptoms of syringe
are a photo &
hook, be very careful
Benzocaine hold &
pucker over & down
after removal of
a few plaster over
withrol - of silver
nitrate, alcohol &
boil and

Dis. of Dumbhead
= Trichinosis.
~~Is caused by~~
the microfilaria

note because
droplets may
then be present.

Epithelial plugs,
be whitish masses
of epithelium and get
very hard, almost
when they come
me, they may
remain in some
cores. Epithelial
rocks may get
into the center &
come Cholesteroma
In some there
plugs are present,
some.

Attempt to soften
with alcohol, glycer
& olive oil equal
parts to soften.

hook. Introduce
shot and then turn
so a hook will press
into & plug the wall
of a canal be very
persistent of hands
very much for them
let it stay for
awhile & so forth.

You find the
walls of a canal
are usually ex-
posed and are bleed-
ing some. The canal
should be thoroly
dried & painted with
30 gr to 1 lb of HgCl_2
and put in
1 lb. of dry don't
be too hurried.

If plug is very large
you may try to
loosen it with
water. You
may use a sol.
of NaOH to 3 to 500
parts. You would
person the sol. may
cause plug to
move or come
desfused. You
may add to this
13-15 glycer. to 1/2 cup
water.
You may try to
raise it a bit. If
you change direction
of plug of string
they should be
you may use a probe.

the wax in ear
may have ner-
vousness and, cough
when & coal ~~was~~^{is}
touched.


Asympt. rt. complai-
ed of ~~rt. side~~ madden-
ed of depression.

the person me.
in working or work-
ing & hair.

& few of the may
prod. tremors of
depression. May prod
renewed sympt. of mor-
tality. Sp. getz is
soft springy at
with warm water.
me a rather large
nozzled syringe.

Lecture, Apr. 15th 09.

Imported cerumen.
Is a result of exp.
st. or a result of
hyperemia or a drick,
right in ant.
there is an ^{ant} del. cer-
men or wax in v
lor. It becomes
trapped in ^{canal} v lor.
Where there is this
condition v usual
way of cleansing
aggravates v condition.
v wax is forced into
v lor the proper way
to remove v wax
to cleanse v ear is
by cotton tipped
no metal.



John B. Schilling

