



STAIR TREAD

3" = 11-0"




8 STAIR AT MID LANDING AT STEEL




STAIR AT TOP LANDING AT STEEL


0 1.5x0.145 HANDRALL AT 34" ABOVE TREAD NOSING (STAINED MOOD HANDRAIL - MM 240 AT STAIR #1) 6 0.375x0.145 MELDED TO HANDRAIL AND POSTS, QUANTITY AND SPACING AS REQUIRED FOR DESIGN LOADS, RE: STRUCTURAL Handrail at Guardrail 6




Handrail at Wall



Handrail at Landing



Stair at Bottom Landing



2 Handrail at Bottom Landing

6 155 1x1x1/8 STEEL AT 4" O.C. GUARDRAIL AT STAIR

Guardrail Detail

GUARDRAIL AT LANDING



Architecture Planning Interiors Research 175 Toyota Plaza, Suite 600 Memphis, Tennessee 38103 Telephone 901 521 1440 Fox 901 525 2760 E-mail info@lrk.com

Client:

LOADSTAR, Inc.

9830 Colonnade Boulevard, Suite 600

San Antonio, Texas 78230

Date Issues

50% CD PRICING SET 06.08.12

No. Date 9/12/12 PERMIT SET REVISION 10/15/12 For Construction Set

©2012 LRK inc.
Drawings, written material, and design concepts shall not be used or reproduced in whole or part in any form or format without prior written consent of LRK inc. Do not scale drawings. Use given dimensions only. If not shown, verify correct dimensions with the Architect. Contractor shall check and verify all dimensions and conditions at job site.



Project Number: 01.11073.00

Project Name:

6215 Via La Cantera San Antonio, Texas 78256

La Cantera Mixed Use

Drawing Name:

Drawn By: BD, MF, DS

Checked By:

A505