

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 34

Block No. 02.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 340 acres of land

situated in Lamb County, about 1 miles South from Olton, same

True Mag. Var. 12° E.

being Section No. 34 Block 02, Certificate No. 99 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT

a post and 4 pits set for the N.W. corner of survey No. 33, this block.

Thence N. at 373 vrs. cross road, at 950.5 vrs. set a cement rock 12 x 8 x 4" and 2 pits, at 1901 vrs. set 1/2" iron pipe and 2 pits and cement rock 14 x 10 x 6".

Thence E. at 1901 vrs. set 1/2" iron pipe and cement rock 14 x 10 x 8".

Thence S. at 950.5 vrs. set cement rock 10 x 8 x 6", at 1901 vrs. set a 2" iron pipe, pine stake and 4 pits.

Thence W. 1901 vrs. to the place of beginning.

Surveyed with Bull Solar Transit No. 6741

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 18 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County.

Corrected Field Notes

Survey No. _____

Filed _____ 190_____

Commissioner.

File Clerk.


Commissioner General Land Office.

Re-surveyed 13 day of August, 1909.

W. J. WILLIAMS, Transition.

Bearings record true course.

Surveyed with Buff Solar Transit No. 6741



THE STATE OF TEXAS

LAMB COUNTY

Survey No. 25

Block No. 02.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 0 miles from Olton, same

True Mag. Var. 12° E.

being Section No. 35 Block 02, Certificate No. 100 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT

a 1/2" iron pipe, a cement rock 14 x 10 x 6" and 2 pits, set for the N.W. corner of survey No. 34, this block.

Thence N. at 226 vrs. and 1597 vrs. cross road, at 1901 vrs. set cement rock 14 x 12 x 12".

Thence E. at 1901 vrs. set 1/2" iron pipe.

Thence S. at 1508 1/2 vrs. set 1/2" iron pipe, at 1901 vrs. set cement rock 14 x 10 x 8", and iron pipe.

Thence W. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE, }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 13 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County.

Directed Field Notes

No. _____


190—

Commissioner.

File Clerk.

Re-surveyed 13 day of August, 1903.

Surveyed with Buff Solar Transit No. 6741



THE STATE OF TEXAS

LAMB COUNTY

Survey No. 36

Block No. 02.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 1 miles North from Olton, same

True Mag. Var. 12° E.

being Section No. 36 Block 02, Certificate No. 100 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT

a cement rock 14 x 12 x 12" set for the N.W. corner of survey No. 36, this block.

Thence N. at 1545 yrs. cross road, at 1901 yrs. set cement rock 13 x 10 x 7".

Thence E. at 595 yrs. cross road, at 1901 yrs. set 1 1/2" iron pipe.

Thence S. at 1901 yrs. set 1/2" iron pipe.

Thence N. 1901 yrs. to a cement block 3 x 6 x 4"

Thence W. 1901 yrs. to the place of beginning.

Surveyed with Bull's Eye Transit No. 1471

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 13 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County.

Corrected Field Notes

Survey No. _____

Filed _____ 190.

Commissioner.


File Clerk.

Commissioner General Land Office.

W. J. WILLIAMS, Transitionman.
Bearings record true course.

Resurveyed 13 day of August, 1909.

it was
mark
APPR



THE STATE OF TEXAS

FOR PLAT SEE
OTHER SIDE

LAMB COUNTY

Survey No. 1.

Block No. 05.

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 5 miles N. 80° W. from Olton, same

being Section No. 1 Block 05, Certificate No. 23 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cement block 10 x 12 x 8", set 2 miles S. and 10 miles W. from old monument, the original N.W. corner of survey No. 12, Block S-4, in Hale County, Texas.

Thence S. at 1595 vrs. cross road, at 1901 vrs. set cement block 6 x 6 x 6".

Thence E. at 248 vrs. and 450 vrs. cross roads, at 1901 vrs. set a cement block 10 x 8 x 6".

Thence N. 1901 vrs. to a cement block 8 x 6 x 4" and a piece of plunger rod.

at 1901 vrs. the place of beginning.

Thence W. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County. _____

Corrected Field Notes

Survey No. _____

Filed _____ 190 _____

Commissioner. _____


File Clerk. _____

Surveyed with Buft Solar Transit No. 6741

Thence W. 1901 vrs. to the place of beginning.

and a piece of plunger rod.

Thence N. 1901 vrs. to a cement block 8 x 6 x 4"



Grantee: D. & S. E. R. Co.
Block No. 05
Survey No. 1.

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE
FOR PLAT SEE

BLOCK

True Mag
R. Co., mad
1895.
(All cou
ele
BEGI
us to
and
set
at l
Bear
W. J
I, W
it was mad
marks, nat
Res
APPROVED

THE STATE OF TEXAS

FOR PLAT SEE
OTHER SIDE

LAMB COUNTY

Survey No. 2.

Block No. 05.

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 5 miles W. from Olton, same

being Section No. 2 Block 05, Certificate No. 23 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block 84 and proved by observing Polaris when at elongation. Azimuth $1^{\circ} 25' 20''$.)

BEGINNING AT

a cement block 6 x 6 x 6" set for the S.W. corner of survey No. 1, this block.

Thence S. 1901 vrs. to a cement block 14 x 14 x 6" and three pits, small lake bears S.E.

Thence E. at 343 vrs. cross road, at 1901 vrs. set a cement block 16 x 8 x 4" and 2 pits.

at
Thence N. 1901 vrs. set a cement rock 10 x 8 x 6".

Thence W. at 1450 vrs. and 1653 vrs. cross roads, at 1901 vrs. the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.


File No. _____
 County. _____
 Corrected Field Notes
 Survey No. _____
 Filed _____ 190____
 Commissioner. _____
 File Clerk. _____

Surveyed with Buff Solar Transit No. 6741

W. J. WILLIAMS, Transcriber.
 Bearings record true course.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.
 Re-surveyed 3 day of August, 1903.

Commissioner, General Land Office.



Grantee: D. & S. E. R. Co.
 Block No. 05.
 Survey No. S.

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE
 FOR PLAT SEE

BLOCK

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 3.

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 5 miles S. 80° W. from Olton, same
being Section No. 3 Block 05, Certificate No. 24 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of
1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at
elongation. Azimuth 1° 25' 20".)

BEGINNING AT acement rock 14 x 14 x 6" set for the SW corner
of survey No. 2, this block.

Thence S. at 1901 vrs. set a cement rock 14 x 14 x 6"
and 3 pits.

Thence E. at 544 vrs. cross road, at 1901 vrs.
set a cement rock 14 x 8 x 5" and 2 pits.

Thence N. at 1901 vrs. set a cement rock 16 x 8 x 4"
and two pits.

Thence W. at 1553 vrs. cross road, at 1901 vrs.
the place of beginning.

Surveyed with Bull Solar Transit No. 6741

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that
it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the
marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 22 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County. _____

Corrected Field Notes

Survey No. _____

Filed _____ 190 _____

Commissioner.

File Clerk.

Re-surveyed S day of August, 1909.

Re-surveyed S day of August, 1909.


W. J. WILLIAMS, Transmitter.
Bearings record true course.

Surveyed with Buff Solar Transit No. 6741

the place of beginning.

Thence W. at 1553 hrs. cross road, at 1901 hrs.

and two bits.



三

OTHER SIDE
FOR PLAT. SEE

LAMB COUNTY

THE STATE OF TEXAS

3. No.

Block No. 02.

Grantee: D. & S. E. R. Co.

640

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 4

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 5 miles S. 70° W. from Olton, same

being Section No. 4 Block 05, Certificate No. 24 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth $1^{\circ} 25' 20''$.)

BEGINNING AT

a cement rock 14 x 14 x 6" and 3 pits set for the SW corner of survey No. 3, this block.

Thence S. at 1200 vrs. to 1300 vrs. cross lake, at 1901 vrs. set a cement rock 12 x 9 x 4" and 4 pits.

Thence E. at 1901 vrs. set a cement rock 12 x 12 x 8" and 2 pits.

Thence N. at 105 vrs. and 1100 vrs. cross roads, at 1901 vrs. set a cement rock 14 x 8 x 5" and two pits.

Thence W. at 1357 vrs. cross road, at 1901 vrs. the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County. _____

Corrected Field Notes

Survey No. _____

Filed _____

Commissioner. _____

File Clerk. _____

Surveyed with Buff Solar Transit No. 6741

Re-surveyed 25 day of August 1903.

APPROVED: _____

Commissioner General Land Office.

W. J. WILLIAMS, Transition.

Bestings record true course.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that marks, natural and artificial, are truly and correctly described in the foregoing plat field notes.

Tom McGee, Chain Carriers.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

Grantee: D. & S. E. R. Co.


Block No. 05.

Survey No. 4.

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE FOR PLAT SEE



BLOCK

FOR P
OTH
True Mag
R. Co., mad
1895.
(All cou
el
BEGI
ye avu
pits.
and 2 p
pits,
Bear
W. J
I, W.
it was mad
marks, nat
Re-su
APPROVED:

THE STATE OF TEXAS

FOR PLAT SEE
OTHER SIDE

LAMB COUNTY

Survey No. 5

Block No. 05.

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 6 miles S. 51° W. from Olton, same

being Section No. 5 Block 05, Certificate No. 25 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT

a cement rock and 4 pits set for the SW corner of survey No. 4, this block.

Thence S. at 1901 vrs. set a cement rock and two pits. set wagon spindle and 2 pits on the top of sand-hill.

Thence E. at 1901 vrs. set a cement rock 10 x 6 x 6" and 2 pits. In Block B4 at 1901 vrs. set a cement rock 14 x 8 x 6".

Thence N. at 1901 vrs. set a cement rock and 2 pits, the SE corner of Survey No. 4.

Thence W. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 6

Block No. 05.

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 6 miles S. 51° W. from Olton, same being Section No. 6 Block 05, Certificate No. 25 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT

a cement rock and 2 pits set for the SW corner of survey No. 5, this block.

Thence S. at 190 vrs. top of sand-hill, at 1901 vrs. set wagon spindle and 2 pits on the top of sand-hill.

Thence E. at 1167 vrs. pass the NW corner of Survey No. 1, Block B, at 1901 vrs. set a cement rock 14 x 8 x 6".

Thence N. at 1901 vrs. set a cement rock 10 x 5 x 6" and 2 pits.

Thence W? 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 7

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 6 miles S. 45° W. from Olton, same
being Section No. 7 Block 05, Certificate No. 26 issued to D. & S. E. R.

True Mag. Var. 12° E.
R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of
1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at
elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cement rock 14 x 8 x 6" set for the SE corner of
Survey No. 6, this block.

Thence E. 1168.4 yrs. pass the NE corner of
Survey No. 1, Block B, at 1901 yrs. set a 5 gal. oil can
and wagon brake-lever.

Thence N. at 1901 yrs. set a gal. bucket, quart x 8"
bottle, 2 dry battery cells and 2 pits. Windmill bears
S. 84° 4' E., windmill bears N. 17° 10' E.

Thence W. at 1901 yrs. set a cement rock 10 x 6 x 6"
and 2 pits, the NE corner of Survey No. 6.

Thence S. 1901 yrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that
it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the
marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 22 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

CLAYTON WILLIAMS, Chain Carrier.
Tom McGee
County.

Surveyed with Buff Solar Transit No. 6741

W. J. WILLIAMS, Transcriber.
Bearing record true course.

Re-surveyed 2 day of August, 1903.
I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

APPROVED:
APPROVED:

Re-surveyed
it was made
marks, natu
I, W. J. W.

Bearings
W. J. W.

Thence S. 1901 vrs. to the place of beginning.

and 2 pite, the NE corner of Survey No. 6.

Thence W. at 1901 vrs. set a cement rock 10 x 6 x 6"

S. 84°41' E., windmill bears N. 17°10' E.
bottle, 2 dry battery cells and 2 pite. Windmill bears
Thence N. at 1901 vrs. set a gal. bucket, distant
1 2 3 4 5

and wagon brake-lever.

Survey No. 1, Block B, at 1901 vrs. set a 5 gal. oil can
Thence S. 1108.4 vrs. was the NE corner of
a cement rock 14 x 8 " set for the SE corner of

Survey No. 6, this place.

BEGINNING AT

All courses compared to a meridian passing through old monument N. W. corner of Survey No. 12, Block 05, and proved bearings when at elongation. Azimuth 10 25' 30".

situated in Lamb County, about 6 miles S. 43°

being Station No. 28 Block 05 Certificate No. 28
situated in Lamb County, about 6 miles S. 43°

series of land

CORRECTED FIELD NOTES of a re-survey of 640

Grantee: D. & S. E. R. R. Co.

Block No. 05.


Survey No. 7

LAMB COUNTY

THE STATE OF TEXAS

FOR PLAT SEE
OTHER SIDE

BLOCK



THE STATE OF TEXAS

LAMB COUNTY
LAMB COUNTY

Survey No. 8.

Survey No. 9

Block No. 05.

Block No. 05.

Grantee: D. & S. E. R. R. Co.

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 5 miles S 52° W. from Olton, same
being Section No. 3 Block 05, Certificate No. 26 issued to D. & S. E. R.

True Mag. Var. 12° E.
R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of
1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block 34 and proved by observing Polaris when at
elongation. Azimuth 1° 25' 20".)

BEGINNING AT

a gal. bucket, quart bottle, two dry battery
cells, set in 2 pits for the NE corner of survey No. 7,
this block.

Thence N. at 1635 vrs? cross fence, at 1901 vrs.

set gal. bucket, quart bottle, 2 dry battery cells and 2 pits.

Thence W. at 1901 vrs. set a cement rock 12 x 12 x 8"

and 2 pits? the NE corner of survey No. 5.

Thence S. at 1901 vrs. set a cement rock 10 x 10 x 6"

and 2 pits.

Thence E. 1901 vrs. to the place of beginning.

Thence E. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE. }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that
it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the
marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED: Re-surveyed 2 day of August, 1909.

State Surveyor.

Commissioner General Land Office.

Commissioner General Land Office.

THE STATE OF TEXAS

FOR PLAT SEE
OTHER SIDE

LAMB COUNTY

Survey No. 9

Block No. 05.

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land situated in Lamb County, about 5 miles S. 65° W. from Olton, same being Section No. 9 Block 05, Certificate No. 27 issued to D. & S. E. R. R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a gal. bucket, quart bottle, 2 dry battery cells and 2 pits, set for the NE corner of Survey No. 8, this block.

Thence N. at 1901 vrs. set a cement rock 10 x 10 x 6" and 2 pits.

Thence W. at 1901 vrs. set a cement rock 14 x 8 x 5" and 2 pits, the NE corner of Survey No. 4.

Thence S. at 801 vrs. and 1796 vrs. cross roads, at 1901 vrs. set a cement rock 12 x 12 x 8" and 2 pits.

Thence E. 1901 vrsa. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 22 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

Surveyed with Buff Solar Transit No. 6741

W. J. WILLIAMS, Transitionman.
Bearings record true course.

Resurveyed 2 day of August, 1909.

Re-su
APPROVED:

I, W.
it was made
marks, natu

Beari
W. J.

I, W.

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE
FOR PLAT SEE

FOR P
OTH

CORRECTED FIELD NOTES of a survey of 040 acres to series

Grantee: D. & S. E. R. R. Co.
Block No. 05.

9. 01 1971

Y
U
O
L
B

True Mag

R. Co., made

1895.

(All cov

BEG

co m er

and 2

and 2

and 2

Thence E. 1901 vras. to the place of beginning.

at [190] was a common work IS x IS x 8" and 5 pins.

There is a small, dark, rectangular object, possibly a piece of wood or metal, lying on the ground near the base of the tree.

There is no record of any other persons who were arrested or charged with a crime in the year 1901.

13 14 15 16 17 18

TA

24

as State Surveyor, by virtue of Title XXXIX, Chapter One, Revised Civil Statutes of

30	
29	
28	
27	
26	
25	

situated in Lamb County, about 5 miles

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 10

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 4 miles S. 75° W. from Olton, same
being Section No. 10 Block 05, Certificate No. 27 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of
1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at
elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cement rock 10 x 10 x 6" and 2 pits set for the NE
corner of survey No. 9, this block.

Thence N. at 1901 vrs. set a cement rock 14 x 12 x 7"
and 2 pits.

Thence W. at 1901 vrs. set a cement rock 16 x 8 x 4"
and 2 pits.

Thence S. at 1901 vrs. set a cement rock 14 x 8 x 5"
and 2 pits.

Thence E. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that
it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the
marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

County.

Corrected Field Notes

Survey No.

Filed

190

Commissioner.

File Clerk.

Surveyed with Buff Solar Transit No. 6741

W. J. WILLIAMS, Transcriber.
Bearings record true course.

Re-surveyed 23 day of August, 1909.
I, W. D. TWIGGELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that the limits, boundaries and corners with the natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Commissioner General Land Office.

APPROVED:

Re-su

marks, natu

it was made

I, W.

W. J.

Bearin

2 and

the EN

NE c EA

BEGI

(All coun

1895.


R. Co., mad

True Mag

OTHER
FOR P

OTHER SIDE
FOR PLAT SEE

BLOCK



CORRECTED FIELD NOTES of a re-survey of 340 acres of land

Grantee: D. & S. E. R. Co.
Block No. 05.
Survey No. 10

THE STATE OF TEXAS

LAMB COUNTY

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 11

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 4 miles W. from Olton, same
being Section No. 11 Block 05, Certificate No. 23 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of
1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at
elongation. Azimuth $1^{\circ} 25' 20''$.)

BEGINNING AT a cement rock 14 x 12 x 7" and 2 pits set for the
NE corner of survey No. 10, this block.

Thence N. at 1901 vrs. set a cement rock 8 x 6 x 4".

Thence W. at 1901 vrs. set a cement rock 10 x 8 x 6"
the NE corner of survey No. 2.

and piece of plunger coupling.
Thence S. at 1901 vrs. set a cement rock 16 x 8 x 4"
and 2 pits.

Thence E. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE. }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that
it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the
marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

Surveyed with Buff Solar Transit No. 6741

W. J. Williams, Transmitter.
Bearings record true course.


Re-surveyed 25 day of August, 1909.
I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Commissioner General Land Office.

County.

CLAYTON WILLIAMS, Chain Carrier.
Tom McGee, Chain Carrier.
and that the foregoing re-survey is correct and that the limits, boundaries and corners with the natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Thence E. 1901 vrs. to the place of beginning.



CORRECTED FIELD NOTES of a re-survey of 640 acres of land

Grantee: D. & S. E. R. Co.

Block No. 05.

Survey No. 11

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE
FOR PLAT SEE

BLOCK

FOR P
OTHER

True Mag
R. Co., mad

1895.

(All cou
elo
BEGI

surveys

surveys

9 x 8

Beari
W. J.

I, W.
it was made
marks, natu

Re-su
APPROVED:

THE STATE OF TEXAS

FOR PLAT SEE
OTHER SIDE

LAMB COUNTY

Survey No. 112

Block No. 05.

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 4 miles N. 75° W. from Olton, same
being Section No. 12 Block 05, Certificate No. 28 issued to D. & S. E. R.

R. Co. made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of
1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at
elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cement rock 8 x 6 x 4" set for the NW corner of
survey No. 11, this block.

Thence N. at 1901 vrs. set a cement rock 15 x 8 x 4".

Thence W. at 512.2 vrs. pass the SW corner of 8 x 6".

Survey No. 3, Gunter & Munson, at 1901 vrs. set a cement rock

8 x 6 x 4" and piece of plunger coupling.

Thence S at 1901 vrs. set a cement rock 10 x 8 x 6".

Thence N. 1901 vrs. to the place of beginning.

Thence E. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that
it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the
marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.	Chain Carriers.	County.
	and that	
	with the	
	notes.	

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.


Commissioner General Land Office.

Re-surveyed S day of August, 1909.

W. J. WILLIAMS, Transitionman.
Bearings record the course.

Surveyed with Buff Solar Transit No. 6741

Thence N. 1001 yrs. to the place of beginning.



五

OTHER SIDE
FOR PLAT SEE

THE STATE OF TEXAS

LAMB COUNTY

640 acres to series

SI 101 101 101

Block No. 05.

Grantee: D. & S. E. R. R. Co.

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 13

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 3 miles N. 70° W. from Olton, same
being Section No. 13 Block 05, Certificate No. 29 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of
1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at
elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cement rock 15 x 8 x 4" set for the NE corner
of survey No. 12, this block.

Thence E. at 1901 vrs. set a cement rock 12 x 10 x 8".

Thence S. at 1901 vrs. set a cement rock 8 x 6 x 6".

Thence W. at 1901 vrs. set a cement rock 8 x 6 x 4",
the SE corner of survey No. 12.

Thence N. 1901 vrs. to the place of beginning.

Thence N. at 1901 vrs. set a cement rock 8 x 6 x 4".

Thence E. 1901 vrs. to the place of beginning.

Surveyed with Bull Solar Transit No. 6741

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE, }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that
it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the
marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 14

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 3 miles W. from Olton, same
being Section No. 14 Block 05, Certificate No. 29 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of
1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at
elongation. Azimuth $1^{\circ} 25' 20''$.)

BEGINNING AT

a cement rock 8 x 6 x 6" set for the SE corner
of survey No. 13, this block.

Thence S. at 1901 vrs. set a cement rock 13 x 8 x 6"
and 2 pits.

Thence W. at 100 vrs. to 300 vrs. cross lake, at
1901 vrs. set cement rock 14 x 12 x 7" and 2 pits, the SE
corner of survey No. 11.

Thence N. at 1901 vrs. set a cement rock 8 x 6 x 4".

Thence E. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that
it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the
marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed

190

Commissioner.

File Clerk.

Commissioner General Land Office.

Re-surveyed 23 day of August, 1903.

APPROVED:

Re-surveyed

marks, natural

it was made

I, W.

W. J.

Bearings

W. J. WILLIAMS, Transitman.

Bearings record true course.

Surveyed with Buft Solar Transit No. 6741

Thence E. 1901 vrs. to the place of beginning.

Thence N. at 1901 vrs. set a cement rock 8 x 4".

Thence W. at 100 vrs. to 300 vrs. cross lake, set
a cement rock 14 x 12 x 7" and 2 pipes, to SE
corner of survey No. 11.

Thence S. at 190 vrs. set a cement rock 13 x 8 x 6".

of survey No. 13, this block.

beginning at a cement rock 8 x 6" set for the SE corner.

being Section No. 14 Block 05, Certificate No. 29 issued to D. & S. E. R.


situated in Lamb County, about 3 miles

Survey No. 14

Block No. 05.

Grantee: D. & S. E. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land



THE STATE OF TEXAS

LAMB COUNTY

FOR PLAT SEE
OTHER SIDE

BLOCK

FOR P
OTHER

True Mag

R. Co., mad

1895.

(All cour
elo

BEGI

SE cor

dry 2

2 d n

2 d n

2 d n

vrs. t

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 15

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land situated in Lamb County, about 3 miles S. 70° W. from Olton, same being Section No. 15 Block 05, Certificate No. 30 issued to D. & S. E. R.

True Mag. Var. 12° E.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT

a cement rock 13 x 8 x 6" and 2 pits set for the SE corner of survey No. 14, this block.

Thence S. at 1901 vrs. set gal. bucket, quart bottle, 2 dry battery cells and 2 pits.

Thence W. at 1901 vrs. set a cement rock 10 x 10 x 6" and 2 pits.

Thence N. at 1901 vrs. set a cement rock 14 x 12 x 7" and 2 pits.

Thence N. at 1901 vrs. set a cement rock 10 x 10 x 6" and 2 pits.

Thence E. at 1600 vrs. to 1800 vrs. cross lake, at 1901 vrs. the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

Commissioner General Land Office.

APPROVED:

W. J. WILLIAMS, Transcriber.
Bearings record true course.

Re-surveyed 2 day of August, 1909.

I, W.
it was made
marks, natu
Re-sur

APPROVED:

Bearin
W. J.

Field Notes

Surveyed with Buff Solar Transit No. 6741

was the place of beginning.

Thence E. at 1600 vrs. to 0081 vrs. cross lake, at 1901

• 219 S 608

[illegible]

Thence W. at 1901 vrs. set a cement rock 10 x 6"

11

1901

	O	
--	---	--

16 17

R		
8	6	5

2

1

CO

29	105	62
----	-----	----

--	--	--

TO STATE FBI



THE STATE OF TEXAS

LAMB COUNTY

Survey No. 16

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 4 miles S. 55° W. from Olton, same being Section No. 16 Block 05, Certificate No. 30 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth $1^{\circ} 25' 20''$.)

BEGINNING AT

a gal. bucket, quart bottle, 2 dry battery cells, and two pits set for the SE corner of Survey No. 15, this block.

Thence S. at 1901 vrs. set a gal. bucket, quart bottle, 3 dry battery cells and 2 pits; a windmill bears N. $78^{\circ} 2' W$.

Thence W. at 343 vrs. and 1100 vrs. cross fences, at 1901 vrs. set a gal. bucket, quart bottle, 2 dry batter cells and 2 pits, the SE corner of survey No. 9.

Thence N. at 1901 vrs. set a cement rock 10 x 10 x 6" and 2 pits.

Thence E. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County. _____

Corrected Field Notes

Survey No. _____

Filed _____

Commissioner. _____

File Clerk. _____

Surveyed with Buff Solar Transit No. 6741

Bearings record true course.

W. J. WILLIAMS, Transitman.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct and that the limits, boundaries and corners with the natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

Commissioner General Land Office.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

Grantee: D. & S. E. R. Co.


Block No. 05.

Survey No. 16

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE FOR PLAT SEE



Thence N. at 1901 vrs. set a cement rock 10 x 10 x 6"

Thence E. 1901 vrs. to the place of beginning.

BLOCK

BEGINNING AT

2

1

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 17

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE

OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 4 miles S. 45° W. from Olton, same

being Section No. 17 Block 05, Certificate No. 31 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a gal. bucket, quart bottle, 3 dry battery cells, and 2 pits set for the S.E. corner of survey No. 16, this block.

Thence S. at 1901 vrs. set a gal. bucket, quart bottle, a dry battery cell and 2 pits.

Thence W. at 1901 vrs. set a gal. bucket, quart bottle, 2 dry battery cells and 2 pits. A windmill bears N. 17° 10' E., another windmill bears N. 52° 57' W. A furrow bears 15 vrs. N., a ditch bears 7 vrs. W. and trails bear E. 26 vrs.

Thence N. at 1901 vrs. set a gal. bucket, quart bottle, 2 dry battery cells, and 2 pits.

Thence E. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

Commissioner General Land Office.

Re-surveyed 2 day of August, 1900.

APPROVED:

Re-surveyed

marks, natural

it was made

I, W.

W. J.

Bearings

No. 17.

corrected

the NE

gal.

se. 21

and 2

BEGIN

(All cour

1895.


R. Co., made

True Mag.

OTHER SIDE

FOR PLAT SEE

BLOCK



Surveyed with Buff Solar Transit No. 6741

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, Chain Carriers.
TOM MOORE, Chain Carriers.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

Commissioner General Land Office.

Re-surveyed 2 day of August, 1900.

APPROVED:

Re-surveyed

marks, natural

it was made

I, W.

W. J.

Bearings

No. 17.

corrected

the NE

gal.

se. 21

and 2

BEGIN

(All cour

1895.

R. Co., made

True Mag.

OTHER SIDE

FOR PLAT SEE

THE STATE OF TEXAS

LAMB COUNTY

Grantee: D. & S. E. R. Co.

Block No. 05.

Survey No. 17

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 18

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 5 miles S. 40° W. from Olton, same
being Section No. 13 Block 05, Certificate No. 31 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of
1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at
elongation. Azimuth 1° 25' 20".)

BEGINNING AT a gal. bucket, quart bottle, a dry battery cell
and 2 pits set for the SE corner of survey No. 17, this block.

Thence S? at 1506 vrs. top of sand hill, at 1901
vrs. set plunger couplings and 2 stones.

Thence W. at 731.2 vrs. set a cedar post 3" x 30",
the NE corner of survey No. 2, Block B, at 1901 vrs. set a 5
gal. oil can and wagon brake-lever, the SE corner of Survey No. 7.

Thence N. at 1901 vrs. set a gal. bucket, 2 dry
battery cells, quart bottle and 2 pits, the SW corner of survey
No. 17.

Thence E. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that
it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the
marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

County.

Corrected Field Notes

Survey No.

Filed

190

Commissioner.

File Clerk.

Surveyed with Buff Solar Transit No. 6741

Thence E. 1901 vrs. to the place of beginning.

Thence N. at 1901 vrs. set a gal. bucket, a dry battery cell, quart bottle and 2 pits, the SW corner of survey.

Thence W. at 1901 vrs. set a cedar post 3" x 30", the SE corner of survey No. 7.

Thence E. at 1901 vrs. set a cedar post 3" x 30", the NW corner of survey No. 8, Block B, at 1901 vrs. set a 5

Thence E. at 1906 vrs. set a gal. bucket, quart bottle, a dry battery cell, and 2 pits, the SE corner of survey No. 17, this block.

Thence N. at 1901 vrs. set a gal. bucket, a dry battery cell, quart bottle, and 2 pits, the SW corner of survey No. 18, Block O5, Certificate No. 31 issued to M. & S. E. R.

Thence N. at 1901 vrs. set a gal. bucket, a dry battery cell, quart bottle, and 2 pits, the SW corner of survey No. 18, Block O5, Certificate No. 31 issued to M. & S. E. R.

Thence N. at 1901 vrs. set a gal. bucket, a dry battery cell, quart bottle, and 2 pits, the SW corner of survey No. 18, Block O5, Certificate No. 31 issued to M. & S. E. R.

Thence N. at 1901 vrs. set a gal. bucket, a dry battery cell, quart bottle, and 2 pits, the SW corner of survey No. 18, Block O5, Certificate No. 31 issued to M. & S. E. R.

Thence N. at 1901 vrs. set a gal. bucket, a dry battery cell, quart bottle, and 2 pits, the SW corner of survey No. 18, Block O5, Certificate No. 31 issued to M. & S. E. R.

acres of land


CORRECTED FIELD NOTES of a re-survey of 640

Grantee: D. & S. E. R. Co.
Block No. O5.
Survey No. 18

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE
FOR PLAT SEE



BLOCK

FOR PLAT SEE
OTHER SIDE

True Mag.
R. Co., made
1895.

(All cour
elon
BEGIN

corner

3 and
"2" see

1 2 due
windw

batter
No. 18

Bearin
W. J.

I, W. J.
it was made
marks, natur

Re-sur
APPROVED:

Commissioner General Land Office.

Re-surveyed 2 day of August, 1909.

W. J. WILLIAMS, Transcriber.

Bearings record true course.

CLAYTON WILLIAMS
TOM MCGEE
Chain Carriers.

THE STATE OF TEXAS

FOR PLAT SEE
OTHER SIDE

LAMB COUNTY

Survey No. 19

Block No. 05.

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 4 miles S. 30° W. from Olton, same

being Section No. 19 Block 05, Certificate No. 32 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a plunger coupling and two stones set for the SE corner of survey No. 13, this block.

Thence E. at 1171.2 vrs. pass a cedar stake 4" x 24" and 3 pits, the NE corner of survey No. 3, Block B, at 1901 vrs. set 2" angle iron.

Thence N. at 1901 vrs. set oil can, quart bottle and 2 pits. A windmill bears N. 71° 9' W., windmill bears N. 5° 3' W., windmill bears S. 57° 49' E.

Thence W. at 1901 vrs. set a gal. bucket, dry battery cell, quart bottle and 2 pits, the NE corner of survey No. 13.

Thence S. at 1506 vrs. top of sand hill, at 1901 vrs. Bearings record true course. the place of beginning.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed

190

Commissioner.

File Clerk.

Commissioner General Land Office.

CLAYTON WILLIAMS, Chain Carriers.
TOM MCGEE, Chain Carriers.
The foregoing survey is correct and that the limits, boundaries and corners with the foregoing plat and field notes.

Surveyed with Buff Solar Transit No. 6741

the place of beginning.
W. J. WILLIAMS, Transmitter.
Bearing record true course.

Re-surveyed 2 day of August, 1909.
I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct and that the limits, boundaries and corners with the foregoing plat and field notes, are truly and correctly described in the foregoing plat and field notes.

APPROVED:

Re-survey

marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

It was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the foregoing plat and field notes.

W. J.

Bear

ences

read

lles

land

lat

stip.

come

BEGI

(All cour

1895.

R. Co., mad

True Mag

OTHER SIDE
FOR PLAT SEE

LAMB COUNTY


THE STATE OF TEXAS

Survey No. 19

Block No. 05

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land



BLOCK

THE STATE OF TEXAS

FOR PLAT SEE
OTHER SIDE

LAMB COUNTY

Survey No. 20

Block No. 05.

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 3 miles S. 35° W. from Olton, same

being Section No. 20 Block 05, Certificate No. 32 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of

1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth $1^{\circ} 25' 20''$.)

BEGINNING AT

an oil can, quart bottle and 2 pits set for the NE corner of survey No. 19, this block.

Thence N. at 1901 vrs. set a cedar stake and two pits, 9 cells, 12 pits and a gal. bucket.

Thence W. at 358.5 vrs. and 1524 vrs. cross fences, at 1901 vrs. set a gal. bucket, quart bottle, 3 dry battery cells and two pits, the NE corner of survey No. 17.

Thence S. at 1901 vrs. set gal. bucket, dry battery cell, quart bottle and 2 pits; a windmill bears N. $16^{\circ} 23'$ W., 4 pits bear S. $30^{\circ} 2'$ E. 720.7 vrs.

Thence S. 1901 vrs. to the place of beginning.

Thence E. at 126 vrs., 316 vrs., and 1432 vrs. cross fences, at 1901 vrs. the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed

190

Commissioner.

File Clerk.

Commissioner General Land Office.

Resurveyed 2 day of August 1909.

APPROVED

Re-s

marks, nat

it was mad

I, W.

W. J.

Bear

bottled

No. 16

batter

us fo

BEGI

(All cou

elo

1895.

R. Co., mad

True Mag

OTHER SIDE
FOR PLAT SEE

LAMB COUNTY

THE STATE OF TEXAS

Survey No. 20

Block No. 05

Grantee: D. & S. E. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640

acres of land
situated in Lamb County, about 3 miles S. 35°
being Section No. 20 Block 05, Certificate No. 32
issued to D. & S. E. R. Co. by the State Surveyor, by virtue of the XXXIX Chapter One, Revised Civil Statutes of

and proved by

an oil can, quart bottle and 2 pica set for the NE

corner of survey No. 10, this block

Thence W. at 1901 vrs. set a cedar stake and two

at 1901 vrs. set a gal. bucket, quart bottle, 3 dry battery

Thence W. at 358.5 vrs. and 1924 vrs. cross

Thence S. at 1901 vrs. set gal. bucket, dry battery

cell, quart bottle and 2 pica; a windmill weers N. 16° 28' W., 4 pica

bear S. 30° 2' E. 720.7 vrs.

Thence E. at 126 vrs., 316 vrs., and 1482 vrs. cross

fences, at 1901 vrs. surveyed with Bull Solar Transit No. 6741

Bearings record true course.

W. J. WILLIAMS, Transitman.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that

was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the

notes, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

CLAYTON WILLIAMS, Chain Carrier.

TOM MCGEE, Chain Carrier.

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 21

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 3 miles S. 45° W. from Olton, same

being Section No. 21 Block 05, Certificate No. 33 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of

1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth $1^{\circ} 25' 20''$.)

BEGINNING AT a cedar stake and 2 pits set for the NE corner of survey No. 20, this block.

Thence N. at 1901 vrs. set a quart bottle, 2 dry battery cells, 2 pits and a gal. bucket.

Thence W. at 1901 vrs. set a gal. bucket, quart bottle, 2 dry battery cells, and 2 pits, the NE corner of survey No. 16; 4 pits bear S. $21^{\circ} 6' E.$ 634 vrs.

Thence S. at 1901 vrs. set a gal. bucket, quart bottle, 3 dry battery cells and 2 pits, windmill bears N. $78^{\circ} 2' W.$

Thence E. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____
 Survey No. _____
 Block No. 05
 Grantee: D. & S. E. R. Co.


Corrected Field Notes

Survey No. _____
 Filed _____
 Commissioner _____
 File Clerk _____

County _____
 Chain Carriers _____

Surveyed with Buff Solar Transit No. 6741

Thence S. 1901 vrs. to the place of beginning.
 Thence S. 1901 vrs. set a gal. bucket, quart
 bottle, 3 dry battery cells and 2 pits, windmill bears N. 78° 30' W.
 Thence S. 1901 vrs. set a gal. bucket, quart
 bottle, 3 dry battery cells and 2 pits, windmill bears N. 78° 30' W.
 Thence S. 1901 vrs. set a gal. bucket, quart
 bottle, 3 dry battery cells and 2 pits, windmill bears N. 78° 30' W.



THE STATE OF TEXAS

LAMB COUNTY

FOR PLAT SEE OTHER SIDE

BLOCK

True Mag.
 R. Co., mad
 1895.

(All coun
 eloc
 BEGI

and 2

see a

v 1091

and

bottle

No. 21

the pl

Bear
 W. J

I, W.
 it was made
 marks, nat

Re-su
 APPROVED:

Commissioner General Land Office

Re-surveyed 2 day of August 1903

W. J. WILLIAMS, Transitman
 Bearings record true course.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct, and that was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the natural and artificial, are truly and correctly described in the foregoing plat and field notes.

THE STATE OF TEXAS

FOR PLAT SEE
OTHER SIDE

LAMB COUNTY

Survey No. 22

Block No. 05.

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 2 miles S. 68° W. from Olton, same

being Section No. 22 Block 05, Certificate No. 33 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a gal. bucket, quart bottle, 2 dry batter cells and 2 pits set for the NE corner of survey No. 21, this block

Thence N. at 64.5 vrs. cross fence, at 1901 vrs.

set a cement rock 14 x 10 x 7" and 2 pits.

Thence W. at 1286 vrs. cross road, at 1901 vrs.

Thence W. at 734 vrs. and 814 vrs. cross roads, at 1901 vrs. set a cement rock 13 x 8 x 6" and 2 pits.

Thence S. at 1901 vrs. set a cement rock 13 x 8 x 6"

Thence S. at 1901 vrs. set a gal. bucket, quart bottle, 2 dry battery cells and 2 pits, the NW corner of survey No. 21.

Thence E. at 1087 vrs. and 1117 vrs. cross roads,

at 1901 vrs. the place of beginning.

Thence E. at 1569 vrs. cross fence, at 1901 vrs.

the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 22 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

Commissioner General Land Office.

Surveyed with Buft Solar Transit No. 6741

the place of beginning.


Thence E. at 1559 vrs. cross fence, at 1901 vrs.

bottle, 2 dry battery cells and 2 pits, the NW corner of survey.

CLAYTON W. WILLIAMS, Chain Carrier.
TOM McGEHEE, Chain Carrier.
that the foregoing survey is correct and that the limits, boundaries and corners with the foregoing field notes.

W. J. WILLIAMS, Transcriber.
Bearings record true course.

Re-surveyed 2 day of August, 1903.
I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct and that the limits, boundaries and corners with the foregoing field notes, are truly and correctly described in the foregoing plat and field notes.



Corrected Field Notes of a re-survey of 640

Grantee: D. & S. E. R. R. Co.

Block No. 05

Survey No. 28

THE STATE OF TEXAS

LAMB COUNTY

FOR PLAT SEE
OTHER SIDE

BLOCK

True Mag

R. Co., made

1895.

(All cou

elc

BEGI

NE

tes

and

at 1

No. 21.

3 dry battery cells and 2 pits

the place of beginning.

Thence E. at 1559 vrs. cross fence, at 1901 vrs.

bottle, 2 dry battery cells and 2 pits, the NW corner of survey.

CLAYTON W. WILLIAMS, Chain Carrier.

TOM McGEHEE, Chain Carrier.

that the foregoing survey is correct and that the limits, boundaries and corners with the foregoing field notes.

W. J. WILLIAMS, Transcriber.

Bearings record true course.

Re-surveyed 2 day of August, 1903.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct and that the limits, boundaries and corners with the foregoing field notes, are truly and correctly described in the foregoing plat and field notes.

THE STATE OF TEXAS

FOR PLAT SEE
OTHER SIDE

LAMB COUNTY

Survey No. 23

Block No. 05.

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land situated in Lamb County, about 2 miles W. from Olton, same being Section No. 23 Block 05, Certificate No. 34 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth $1^{\circ} 25' 20''$.)

BEGINNING AT a cement rock 14 x 10 x 7" and 2 pits set for the NE corner of survey No. 22, this block.

Thence N. at 1901 vrs. set a cement rock 13 x 10 x 8".

Thence W. at 1234 vrs. cross road, at 1901 vrs. set a cement rock 8 x 6 x 6".

Thence S. at 1901 vrs. set a cement rock 13 x 8 x 6" and 2 pits, the NE corner of survey No. 15.

Thence E. at 627 vrs. cross road, at 1901 vrs. the place of beginning Thence E. at 1087 vrs. and 1117 vrs. cross roads, at 1901 vrs. the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE, }

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

County.

Corrected Field Notes

Survey No.

Filed

190

Commissioner.


File Clerk.

Surveyed with Buff Solar Transit No. 6741

W. J. WILLIAMS, Transitman.
Bearings record true course.

Re-surveyed 2 day of August 1909.
I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Commissioner General Land Office.



BLOCK

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

1902

FOR PLAT SEE
OTHER SIDE

True Mag

R. Co., mad

1895.

(All cou
elo

BEGI

urs fo

1901

place

at 1901 yrs. the place of beginning.

Thence E. at 1087 yrs. and 1117 yrs. cross roads,

and 2 pias, the NW corner of survey No. 13.

Thence N. at 1901 yrs. set a cement rock 13 x 8 x 6."

Thence W. at 1284 yrs. cross road, at 1901 yrs.

Thence N. at 1901 yrs. set a cement rock 13 x 8 x 6."

Thence S. at 1901 yrs. set a cement rock 13 x 8 x 6."

Thence E. at 1087 yrs. and 1117 yrs. cross roads,

and 2 pias, the NW corner of survey No. 13.

Thence N. at 1901 yrs. set a cement rock 13 x 8 x 6."

Thence W. at 1284 yrs. cross road, at 1901 yrs.

Thence N. at 1901 yrs. set a cement rock 13 x 8 x 6."

Thence S. at 1901 yrs. set a cement rock 13 x 8 x 6."

Thence E. at 1087 yrs. and 1117 yrs. cross roads,

and 2 pias, the NW corner of survey No. 13.

Thence N. at 1901 yrs. set a cement rock 13 x 8 x 6."

Thence W. at 1284 yrs. cross road, at 1901 yrs.

Thence N. at 1901 yrs. set a cement rock 13 x 8 x 6."

Thence S. at 1901 yrs. set a cement rock 13 x 8 x 6."

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 24

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 2 miles N. 68° W. from Olton, same

being Section No. 24 Block 05, Certificate No. 34 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of

1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cement rock 13 x 10 x 8" set for the NE corner of survey No. 23, this block.

Thence N. 1901 vrs. set a cement rock 8 x 6 x 4".

Thence W. 163 vrs. and 1033 vrs. cross roads, at 1901 vrs. set a cement rock 12 x 10 x 8".

Thence S. at 1901 vrs. set a cement rock 8 x 6 x 6".

Thence E. at 627 vrs. cross road, at 1901 vrs. the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County.

Corrected Field Notes

Survey No. _____

Filed _____ 190__

Commissioner.

File Clerk.

Commissioner General Land Office.

Re-surveyed 22 day of August, 1909.

APPROVED:

APPROVED

Re-s

it was made
marks

W. 3

Bear

surv

road

a ce

road

10

BEG

(All c
All c

1895.

R. Co., ma

True Ma

FOR
OT

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE
FOR PLAT SEE

Grainier, D. & S. E. R. Co.
Block No. 05.
Survey No. 24

Thence E. at 827 vrs. cross road, at 1901 vrs. the

Place of beginning. The road E. of Lake Michigan, near the shore, was the place of beginning.

I, W

Bear

surv

road

a ce

road

10

BEG

(All c
All c

1895.

R. Co., ma

True Ma

FOR
OT

THE STATE OF TEXAS

FOR PLAT SEE
OTHER SIDE

LAMB COUNTY

Survey No. 25

Block No. 05.

Grantee: D. & S. E. R. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 1 miles N. 45° W. from Olton, same
being Section No. 25 Block 05, Certificate No. 35 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of
1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at
elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cement rock 8 x 6 x 4" set for the NE corner of
survey No. 24, this block.

Thence E. at 443 vrs., 722 vrs. and 1380 vrs. cross
roads, at 1641 vrs. set iron pipe and 3 pits, the SE corner of
Survey No. 3, Block G & M, at 1901 vrs. set cement rock 13 x 10 x 7",
the NW corner of Survey No. 36, Block 0-2.

Thence S. at 356 vrs. cross road, at 1901 vrs. set
a cement rock 14 x 12 x 12", the SW corner of said Survey No. 36.

Thence W. at 315 vrs., 442 vrs. and 1346 vrs. cross
roads, at 1901 vrs. a cement rock 13 x 10 x 8", the SE corner of
survey No. 24. Thence N. at 226 vrs. and 1577 vrs. cross roads,

at 1901 vrs. the place of beginning.

Thence N. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that
it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the
marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County. _____

Corrected Field Notes

Survey No. _____

Filed _____

Commissioner. _____

File Clerk. _____

Re-surveyed 2 day of August, 1903.


I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing survey is correct and that the natural and artificial, are truly and correctly described in the foregoing plat and field notes.

W. J. WILLIAMS, Transcriber.

Bearings record true course.

Surveyed with Bull Solar Transit No. 6741

Thence N. 1901 var. to the place of beginning.



CORRECTED FIELD NOTES of a re-survey of 640

Grantee: D. & S. E. R. R. Co.

Block No. 05.

Survey No. 25.

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE

FOR PLAT SEE

BLOCK

2

1

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

</

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 26

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 1 miles S. 45° W. from Olton, same

being Section No. 26 Block 05, Certificate No. 35 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of

1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT a cement rock 13 x 12 x 12" set for the SE corner of survey No. 25, this block.

Thence W. at 315 vrs., 442 vrs. and 1846 vrs. cross roads, at 1901 vrs. set cement rock 13 x 10 x 8".

Thence S. at 1901 vrs. set a cement rock 14 x 10 x 7" and 2 pits, the SE corner of survey No. 23.

Thence E. at 1591 vrs. cross road, at 1901 vrs. set a 1/2" iron pipe, 2 pits and a cement rock 14 x 10 x 6", the SW corner of survey No. 35, Block 0-2.

Thence N. at 226 vrs. and 1577 vrs. cross roads, at 1901 vrs. the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

County.

Corrected Field Notes

Survey No.

Filed

190

Commissioner.

File Clerk.

Surveyed with Buff Solar Transit No. 6741


Bearings record true course.
W. J. WILLIAMS, Transitman.

Re-surveyed 2 day of August, 1903.
I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing is correct and that the same is in accordance with the laws of this State, and that the limits, boundaries and corners with the natural and artificial, are truly and correctly described in the foregoing plat and field notes.

APPROVED:

Commissioner General Land Office.

at 1901 ave. the place of beginning.
Thence N. at 236 ave. and 1877 ave. cross roads,
SW corner of survey No. 35, Block 0-2,
at a 1 1/2" iron pipe, 2 pits and a cement rock 14 x 10 x 6", the



CORRECTED FIELD NOTES of a re-survey of 840 acres of land

Grantee: D. & S. E. R. R. Co.

Block No. 05.

Survey No. 35

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE
FOR PLAT SEE

BLOCK

True Mag
Co., made

1895.

(All cou
ele

BEGI

ates

and
2 p

to
No.

an

Bea
W. J.

I, W
was mad
marks, nat

Re-s

APPROVED:

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 27

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

situated in Lamb County, about 1 miles S. 45° W. from Olton, same

being Section No. 27 Block 05, Certificate No. 36 issued to D. & S. E. R.

Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT

a 1/2" iron pipe, 2 pits and a cement rock 14 x 10 x 6" set for the SE corner of survey No. 26, this block.

Thence S. at 950.5 vrs. set a cement rock 12 x 8 x 4" and 2 pits, at 1328 vrs. cross road, at 1901 vrs. set a post and 2 pits, the SW corner of survey No. 34, Block 0-2.

Thence W. at 1901 vrs. set a gal. bucket, quart bottle, 2 dry battery cells, and 2 pits, the S.E. corner of survey No. 22.

Thence N. at 1901 vrs. set a cement rock 14 x 10 x 7" and 2 pits.

Thence E. at 1592 vrs. cross road, at 1901 vrs.

the place of beginning.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

County.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

CLAYTON W. WILLIAMS, Chain Carrier.
Tom McGee, State Surveyor, do hereby certify that the foregoing re-survey is correct and that the limits, boundaries and corners with the notes described in the foregoing plat and field notes.

Surveyed with Buft Solar Transit No. 6741

Thence E. at 1891 vrs. cross road, at 1901 vrs.

Thence N. at 1901 vrs. set a cement rock 14 x 10 x 7"

and 2 pits.

No. 22. bottle, 2 dry battery cells, and 2 pits, the S.W. corner of survey.

Thence W. at 1901 vrs. set a gal. bucket, quart
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30

set for the S.E. corner of survey No. 22, this block.
a 1 1/2" iron pipe, 2 pits and a cement rock 14 x 10 x 6"

estimated in Lamb County, about 1 1/2 miles S. 45°
being Section No. 22 Block 05, Certificate No. 36
issued to D. & S. E. R. Co.

CORRECTED FIELD NOTES of a re-survey of 640 acres of land

Grantee: D. & S. E. R. Co.

Block No. 05.


Survey No. 22

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE
FOR PLAT SEE

BLOCK



Commissioner General Land Office.

APPROVED:
Re-surveyed 2 day of August, 1901.

It was made
marks, nat
Re-s

W. J. Williams, Transman.

Bear

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 28.

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land situated in Lamb County, about 2 miles S. 25° W. from Olton, same being Section No. 28 Block 05, Certificate No. 36 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth $1^{\circ} 25' 20''$.)

BEGINNING AT a post and 2 pits set for S.E. corner of survey No. 27, this block.

Thence S. at 1901 vrs. set a brick, quart bottle, oil can, steel rod and 2 pits, the S.W. corner of survey No. 33, Block 0-2.

Thence W. at 401.5 Vrs. cross fence, at 1901 vrs. set 2 pits and cedar post. windmill bears N. $22^{\circ} 4' W.$, windmill bears N. $76^{\circ} 2' E.$, windmill bears S. $51^{\circ} 24' W.$

Thence N. at 1901 vrs. set a gal. bucket, quart bottle, 2 dry battery cells and 2 pits.

Thence E. at 1901 vrs. the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No.

Corrected Field Notes

Survey No.

Filed

Commissioner.

File Clerk.

Surveyed with Buft Solar Transit No. 6741

Thomas E. at 1901 yrs. the place of beginning.

Thomas E. at 1901 yrs. set a cal. brook, quartz

beats N. 78° 2' E., whistall bears S. 81° 2' W.

Thomas W. at 1901 yrs. cross fence, at 1901 yrs.

set 2 pits and cedar post, whistall bears N. 82° 2' W., whistall

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30

BLOCK 05

BLOCK

series of land

CORRECTED FIELD NOTES of a re-survey of

situated in Lamb County, about 8 miles S. 28° E. from the corner of the Block 05, Certificate No. 27, issued to D. S. E. R. Co. by the State Surveyor, by virtue of the XXXIX, Chapter One, Revised Civil Statutes of Texas.

All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block 05, and proved by elongation, azimuth 19° 25' 20."

Beginning at

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

Thomas E. at 1901 yrs. set a cal. brook, quartz

THE STATE OF TEXAS

LAMB COUNTY

Grantee: D. & S. E. R. Co.

Block No. 05.

Survey No. 28.

OTHER SIDE FOR PLAT SEE

FOR PLAT SEE

True Mag

Co., made

1895.

(All courses

BEG

rod

oil

oil

oil

oil

oil

oil

oil

oil

oil

oil

oil

oil

oil

oil

oil

oil

oil

oil

oil

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 29

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land situated in Lamb County, about 3 miles S. 20° W. from Olton, same being Section No. 29 Block 05, Certificate No. 37 issued to D. & S. E. R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT 2 pits, brick, quart bottle, oil can and steel rod set for the SE corner of survey No. 28, this block.

Thence S. at 1901 vrs. set 3 quart bottles, 3 square oil cans, cast windmill coupling and 2 pits; fence bears S. 3 vrs.

Thence W. at 403 vrs. cross fence, at 1901 vrs. set oil can, quart bottle and 2 pits, the SE corner of survey No. 20.

Thence N. at 1901 vrs. set cedar stake and 2 pits, a windmill bears N. 22° 4' W., another windmill bears N. 76° 2' E., another windmill bears S. 12° E., another windmill bears S. 51° 24' W.

Thence E. 1901 vrs. to the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.

File No. _____

County:

Corrected Field Notes

Survey No. _____

Filed _____ 190_____

Commissioner.

File Clerk.

Re-surveyed
S
day of August, 1908.
natural and artificial, are truly and correctly
made by me in the field, in accordance with
I, W. D. TWIGGELL, State Surveyor, do hereby
W. J. WILLIAMS, Transcriber.

W. J. WILLIAMS, Transitman.
Bearings record true course.

Surveyed with Buff Solar Transit No. 6741

Thence E. 1901 yrs. to the place of beginning.

another windmill bears S. 12° E., another windmill bears S. 51° 24' W.
a windmill bears N. 32° 4' W., another windmill bears N. 36° 2' E.,

100-443887-100

Thence W. at 40° v. cross fence, at 1901 v. set

Thence S. at 1901 yds. Sec 3 plant bottles, 3 c

5 pits, brick, dwarf bottle, oil can and steel

series of land

Grantee: D. & S. E. R. R. Co.
Block No. 05.

29. 29

THE STATE OF TEXAS

LAMB COUNTY

OTHER SIDE
FOR PLAT SEE

FOR P
OTH

True Mag
R. Co., mad
1895.

(All countries)

BEG

cou

2ⁿ 1

508

and

170

Bear

115

I, W

s, nat

PROVED

.....

THE STATE OF TEXAS

LAMB COUNTY

Survey No. 30

Block No. 05.

Grantee: D. & S. E. R. R. Co.

FOR PLAT SEE
OTHER SIDE

CORRECTED FIELD NOTES of a re-survey of 640 acres of land situated in Lamb County, about 4 miles S. 10° W. from Olton, same being Section No. 20 Block 05, Certificate No. 37 issued to D. & S. E. R.

R. Co., made by me as State Surveyor, by virtue of Title LXXXIX, Chapter One, Revised Civil Statutes of 1895.

(All courses compared to a meridian passing through old monument at N. W. corner of Survey No. 12, Block S4 and proved by observing Polaris when at elongation. Azimuth 1° 25' 20".)

BEGINNING AT 3 quart bottles, 3 square oil cans, cast windmill coupling and 2 pits, the S.E. corner of survey No. 29, this block.

Thence S. at 3 vrs. cross fence, at 1901 vrs. set 2" iron pipe.

Thence W. at 528.4 vrs. set a cedar post 4" x 24" and 2 pits, the N.E. corner of survey No. 4, Block B, at 1901 vrs. set 2" angle iron.

Thence E. at 1901 vrs. set oil can, quart bottle and two pits.

Thence E. at 1493 vrs. cross fence, at 1901 vrs. the place of beginning.

Bearings record true course.

W. J. WILLIAMS, Transitman.

CLAYTON WILLIAMS, } Chain Carriers.
TOM MCGEE.

I, W. D. TWICHELL, State Surveyor, do hereby certify that the foregoing re-survey is correct and that it was made by me in the field, in accordance with law, and that the limits, boundaries and corners with the marks, natural and artificial, are truly and correctly described in the foregoing plat and field notes.

Re-surveyed 2 day of August, 1909.

APPROVED:

State Surveyor.

Commissioner General Land Office.